

2023 Formulary (List of Covered Drugs)



**Presbyterian Senior Care (HMO)
Presbyterian Senior Care (HMO-POS)
Presbyterian UltraFlex (HMO-POS)
Presbyterian MediCare PPO**

**Please Read: THIS DOCUMENT CONTAINS INFORMATION
ABOUT THE DRUGS WE COVER IN THIS PLAN.**

HPMS Approved Formulary File Submission 00023575, Version Number 28.

This formulary was updated on November 21, 2023. For more recent information or other questions, please call customer service at (505) 923-6060 or 1-800-797-5343. TTY users should call 711. Our hours are 8 a.m. to 8 p.m., seven days a week (except holidays) from **October 1 through March 31**, and Monday to Friday (except holidays) from **April 1 through September 30**, or visit www.phs.org/Medicare.

- **Important Message About What You Pay for Vaccines** - Our plan covers most Part D vaccines at no cost to you, even if you haven't paid your deductible. Call member services for more information.
- **Important Message About What You Pay for Insulin** - You won't pay more than \$35 for a one-month supply of each insulin product covered by our plan, no matter what cost-sharing tier it's on, even if you haven't paid your deductible.

You may also visit our website at www.phs.org/Medicare.

Note to existing members: This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us,” or “our,” it means Presbyterian Health Plan, Inc. and Presbyterian Insurance Company, Inc. When it refers to “plan” or “our plan,” it means Presbyterian Senior Care (HMO)/(HMO-POS), Presbyterian UltraFlex (HMO-POS), and Presbyterian MediCare PPO.

This document includes a list of the drugs (formulary) for our plan which is current as of November 21, 2023. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2023, and from time to time during the year.

What is the Presbyterian Senior Care (HMO)/(HMO-POS), Presbyterian UltraFlex (HMO-POS), and Presbyterian MediCare PPO Formulary?

A formulary is a list of covered drugs selected by our plan in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Our plan will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a Presbyterian Senior Care (HMO)/(HMO-POS), Presbyterian UltraFlex (HMO-POS), and Presbyterian MediCare PPO network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

Can the Formulary (drug list) change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow Medicare rules in making these changes.

Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
 - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the Presbyterian Senior Care (HMO)/(HMO-POS), Presbyterian UltraFlex (HMO-POS), and Presbyterian MediCare PPO Formulary?”

- **Drugs removed from the market.** If the Food and Drug Administration (FDA) deems a drug on our formulary to be unsafe or the drug's manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a generic drug that is not new to market to replace a brand name drug currently on the formulary or add new restrictions to the brand name drug or move it to a different cost-sharing tier. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.
 - o If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled "How do I request an exception to the Presbyterian Senior Care (HMO)/(HMO-POS), Presbyterian UltraFlex (HMO-POS), and Presbyterian MediCare PPO Formulary?"

Changes that will not affect you if you are currently taking the drug. Generally, if you are taking a drug on our 2023 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2023 coverage year except as described above. This means these drugs will remain available at the same cost-sharing and with no new restrictions for those members taking them for the remainder of the coverage year.

The enclosed formulary is current as of November 21, 2023. To get updated information about the drugs covered by our plan, please contact us. Our contact information appears on the front and back cover pages. If there are formulary updates that affect you, such as formulary additions, removals, addition of prior authorization, quantity limits and/or step therapy restrictions, you will be notified in writing of the change. All changes to our 2023 formulary are posted to www.phs.org/medicare.

How do I use the Formulary?

There are two ways to find your drug within the formulary:

Medical Condition

The formulary begins on page 8. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, Cardiovascular Agents. If you know what your drug is used for, look for the category name in the list that begins on page number 8. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page 123. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

What are generic drugs?

Our plan covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs cost less than brand name drugs.

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Our plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from us before you fill your prescriptions. If you don't get approval, we may not cover the drug.
- **Quantity Limits:** For certain drugs, our plan limits the amount of the drug that we will cover. For example, our plan provides 30 tablets per prescription for aripiprazole. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, our plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover Drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 8. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask our plan to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to the Presbyterian Senior Care (HMO)/(HMO-POS), Presbyterian UltraFlex (HMO-POS), and Presbyterian MediCare PPO Formulary?" below for information about how to request an exception.

What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact our Presbyterian Customer Service Center and ask if your drug is covered.

If you learn that our plan does not cover your drug, you have two options:

- You can ask our Presbyterian Customer Service Center for a list of similar drugs that are covered by our plan. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by our plan.
- You can ask our plan to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to the Presbyterian Senior Care (HMO)/(HMO-POS), Presbyterian UltraFlex (HMO-POS), and Presbyterian MediCare PPO Formulary?

You can ask our plan to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at a lower cost-sharing level if this drug is not on the specialty tier. If approved this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, our plan limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, our plan will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, or utilization restriction exception. **When you request a formulary or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.**

Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

What do I do before I can talk to my doctor about changing my drugs or requesting an exception?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30- day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan for less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

If you experience a change in your level of care, such as a move from a long-term care facility to a home setting or from the hospital to a home setting, and you need a drug that is not on our formulary or if your ability to get your drugs is limited, we will cover a one-time temporary supply for you. The temporary supply is up to a 31-day supply, unless the prescription is written for less than 31 days. During this period, you should use the plan's exception process if you wish to have continued coverage of the drug after the temporary supply is finished.

For more information

For more detailed information about your Presbyterian Senior Care (HMO)/(HMO-POS), Presbyterian UltraFlex (HMO-POS), and Presbyterian MediCare PPO prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about our plan, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800- MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

Presbyterian Senior Care (HMO)/(HMO-POS), Presbyterian UltraFlex (HMO-POS), and Presbyterian MediCare PPO Formulary

The formulary below provides coverage information about the drugs covered by our plan. If you have trouble finding your drug in the list, turn to the Index that begins on page 123.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., LYRICA CR) and generic drugs are listed in lower-case italics (e.g., *lisinopril*).

The information in the Requirements/Limits column tells you if our plan has any special requirements for coverage of your drug.

Explanation of Drug Tiers

Prescription drugs are grouped into one of five tiers - Tier 1, Tier 2, Tier 3, Tier 4, or Tier 5. A generic drug is approved by the FDA as having the same active ingredients as the brand-name drug. Generally, generic drugs cost less than brand-name drugs. For your copayment or coinsurance amounts in each drug tier, refer to your Evidence of Coverage.

- **Tier 1 - Preferred Generic:** Generic or brand drugs that are available at the lowest cost share for this plan.
- **Tier 2 - Generic:** Generic or brand drugs that the plan offers at a higher cost to you than Tier 1 Preferred Generic drugs.
- **Tier 3 - Preferred Brand:** Generic or brand drugs that the plan offers at a lower cost to you than Tier 4 Non-Preferred Drug drugs.
- **Tier 4 - Non-Preferred Drug:** Generic or brand drugs that the plan offers at a higher cost to you than Tier 3 Preferred Brand drugs.
- **Tier 5 - Specialty Tier:** Some injectables and other high-cost drugs.

How much will I pay for covered drugs?

The amount of money you pay depends on:

- Which drug tier your drug falls under in the formulary
- Your current drug payment stage - read your Evidence of Coverage (EOC) for more information

If you qualified for extra help with your drug costs, your costs may be different. Please refer to your Evidence of Coverage (EOC), LIS Rider, or call customer service to find out what your costs are.

Explanation of Abbreviations

Abbreviation	Meaning
PA B/D	This drug may be covered under Medicare Part B or Medicare Part D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination.
GC	Gap Coverage. We provide coverage of this prescription drug in the coverage gap. Please refer to your Evidence of Coverage for more information about this coverage.
LA	Limited Access. This prescription may be available only at certain pharmacies. For more information, consult your Pharmacy Directory or call the Presbyterian Customer Service Center at (505) 923-6060 or 1-800-797- 5343 (TTY 711). October 1 to March 31, we are available from 8 a.m. to 8 p.m., seven days a week. April 1 to September 30, we are available from 8 a.m. to 8 p.m., Monday through Friday. We are closed on holidays.
NDS	Non Extended Day Supply This drug is limited to a one-month supply.
PA	Prior Authorization. You or your physician, are required to get prior authorization before you fill your prescription for this drug. Without prior approval, we may not cover this drug.
QL	Quantity Limit. There is a limit on the amount of this drug that is covered per prescription, or within a specific time frame.
ST	Step Therapy. In some cases, you may be required to first try certain drugs to treat your medical condition before we will cover another drug for that condition.
DDMP	Diabetes Disease Management Program. If you are on our Presbyterian Senior Care Plan 2 or Presbyterian Senior Care Plan 3 and have been diagnosed with diabetes you may be eligible for reduced cost sharing for select oral medications commonly used to treat diabetes. This drug is one of the select oral medications that may qualify for reduced cost sharing.
SSM	Senior Savings Model. If you are on our Presbyterian Senior Care Plan 2 or Presbyterian Senior care Plan 3 select insulin products are approved for reduced cost sharing. This drug is one of the select insulin products that qualify for reduced cost sharing.

Drug Name	Drug Tier	Requirements/Limits
Analgesics		
Analgesics		
<i>acetaminophen-codeine #2 oral tablet 300-15 mg</i>	2	GC; QL (6 EA per 1 day); NDS
<i>acetaminophen-codeine #3 oral tablet 300-30 mg</i>	2	QL (6 EA per 1 day); NDS
<i>acetaminophen-codeine #4 oral tablet 300-60 mg</i>	2	GC; QL (6 EA per 1 day); NDS
<i>acetaminophen-codeine oral solution 120-12 mg/5ml</i>	2	GC; NDS
<i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg, 300-60 mg</i>	2	GC; QL (6 EA per 1 day); NDS
<i>butalbital-apap-caffeine oral capsule 50-325-40 mg</i>	4	QL (6 EA per 1 day)
<i>butalbital-apap-caffeine oral tablet 50-325-40 mg</i>	4	QL (6 EA per 1 day)
<i>butalbital-aspirin-caffeine oral capsule 50-325-40 mg</i>	4	QL (6 EA per 1 day)
<i>capacet oral capsule 50-325-40 mg</i>	4	
<i>ENDOCET ORAL TABLET 10-325 MG, 5-325 MG, 7.5-325 MG</i>	3	QL (6 EA per 1 day); NDS
<i>esgc oral capsule 50-325-40 mg</i>	4	QL (6 EA per 1 day)
<i>hydrocodone-acetaminophen oral tablet 5-325 mg, 7.5-325 mg</i>	2	GC; QL (6 EA per 1 day); NDS
<i>hydrocodone-ibuprofen oral tablet 7.5-200 mg</i>	2	GC; QL (6 EA per 1 day); NDS
<i>LORCET ORAL TABLET 5-325 MG</i>	3	QL (6 EA per 1 day); NDS
<i>LORCET PLUS ORAL TABLET 7.5-325 MG</i>	3	QL (6 EA per 1 day); NDS
<i>LORTAB ORAL TABLET 5-325 MG, 7.5-325 MG</i>	3	QL (6 EA per 1 day); NDS
<i>oxycodone-acetaminophen oral tablet 10-325 mg, 5-325 mg, 7.5-325 mg</i>	2	GC; QL (6 EA per 1 day); NDS
<i>zebutal oral capsule 50-325-40 mg</i>	4	QL (6 EA per 1 day)
Nonsteroidal Anti-Inflammatory Drugs		
<i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i>	4	QL (2 EA per 1 day)
<i>diclofenac sodium er oral tablet extended release 24 hour 100 mg</i>	1	GC
<i>diclofenac sodium oral tablet delayed release 25 mg, 50 mg, 75 mg</i>	1	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
<i>etodolac oral capsule 200 mg, 300 mg</i>	2	GC
<i>etodolac oral tablet 400 mg, 500 mg</i>	2	GC
<i>fenoprofen calcium oral tablet 600 mg</i>	3	
<i>flurbiprofen oral tablet 100 mg</i>	2	GC
<i>flurbiprofen oral tablet 50 mg</i>	2	GC
<i>ketoprofen oral capsule 50 mg, 75 mg</i>	2	GC
<i>meloxicam oral tablet 15 mg, 7.5 mg</i>	1	GC
<i>nabumetone oral tablet 500 mg, 750 mg</i>	2	GC
<i>naproxen dr oral tablet delayed release 500 mg</i>	1	
<i>naproxen oral suspension 125 mg/5ml</i>	2	GC
<i>naproxen oral tablet 250 mg, 375 mg, 500 mg</i>	1	GC
<i>naproxen oral tablet delayed release 375 mg, 500 mg</i>	1	GC
<i>naproxen sodium oral tablet 275 mg, 550 mg</i>	1	GC
<i>oxaprozin oral tablet 600 mg</i>	2	GC
<i>piroxicam oral capsule 10 mg, 20 mg</i>	2	GC
PROFENO ORAL TABLET 600 MG	3	
<i>sulindac oral tablet 150 mg, 200 mg</i>	2	GC
Opioid Analgesics, Long-Acting		
<i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i>	2	GC; QL (10 EA per 30 days); NDS
<i>methadone hcl oral tablet 10 mg</i>	2	GC; QL (4 EA per 1 day); NDS
<i>methadone hcl oral tablet 5 mg</i>	2	GC; QL (6 EA per 1 day); NDS
<i>morphine sulfate er oral tablet extended release 100 mg, 200 mg, 60 mg</i>	2	GC; QL (2 EA per 1 day); NDS
<i>morphine sulfate er oral tablet extended release 15 mg, 30 mg</i>	2	GC; QL (3 EA per 1 day); NDS
MORPHINE SULFATE ORAL SOLUTION 20 MG/5ML	3	QL (30 ML per 1 day); NDS
MORPHINE SULFATE ORAL TABLET 15 MG	3	QL (6 EA per 1 day); NDS
MORPHINE SULFATE ORAL TABLET 30 MG	3	QL (4 EA per 1 day); NDS
<i>oxymorphone hcl er oral tablet extended release 12 hour 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 5 mg, 7.5 mg</i>	4	ST; QL (2 EA per 1 day); NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
tramadol hcl er oral tablet extended release 24 hour 100 mg	2	GC; QL (3 EA per 1 day); NDS
tramadol hcl er oral tablet extended release 24 hour 200 mg	2	GC; QL (1 EA per 1 day); NDS
Opioid Analgesics, Short-Acting		
DURAMORPH INJECTION SOLUTION 1 MG/ML	4	QL (120 ML per 1 day); NDS
endocet oral tablet 2.5-325 mg	2	GC; QL (6 EA per 1 day); NDS
fentanyl citrate buccal lozenge on a handle 1200 mcg, 1600 mcg, 400 mcg, 600 mcg, 800 mcg	5	PA; QL (4 EA per 1 day); NDS
hydrocodone-acetaminophen oral tablet 10-325 mg	2	GC; QL (6 EA per 1 day); NDS
hydromorphone hcl oral tablet 2 mg, 4 mg	2	GC; QL (6 EA per 1 day); NDS
hydromorphone hcl oral tablet 8 mg	2	GC; QL (3 EA per 1 day); NDS
LORCET HD ORAL TABLET 10-325 MG	3	QL (6 EA per 1 day); NDS
LORTAB ORAL TABLET 10-325 MG	3	QL (6 EA per 1 day); NDS
morphine sulfate (pf) injection solution 1 mg/ml	4	QL (120 ML per 1 day); NDS
MORPHINE SULFATE INTRAVENOUS SOLUTION 150 MG/30ML	3	NDS
oxycodone hcl oral tablet 10 mg, 5 mg	2	GC; QL (6 EA per 1 day); NDS
oxycodone hcl oral tablet 15 mg	2	GC; QL (5 EA per 1 day); NDS
oxycodone hcl oral tablet 20 mg	2	GC; QL (4 EA per 1 day); NDS
oxycodone hcl oral tablet 30 mg	2	GC; QL (2 EA per 1 day); NDS
oxycodone-acetaminophen oral tablet 2.5-325 mg	2	GC; QL (6 EA per 1 day); NDS
tramadol hcl oral tablet 100 mg	2	GC; QL (4 EA per 1 day); NDS
tramadol hcl oral tablet 50 mg	2	GC; QL (8 EA per 1 day); NDS
Anesthetics		
Local Anesthetics		
glydo external gel 2 %	2	GC
lidocaine external patch 5 %	4	PA; QL (3 EA per 1 day)
lidocaine hcl external gel 2 %	2	GC
lidocaine hcl external solution 4 %	2	GC; QL (50 ML per 30 days)
lidocaine viscous hcl mouth/throat solution 2 %	2	GC
lidocaine-prilocaine external cream 2.5-2.5 %	2	GC; QL (30 GM per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to page 7.

Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
Anti-Addiction/ Substance Abuse Treatment Agents		
Alcohol Deterrents/ Anti-Craving		
<i>acamprosate calcium oral tablet delayed release 333 mg</i>	4	
<i>disulfiram oral tablet 250 mg, 500 mg</i>	2	GC
Opioid Dependence Treatments		
<i>buprenorphine hcl sublingual tablet sublingual 2 mg, 8 mg</i>	2	GC; QL (3 EA per 1 day)
<i>buprenorphine hcl-naloxone hcl sublingual film 12-3 mg</i>	4	QL (2 EA per 1 day); NDS
<i>buprenorphine hcl-naloxone hcl sublingual film 2-0.5 mg, 4-1 mg, 8-2 mg</i>	4	QL (3 EA per 1 day)
<i>buprenorphine hcl-naloxone hcl sublingual tablet sublingual 2-0.5 mg, 8-2 mg</i>	2	GC; QL (3 EA per 1 day)
<i>naltrexone hcl oral tablet 50 mg</i>	2	GC
Opioid Reversal Agents		
<i>naloxone hcl injection solution prefilled syringe 2 mg/2ml</i>	2	GC
<i>naloxone hcl nasal liquid 4 mg/0.1ml</i>	3	
Smoking Cessation Agents		
<i>bupropion hcl er (smoking det) oral tablet extended release 12 hour 150 mg</i>	2	GC
<i>CHANTIX CONTINUING MONTH PAK ORAL TABLET 1 MG</i>	4	QL (360 EA per 365 days)
<i>CHANTIX ORAL TABLET 0.5 MG, 1 MG</i>	4	QL (360 EA per 365 days)
<i>NICOTROL INHALATION INHALER 10 MG</i>	4	
<i>NICOTROL NS NASAL SOLUTION 10 MG/ML</i>	3	QL (720 ML per 365 days)
<i>varenicline tartrate oral tablet 0.5 mg, 1 mg</i>	4	QL (360 EA per 365 days)
Anti-Addiction/Substance Abuse Treatment Agents		
Smoking Cessation Agents		

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
varenicline tartrate (starter) oral tablet therapy pack 0.5 mg x 11 & 1 mg x 42	4	
varenicline tartrate oral 0.5 mg x 11 & 1 mg x 42	4	
varenicline tartrate oral tablet therapy pack 0.5 mg x 11 & 1 mg x 42	4	
Antibacterials		
Aminoglycosides		
amikacin sulfate injection solution 500 mg/2ml	2	GC
GENTAK OPHTHALMIC OINTMENT 0.3 %	3	
gentamicin sulfate external cream 0.1 %	3	
gentamicin sulfate external ointment 0.1 %	3	
gentamicin sulfate injection solution 10 mg/ml	2	GC
gentamicin sulfate injection solution 40 mg/ml	2	GC
gentamicin sulfate intravenous solution 10 mg/ml	2	GC
gentamicin sulfate ophthalmic solution 0.3 %	2	GC
neomycin sulfate oral tablet 500 mg	2	GC
paromomycin sulfate oral capsule 250 mg	2	GC
streptomycin sulfate intramuscular solution reconstituted 1 gm	3	
TOBRADEX OPHTHALMIC OINTMENT 0.3-0.1 %	3	
tobramycin inhalation nebulization solution 300 mg/5ml	5	PA B/D; NDS
tobramycin ophthalmic solution 0.3 %	2	GC
tobramycin sulfate injection solution 10 mg/ml, 80 mg/2ml	2	GC
Antibacterials, Other		
BACITRACIN OPHTHALMIC OINTMENT 500 UNIT/GM	3	
clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg	2	GC
clindamycin phosphate external gel 1 %	2	GC
clindamycin phosphate external solution 1 %	2	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
<i>clindamycin phosphate in d5w intravenous solution 300 mg/50ml, 600 mg/50ml, 900 mg/50ml</i>	4	
<i>clindamycin phosphate vaginal cream 2 %</i>	2	GC
COLISTIMETHATE SODIUM (CBA) INJECTION SOLUTION RECONSTITUTED 150 MG	5	NDS
<i>daptomycin intravenous solution reconstituted 500 mg</i>	5	NDS
FIRVANQ ORAL SOLUTION RECONSTITUTED 25 MG/ML, 50 MG/ML	3	
<i>fosfomycin tromethamine oral packet 3 gm</i>	4	
<i>linezolid intravenous solution 600 mg/300ml</i>	4	NDS
<i>linezolid oral suspension reconstituted 100 mg/5ml</i>	5	PA; NDS
<i>linezolid oral tablet 600 mg</i>	4	PA; QL (2 EA per 1 day)
<i>metronidazole external cream 0.75 %</i>	2	GC
<i>metronidazole external gel 0.75 %</i>	2	GC
<i>metronidazole external lotion 0.75 %</i>	2	GC
<i>metronidazole in nacl intravenous solution 5-0.79 mg/ml-%</i>	2	
<i>metronidazole in nacl intravenous solution 500-0.79 mg/100ml-%</i>	2	GC
<i>metronidazole intravenous solution 5 mg/ml</i>	2	GC
<i>metronidazole intravenous solution 500 mg/100ml</i>	2	GC
<i>metronidazole oral capsule 375 mg</i>	4	
<i>metronidazole oral tablet 250 mg, 500 mg</i>	2	GC
<i>metronidazole vaginal gel 0.75 %</i>	2	GC
<i>mupirocin external ointment 2 %</i>	2	GC
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 50 mg</i>	2	GC
<i>nitrofurantoin monohyd macro oral capsule 100 mg</i>	2	GC
<i>nitrofurantoin oral suspension 25 mg/5ml</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
<i>polymyxin b sulfate injection solution reconstituted 500000 unit</i>	4	
<i>rosadan external cream 0.75 %</i>	2	GC
<i>rosadan external gel 0.75 %</i>	2	GC
<i>tigecycline intravenous solution reconstituted 50 mg</i>	4	NDS
<i>trimethoprim oral tablet 100 mg</i>	2	GC
<i>vancomycin hcl intravenous solution reconstituted 1 gm, 500 mg, 750 mg</i>	2	GC
<i>vancomycin hcl intravenous solution reconstituted 1000 mg, 5 gm</i>	2	GC
<i>vancomycin hcl oral capsule 125 mg, 250 mg</i>	4	
<i>vancomycin hcl oral solution reconstituted 25 mg/ml, 250 mg/5ml</i>	3	
VANDAZOLE VAGINAL GEL 0.75 %	3	
XIFAXAN ORAL TABLET 200 MG, 550 MG	5	PA; QL (3 EA per 1 day); NDS
Beta-Lactam, Cephalosporins		
<i>AVYCAZ INTRAVENOUS SOLUTION RECONSTITUTED 2.5 (2-0.5) GM</i>	5	NDS
<i>cefaclor oral capsule 250 mg, 500 mg</i>	2	GC
<i>cefadroxil oral capsule 500 mg</i>	2	GC
<i>cefadroxil oral suspension reconstituted 250 mg/5ml, 500 mg/5ml</i>	2	GC
<i>cefadroxil oral tablet 1 gm</i>	2	GC
<i>cefazolin sodium injection solution reconstituted 1 gm, 10 gm, 500 mg</i>	2	GC
<i>cefdinir oral capsule 300 mg</i>	2	GC
<i>cefdinir oral suspension reconstituted 125 mg/5ml, 250 mg/5ml</i>	2	GC
<i>cefepime hcl injection solution reconstituted 1 gm</i>	2	GC
<i>cefepime hcl injection solution reconstituted 2 gm</i>	2	
<i>cefepime hcl intravenous solution reconstituted 2 gm</i>	2	GC
<i>cefixime oral capsule 400 mg</i>	3	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
<i>cefixime oral suspension reconstituted 100 mg/5ml, 200 mg/5ml</i>	4	
<i>cefotaxime sodium injection solution reconstituted 1 gm, 2 gm</i>	2	GC
<i>cefoxitin sodium intravenous solution reconstituted 1 gm, 2 gm</i>	2	GC
<i>cefpodoxime proxetil oral suspension reconstituted 100 mg/5ml, 50 mg/5ml</i>	4	
<i>cefpodoxime proxetil oral tablet 100 mg, 200 mg</i>	4	
<i>cefprozil oral suspension reconstituted 125 mg/5ml, 250 mg/5ml</i>	2	GC
<i>cefprozil oral tablet 250 mg, 500 mg</i>	2	GC
<i>ceftazidime injection solution reconstituted 2 gm</i>	2	
<i>ceftazidime intravenous solution reconstituted 2 gm</i>	2	GC
CEFTIN ORAL SUSPENSION RECONSTITUTED 250 MG/5ML	3	
<i>ceftriaxone sodium injection solution reconstituted 100 gm</i>	2	GC
<i>ceftriaxone sodium injection solution reconstituted 250 mg, 500 mg</i>	2	GC
<i>ceftriaxone sodium intravenous solution reconstituted 10 gm</i>	2	GC
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	2	GC
<i>cefuroxime sodium injection solution reconstituted 1.5 gm</i>	2	GC
<i>cefuroxime sodium injection solution reconstituted 7.5 gm</i>	2	
<i>cefuroxime sodium injection solution reconstituted 750 mg</i>	2	GC
<i>cefuroxime sodium intravenous solution reconstituted 1.5 gm</i>	2	GC
<i>cephalexin oral capsule 250 mg, 500 mg</i>	2	GC
<i>cephalexin oral suspension reconstituted 125 mg/5ml, 250 mg/5ml</i>	2	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
TAZICEF INJECTION SOLUTION RECONSTITUTED 2 GM	3	
TAZICEF INTRAVENOUS SOLUTION RECONSTITUTED 2 GM	3	
TEFLARO INTRAVENOUS SOLUTION RECONSTITUTED 400 MG, 600 MG	5	NDS
Beta-Lactam, Other		
<i>aztreonam injection solution reconstituted 1 gm</i>	4	
<i>aztreonam injection solution reconstituted 2 gm</i>	5	NDS
<i>ertapenem sodium injection solution reconstituted 1 gm</i>	4	
<i>imipenem-cilastatin intravenous solution reconstituted 250 mg, 500 mg</i>	2	GC
<i>meropenem intravenous solution reconstituted 1 gm, 500 mg</i>	2	GC
Beta-Lactam, Penicillins		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	2	GC
<i>amoxicillin oral suspension reconstituted 125 mg/5ml, 200 mg/5ml, 250 mg/5ml, 400 mg/5ml</i>	2	GC
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	2	GC
<i>amoxicillin oral tablet chewable 125 mg, 250 mg</i>	2	GC
<i>amoxicillin-pot clavulanate oral suspension reconstituted 200-28.5 mg/5ml, 250-62.5 mg/5ml, 400-57 mg/5ml, 600-42.9 mg/5ml</i>	2	GC
<i>amoxicillin-pot clavulanate oral tablet 250-125 mg, 500-125 mg, 875-125 mg</i>	2	GC
<i>amoxicillin-pot clavulanate oral tablet chewable 200-28.5 mg, 400-57 mg</i>	2	GC
<i>ampicillin oral capsule 250 mg</i>	2	GC
<i>ampicillin oral capsule 500 mg</i>	2	GC
<i>ampicillin oral suspension reconstituted 125 mg/5ml, 250 mg/5ml</i>	3	
<i>ampicillin sodium injection solution reconstituted 1 gm</i>	2	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
<i>ampicillin sodium injection solution reconstituted 10 gm</i>	2	GC
<i>ampicillin sodium intravenous solution reconstituted 10 gm</i>	2	GC
<i>ampicillin-sulbactam sodium injection solution reconstituted 1.5 (1-0.5) gm, 3 (2-1) gm</i>	2	GC
<i>ampicillin-sulbactam sodium injection solution reconstituted 15 (10-5) gm</i>	2	GC
<i>ampicillin-sulbactam sodium intravenous solution reconstituted 1.5 (1-0.5) gm, 3 (2-1) gm</i>	2	GC
<i>ampicillin-sulbactam sodium intravenous solution reconstituted 15 (10-5) gm</i>	2	GC
BICILLIN C-R 900/300 INTRAMUSCULAR SUSPENSION 900000-300000 UNIT/2ML	3	
<i>bicillin c-r intramuscular suspension 1200000 unit/2ml</i>	4	
<i>dicloxacillin sodium oral capsule 250 mg, 500 mg</i>	2	GC
<i>nafcillin sodium injection solution reconstituted 1 gm, 2 gm</i>	4	
<i>nafcillin sodium intravenous solution reconstituted 2 gm</i>	4	
<i>penicillin g potassium injection solution reconstituted 20000000 unit, 5000000 unit</i>	4	
<i>penicillin v potassium oral solution reconstituted 125 mg/5ml, 250 mg/5ml</i>	2	GC
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	2	GC
<i>piperacillin sod-tazobactam so intravenous solution reconstituted 2.25 (2-0.25) gm, 3.375 (3-0.375) gm, 4.5 (4-0.5) gm</i>	4	
Macrolides		
<i>azithromycin intravenous solution reconstituted 500 mg</i>	2	GC
<i>azithromycin oral tablet 250 mg, 250 mg (6 pack), 500 mg, 500 mg (3 pack), 600 mg</i>	2	GC
<i>clarithromycin er oral tablet extended release 24 hour 500 mg</i>	2	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
<i>clarithromycin oral suspension reconstituted 125 mg/5ml, 250 mg/5ml</i>	2	GC
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	2	GC
DIFICID ORAL SUSPENSION RECONSTITUTED 40 MG/ML	5	QL (136 ML per 30 days); NDS
DIFICID ORAL TABLET 200 MG	5	PA; QL (20 EA per 30 days); NDS
ERY-TAB ORAL TABLET DELAYED RELEASE 250 MG, 333 MG, 500 MG	4	
ERYTHROCIN LACTOBIONATE INTRAVENOUS SOLUTION RECONSTITUTED 500 MG	3	
<i>erythromycin base oral tablet 250 mg, 500 mg</i>	4	
<i>erythromycin base oral tablet delayed release 250 mg, 333 mg, 500 mg</i>	4	
ERYTHROMYCIN ETHYLSUCCINATE ORAL SUSPENSION RECONSTITUTED 200 MG/5ML	3	
<i>erythromycin external solution 2 %</i>	2	GC
<i>erythromycin lactobionate intravenous solution reconstituted 500 mg</i>	3	
<i>erythromycin ophthalmic ointment 5 mg/gm</i>	2	GC
<i>erythromycin oral tablet delayed release 250 mg</i>	4	
KLARITY-A OPHTHALMIC SOLUTION 1 %	4	
Quinolones		
CILOXAN OPHTHALMIC OINTMENT 0.3 %	3	
<i>ciprofloxacin hcl ophthalmic solution 0.3 %</i>	2	GC
<i>ciprofloxacin hcl oral tablet 100 mg, 250 mg, 500 mg, 750 mg</i>	2	GC
<i>ciprofloxacin in d5w intravenous solution 200 mg/100ml</i>	2	GC
<i>ciprofloxacin intravenous solution 400 mg/40ml</i>	2	GC
<i>ciprofloxacin oral suspension reconstituted 250 mg/5ml (5%), 500 mg/5ml (10%)</i>	2	GC
<i>gatifloxacin ophthalmic solution 0.5 %</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
<i>levofloxacin in d5w intravenous solution 750 mg/150ml</i>	4	
<i>levofloxacin intravenous solution 25 mg/ml</i>	4	
<i>levofloxacin oral solution 25 mg/ml</i>	2	GC
<i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>	2	GC
<i>moxifloxacin hcl ophthalmic solution 0.5 %</i>	4	
<i>moxifloxacin hcl oral tablet 400 mg</i>	4	
<i>ofloxacin ophthalmic solution 0.3 %</i>	2	GC
<i>ofloxacin oral tablet 300 mg, 400 mg</i>	2	GC
<i>ofloxacin otic solution 0.3 %</i>	2	GC
Sulfonamides		
<i>silver sulfadiazine external cream 1 %</i>	2	GC
<i>SSD EXTERNAL CREAM 1 %</i>	3	
<i>sulfacetamide sodium ophthalmic ointment 10 %</i>	4	
<i>sulfacetamide sodium ophthalmic solution 10 %</i>	2	GC
<i>sulfadiazine oral tablet 500 mg</i>	3	
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5ml</i>	2	GC
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg, 800-160 mg</i>	2	GC
<i>sulfatrim pediatric oral suspension 200-40 mg/5ml</i>	2	
Tetracyclines		
<i>doxy 100 intravenous solution reconstituted 100 mg</i>	4	
<i>doxycycline hyclate intravenous solution reconstituted 100 mg</i>	4	
<i>doxycycline hyclate oral capsule 100 mg, 50 mg</i>	4	
<i>doxycycline hyclate oral tablet 100 mg</i>	4	
<i>doxycycline hyclate oral tablet 20 mg</i>	2	GC
<i>doxycycline monohydrate oral capsule 100 mg, 50 mg</i>	2	GC
<i>minocycline hcl oral capsule 100 mg, 50 mg, 75 mg</i>	2	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
<i>minocycline hcl oral tablet 100 mg, 50 mg, 75 mg</i>	2	GC
<i>monodoxine nl oral capsule 100 mg</i>	2	
<i>monodoxine nl oral capsule 50 mg</i>	2	GC
<i>morgidox oral capsule 100 mg, 50 mg</i>	4	
<i>okebo oral capsule 100 mg</i>	2	GC
<i>tetracycline hcl oral capsule 500 mg</i>	4	
Anticonvulsants		
Anticonvulsants, Other		
BRIVIACT ORAL SOLUTION 10 MG/ML	5	ST; QL (20 ML per 1 day); NDS
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	5	ST; QL (2 EA per 1 day); NDS
DIACOMIT ORAL CAPSULE 250 MG, 500 MG	5	ST; NDS
DIACOMIT ORAL PACKET 250 MG, 500 MG	5	ST; NDS
DIASTAT ACUDIAL RECTAL GEL 10 MG, 20 MG	4	NDS
DIASTAT PEDIATRIC RECTAL GEL 2.5 MG	4	NDS
<i>diazepam rectal gel 10 mg, 2.5 mg, 20 mg</i>	4	NDS
EPRONTIA ORAL SOLUTION 25 MG/ML	4	ST; QL (16 ML per 1 day)
FINTEPLA ORAL SOLUTION 2.2 MG/ML	5	ST; QL (12 ML per 1 day); NDS
<i>levetiracetam oral solution 100 mg/ml</i>	2	GC
<i>levetiracetam oral tablet 1000 mg, 250 mg, 500 mg, 750 mg</i>	2	GC
ROWEEPRA ORAL TABLET 1000 MG, 500 MG, 750 MG	3	
SPRITAM ORAL TABLET DISINTEGRATING SOLUBLE 1000 MG, 250 MG, 500 MG	4	QL (2 EA per 1 day)
SPRITAM ORAL TABLET DISINTEGRATING SOLUBLE 750 MG	4	QL (4 EA per 1 day)
XCOPRI (250 MG DAILY DOSE) ORAL TABLET THERAPY PACK 100 & 150 MG, 50 & 200 MG	5	ST; QL (56 EA per 28 days); NDS
XCOPRI (350 MG DAILY DOSE) ORAL TABLET THERAPY PACK 150 & 200 MG	5	ST; QL (56 EA per 28 days); NDS
XCOPRI ORAL TABLET 100 MG, 50 MG	5	ST; QL (1 EA per 1 day); NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
XCOPRI ORAL TABLET 150 MG, 200 MG	5	ST; QL (2 EA per 1 day); NDS
XCOPRI ORAL TABLET THERAPY PACK 14 X 12.5 MG & 14 X 25 MG	4	ST; QL (28 EA per 28 days)
XCOPRI ORAL TABLET THERAPY PACK 14 X 150 MG & 14 X200 MG, 14 X 50 MG & 14 X100 MG	5	ST; QL (28 EA per 28 days); NDS

Calcium Channel Modifying Agents

<i>ethosuximide oral capsule 250 mg</i>	2	GC
<i>ethosuximide oral solution 250 mg/5ml</i>	2	GC
<i>methsuximide oral capsule 300 mg</i>	4	
<i>pregabalin er oral tablet extended release 24 hour 165 mg, 330 mg, 82.5 mg</i>	4	PA; QL (1 EA per 1 day)
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i>	2	GC; QL (3 EA per 1 day); NDS
<i>pregabalin oral capsule 225 mg, 300 mg</i>	2	GC; QL (2 EA per 1 day); NDS
<i>pregabalin oral solution 20 mg/ml</i>	2	GC; NDS
ZONISADE ORAL SUSPENSION 100 MG/5ML	5	PA; QL (30 ML per 1 day); NDS
<i>zonisamide oral capsule 100 mg, 25 mg, 50 mg</i>	2	GC

Gamma-Aminobutyric Acid (Gaba)

Augmenting Agents

<i>clobazam oral suspension 2.5 mg/ml</i>	4	ST
<i>clobazam oral tablet 10 mg, 20 mg</i>	4	ST; QL (2 EA per 1 day); NDS
<i>clonazepam oral tablet 0.5 mg, 1 mg</i>	2	GC; QL (3 EA per 1 day); NDS
<i>clonazepam oral tablet 2 mg</i>	2	GC; NDS
<i>clonazepam oral tablet dispersible 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	4	QL (3 EA per 1 day); NDS
<i>clonazepam oral tablet dispersible 2 mg</i>	4	NDS
<i>diazepam oral tablet 10 mg</i>	2	GC; QL (4 EA per 1 day); NDS
<i>divalproex sodium er oral tablet extended release 24 hour 250 mg, 500 mg</i>	2	GC
<i>divalproex sodium oral capsule delayed release sprinkle 125 mg</i>	2	GC
<i>divalproex sodium oral tablet delayed release 125 mg, 250 mg, 500 mg</i>	2	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.

Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
EPIDIOLEX ORAL SOLUTION 100 MG/ML	5	PA; NDS
<i>gabapentin oral capsule 100 mg, 300 mg, 400 mg</i>	2	GC; NDS
<i>gabapentin oral solution 250 mg/5ml</i>	2	GC; NDS
<i>gabapentin oral tablet 600 mg, 800 mg</i>	2	GC; NDS
NAYZILAM NASAL SOLUTION 5 MG/0.1ML	5	QL (10 EA per 30 days); NDS
<i>phenobarbital oral elixir 20 mg/5ml</i>	2	GC
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	2	GC
<i>primidone oral tablet 125 mg</i>	2	
<i>primidone oral tablet 250 mg, 50 mg</i>	2	GC
SYMPAZAN ORAL FILM 10 MG, 20 MG, 5 MG	5	ST; QL (2 EA per 1 day); NDS
<i>tiagabine hcl oral tablet 12 mg, 16 mg</i>	4	
<i>tiagabine hcl oral tablet 2 mg, 4 mg</i>	2	GC
<i>valproate sodium intravenous solution 100 mg/ml</i>	2	GC
<i>valproate sodium oral solution 250 mg/5ml</i>	2	GC
<i>valproic acid oral capsule 250 mg</i>	2	GC
<i>valproic acid oral solution 250 mg/5ml</i>	2	GC
VALTOCO 10 MG DOSE NASAL LIQUID 10 MG/0.1ML	5	QL (10 EA per 30 days); NDS
VALTOCO 15 MG DOSE NASAL LIQUID THERAPY PACK 7.5 MG/0.1ML	5	QL (10 EA per 30 days); NDS
VALTOCO 20 MG DOSE NASAL LIQUID THERAPY PACK 10 MG/0.1ML	5	QL (10 EA per 30 days); NDS
VALTOCO 5 MG DOSE NASAL LIQUID 5 MG/0.1ML	5	QL (10 EA per 30 days); NDS
<i>vigabatrin oral packet 500 mg</i>	5	ST; NDS
<i>vigabatrin oral tablet 500 mg</i>	5	ST; NDS
<i>vigadrone oral packet 500 mg</i>	5	ST; NDS
ZTALMY ORAL SUSPENSION 50 MG/ML	5	PA; NDS
Glutamate Reducing Agents		
<i>felbamate oral suspension 600 mg/5ml</i>	3	NDS
<i>felbamate oral tablet 400 mg</i>	4	
<i>felbamate oral tablet 600 mg</i>	2	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	5	ST; NDS
FYCOMPA ORAL TABLET 10 MG, 12 MG, 4 MG, 6 MG, 8 MG	5	ST; QL (1 EA per 1 day); NDS
FYCOMPA ORAL TABLET 2 MG	4	ST; QL (1 EA per 1 day)
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>	2	GC
<i>lamotrigine oral tablet chewable 25 mg, 5 mg</i>	2	GC
<i>topiramate oral capsule sprinkle 15 mg, 25 mg</i>	2	GC
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i>	2	GC
Sodium Channel Agents		
APTIOM ORAL TABLET 200 MG, 400 MG, 600 MG	5	ST; NDS
APTIOM ORAL TABLET 800 MG	5	ST; QL (2 EA per 1 day); NDS
<i>carbamazepine er oral tablet extended release 12 hour 100 mg, 200 mg, 400 mg</i>	3	
<i>carbamazepine oral suspension 100 mg/5ml</i>	2	GC
<i>carbamazepine oral tablet 200 mg</i>	2	GC
<i>carbamazepine oral tablet chewable 100 mg</i>	2	GC
DILANTIN ORAL CAPSULE 30 MG	4	
EPITOL ORAL TABLET 200 MG	3	
<i>lacosamide oral solution 10 mg/ml</i>	4	ST
<i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i>	4	ST; QL (2 EA per 1 day); NDS
<i>oxcarbazepine oral suspension 300 mg/5ml</i>	2	GC
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i>	2	GC
PEGANONE ORAL TABLET 250 MG	4	
<i>phenytoin oral suspension 125 mg/5ml</i>	2	GC
<i>phenytoin oral tablet chewable 50 mg</i>	2	GC
<i>phenytoin sodium extended oral capsule 100 mg, 200 mg, 300 mg</i>	2	GC
<i>rufinamide oral suspension 40 mg/ml</i>	5	ST; NDS
<i>rufinamide oral tablet 200 mg</i>	4	ST; NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
rufinamide oral tablet 400 mg	5	ST; NDS
Antidementia Agents		
Antidementia Agents, Other		
ergoloid mesylates oral tablet 1 mg	2	GC
Cholinesterase Inhibitors		
donepezil hcl oral tablet 10 mg	2	GC; QL (2 EA per 1 day)
donepezil hcl oral tablet 5 mg	2	GC; QL (1 EA per 1 day)
donepezil hcl oral tablet dispersible 10 mg	2	GC; QL (2 EA per 1 day)
donepezil hcl oral tablet dispersible 5 mg	2	GC; QL (1 EA per 1 day)
galantamine hydrobromide er oral capsule extended release 24 hour 16 mg, 24 mg	3	QL (1 EA per 1 day)
galantamine hydrobromide er oral capsule extended release 24 hour 8 mg	3	QL (2 EA per 1 day)
galantamine hydrobromide oral solution 4 mg/ml	3	
galantamine hydrobromide oral tablet 12 mg, 4 mg, 8 mg	3	
rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg	2	GC; QL (2 EA per 1 day)
rivastigmine transdermal patch 24 hour 13.3 mg/24hr, 4.6 mg/24hr, 9.5 mg/24hr	4	ST; QL (1 EA per 1 day)
N-Methyl-D-Aspartate (Nmda) Receptor Antagonist		
memantine hcl oral tablet 10 mg, 28 x 5 mg & 21 x 10 mg, 5 mg	2	GC
Antidepressants		
Antidepressants, Other		
AUVELITY ORAL TABLET EXTENDED RELEASE 45-105 MG	4	PA; QL (2 EA per 1 day)
bupropion hcl er (sr) oral tablet extended release 12 hour 100 mg, 150 mg, 200 mg	2	GC
bupropion hcl er (xl) oral tablet extended release 24 hour 150 mg, 300 mg	2	GC
bupropion hcl er (xl) oral tablet extended release 24 hour 450 mg	4	QL (1 EA per 1 day)

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
<i>bupropion hcl oral tablet 100 mg, 75 mg</i>	2	GC
<i>maprotiline hcl oral tablet 25 mg, 50 mg, 75 mg</i>	3	
<i>mirtazapine oral tablet 15 mg, 30 mg, 45 mg, 7.5 mg</i>	2	GC
<i>mirtazapine oral tablet dispersible 15 mg, 30 mg, 45 mg</i>	2	GC
<i>nefazodone hcl oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	3	
<i>trazodone hcl oral tablet 100 mg, 150 mg, 300 mg, 50 mg</i>	1	GC
Monoamine Oxidase Inhibitors		
<i>EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24HR, 6 MG/24HR, 9 MG/24HR</i>	5	NDS
<i>MARPLAN ORAL TABLET 10 MG</i>	4	
<i>phenelzine sulfate oral tablet 15 mg</i>	2	GC
<i>tranylcypromine sulfate oral tablet 10 mg</i>	2	GC
Ssris/ Snris		
<i>citalopram hydrobromide oral solution 10 mg/5ml</i>	2	GC
<i>citalopram hydrobromide oral tablet 10 mg, 20 mg, 40 mg</i>	1	GC
<i>DESVENLAFAKINE ER ORAL TABLET EXTENDED RELEASE 24 HOUR 100 MG, 50 MG</i>	4	QL (1 EA per 1 day)
<i>desvenlafaxine succinate er oral tablet extended release 24 hour 100 mg, 25 mg, 50 mg</i>	4	QL (1 EA per 1 day)
<i>DRIZALMA SPRINKLE ORAL CAPSULE DELAYED RELEASE SPRINKLE 20 MG, 30 MG, 40 MG, 60 MG</i>	4	PA; QL (2 EA per 1 day)
<i>duloxetine hcl oral capsule delayed release particles 20 mg, 30 mg, 60 mg</i>	4	QL (2 EA per 1 day)
<i>escitalopram oxalate oral solution 5 mg/5ml</i>	2	GC
<i>escitalopram oxalate oral tablet 10 mg</i>	2	GC; QL (1.5 EA per 1 day)
<i>escitalopram oxalate oral tablet 20 mg, 5 mg</i>	2	GC; QL (1 EA per 1 day)

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
FETZIMA ORAL CAPSULE EXTENDED RELEASE 24 HOUR 120 MG, 20 MG, 40 MG, 80 MG	4	ST; QL (1 EA per 1 day)
<i>fluoxetine hcl oral capsule 10 mg, 20 mg, 40 mg</i>	1	GC
<i>fluoxetine hcl oral solution 20 mg/5ml</i>	2	GC
<i>fluoxetine hcl oral tablet 10 mg, 20 mg</i>	2	GC
<i>fluvoxamine maleate oral tablet 100 mg, 25 mg, 50 mg</i>	2	GC
<i>paroxetine hcl er oral tablet extended release 24 hour 12.5 mg, 25 mg, 37.5 mg</i>	2	PA; GC
<i>paroxetine hcl oral suspension 10 mg/5ml</i>	3	PA
<i>paroxetine hcl oral tablet 10 mg, 30 mg, 40 mg</i>	2	PA; GC
PAXIL ORAL SUSPENSION 10 MG/5ML	3	PA
<i>sertraline hcl oral capsule 150 mg, 200 mg</i>	4	
<i>sertraline hcl oral concentrate 20 mg/ml</i>	2	GC
<i>sertraline hcl oral tablet 100 mg, 25 mg, 50 mg</i>	1	GC
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	4	ST; QL (1 EA per 1 day)
<i>venlafaxine hcl er oral capsule extended release 24 hour 150 mg, 37.5 mg</i>	2	GC; QL (2 EA per 1 day)
<i>venlafaxine hcl er oral capsule extended release 24 hour 75 mg</i>	2	GC; QL (3 EA per 1 day)
<i>venlafaxine hcl er oral tablet extended release 24 hour 150 mg, 37.5 mg</i>	4	QL (2 EA per 1 day)
<i>venlafaxine hcl er oral tablet extended release 24 hour 225 mg</i>	4	QL (1 EA per 1 day)
<i>venlafaxine hcl er oral tablet extended release 24 hour 75 mg</i>	4	QL (3 EA per 1 day)
<i>venlafaxine hcl oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	2	GC
VIBRYD STARTER PACK ORAL KIT 10 & 20 MG	4	ST
<i>vilazodone hcl oral tablet 10 mg, 20 mg, 40 mg</i>	4	ST; QL (1 EA per 1 day)
Tricyclics		

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
<i>amitriptyline hcl oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	4	PA
<i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>	3	PA
<i>clomipramine hcl oral capsule 25 mg, 50 mg, 75 mg</i>	2	PA; GC
<i>desipramine hcl oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	PA; GC
<i>doxepin hcl oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	4	PA
<i>doxepin hcl oral concentrate 10 mg/ml</i>	1	GC
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	4	PA
<i>nortriptyline hcl oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i>	1	PA; GC
NORTRIPTYLINE HCL ORAL SOLUTION 10 MG/5ML	3	PA
<i>protriptyline hcl oral tablet 10 mg, 5 mg</i>	2	PA; GC
<i>trimipramine maleate oral capsule 100 mg, 25 mg, 50 mg</i>	4	PA
Antiemetics		
Antiemetics, Other		
COMPRO RECTAL SUPPOSITORY 25 MG	3	
<i>meclizine hcl oral tablet 25 mg</i>	2	GC
PHENADOZ RECTAL SUPPOSITORY 12.5 MG	3	
PHENERGAN RECTAL SUPPOSITORY 12.5 MG, 25 MG	3	
<i>prochlorperazine rectal suppository 25 mg</i>	2	GC
<i>promethazine hcl rectal suppository 12.5 mg, 25 mg</i>	3	
PROMETHEGAN RECTAL SUPPOSITORY 12.5 MG	3	GC
PROMETHEGAN RECTAL SUPPOSITORY 25 MG	3	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
<i>scopolamine transdermal patch 72 hour 1 mg/3days</i>	4	PA; QL (10 EA per 30 days)
Emetogenic Therapy Adjuncts		
<i>aprepitant oral capsule 125 mg, 40 mg, 80 mg</i>	3	PA
<i>aprepitant oral capsule 80 & 125 mg</i>	3	PA; QL (12 EA per 30 days)
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i>	4	PA; QL (2 EA per 1 day)
EMEND ORAL SUSPENSION RECONSTITUTED 125 MG/5ML	3	PA
<i>gransetron hcl oral tablet 1 mg</i>	2	PA B/D; GC; QL (2 EA per 1 day)
<i>ondansetron hcl oral tablet 4 mg, 8 mg</i>	2	PA B/D; GC
<i>ondansetron oral tablet dispersible 4 mg, 8 mg</i>	2	PA B/D; GC
Antifungals		
Antifungals		
AMBISOME INTRAVENOUS SUSPENSION RECONSTITUTED 50 MG	5	PA B/D; NDS
<i>amphotericin b injection solution reconstituted 50 mg</i>	3	PA B/D
<i>amphotericin b intravenous solution reconstituted 50 mg</i>	3	PA B/D
<i>amphotericin b liposome intravenous suspension reconstituted 50 mg</i>	5	PA B/D; NDS
<i>caspofungin acetate intravenous solution reconstituted 50 mg, 70 mg</i>	4	
<i>ciclodan external cream 0.77 %</i>	2	GC
<i>ciclodan external solution 8 %</i>	2	GC
<i>ciclopirox external gel 0.77 %</i>	2	GC
<i>ciclopirox external shampoo 1 %</i>	2	GC
<i>ciclopirox external solution 8 %</i>	2	GC
<i>ciclopirox olamine external cream 0.77 %</i>	2	GC
<i>ciclopirox olamine external suspension 0.77 %</i>	2	GC
<i>clotrimazole external cream 1 %</i>	2	GC
<i>clotrimazole mouth/throat lozenge 10 mg</i>	2	GC
<i>clotrimazole mouth/throat troche 10 mg</i>	2	GC
<i>econazole nitrate external cream 1 %</i>	2	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
ERAXIS INTRAVENOUS SOLUTION RECONSTITUTED 100 MG, 50 MG	5	NDS
<i>fluconazole in dextrose intravenous solution 200 mg/100ml, 400 mg/200ml</i>	2	GC
<i>fluconazole in sodium chloride intravenous solution 200-0.9 mg/100ml-%, 400-0.9 mg/200ml-%</i>	2	GC
<i>fluconazole oral suspension reconstituted 10 mg/ml, 40 mg/ml</i>	2	GC
<i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i>	1	GC
<i>flucytosine oral capsule 250 mg, 500 mg</i>	5	NDS
<i>griseofulvin microsize oral suspension 125 mg/5ml</i>	2	GC
<i>itraconazole oral capsule 100 mg</i>	2	GC; QL (4 EA per 1 day)
<i>itraconazole oral solution 10 mg/ml</i>	5	NDS
<i>ketoconazole external cream 2 %</i>	2	GC
<i>ketoconazole external shampoo 2 %</i>	2	GC
<i>ketoconazole oral tablet 200 mg</i>	2	GC
NATACYN OPHTHALMIC SUSPENSION 5 %	4	
NOXAFIL ORAL SUSPENSION 40 MG/ML	5	PA; QL (20 ML per 1 day); NDS
NYAMYC EXTERNAL POWDER 100000 UNIT/GM	3	
NYATA EXTERNAL POWDER 100000 UNIT/GM	3	
<i>nystatin external cream 100000 unit/gm</i>	1	GC
<i>nystatin external ointment 100000 unit/gm</i>	1	GC
<i>nystatin external powder 100000 unit/gm</i>	1	GC
<i>nystatin mouth/throat suspension 100000 unit/ml</i>	2	GC
<i>nystatin oral tablet 500000 unit</i>	2	GC
NYSTOP EXTERNAL POWDER 100000 UNIT/GM	3	
<i>posaconazole oral suspension 40 mg/ml</i>	5	PA; QL (20 ML per 1 day); NDS
<i>posaconazole oral tablet delayed release 100 mg</i>	5	PA; QL (3 EA per 1 day); NDS
<i>terbinafine hcl oral tablet 250 mg</i>	2	GC; QL (90 EA per 365 days)

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	2	GC
<i>terconazole vaginal suppository 80 mg</i>	2	GC
<i>voriconazole intravenous solution reconstituted 200 mg</i>	5	PA; NDS
<i>voriconazole oral suspension reconstituted 40 mg/ml</i>	5	PA; NDS
<i>voriconazole oral tablet 200 mg</i>	4	PA; QL (2 EA per 1 day)
Antigout Agents		
Antigout Agents		
<i>allopurinol oral tablet 100 mg, 300 mg</i>	1	GC
COLCHICINE ORAL TABLET 0.6 MG	3	
<i>colchicine-probenecid oral tablet 0.5-500 mg</i>	2	GC
<i>febuxostat oral tablet 40 mg, 80 mg</i>	4	PA; QL (1 EA per 1 day)
<i>probenecid oral tablet 500 mg</i>	2	GC
Anti-Inflammatory Agents		
Glucocorticoids		
<i>betamethasone dipropionate external lotion 0.05 %</i>	2	GC
<i>dexamethasone oral tablet 0.75 mg</i>	2	GC
<i>hydrocortisone ace-pramoxine external cream 1-1 %</i>	4	
<i>hydrocortisone ace-pramoxine rectal cream 1-1 %</i>	4	
<i>procto-med hc external cream 2.5 %</i>	2	GC
PROCTO-PAK EXTERNAL CREAM 1 %	3	
Nonsteroidal Anti-Inflammatory Drugs		
<i>diclofenac potassium oral tablet 50 mg</i>	1	GC
<i>ibu oral tablet 600 mg, 800 mg</i>	1	GC
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i>	1	GC
Antimigraine Agents		
Central Nervous System, Other		
AIMOVIG SUBCUTANEOUS SOLUTION AUTO-INJECTOR 140 MG/ML, 70 MG/ML	3	PA; QL (1 ML per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
EMGALITY SUBCUTANEOUS SOLUTION AUTO-INJECTOR 120 MG/ML	4	PA
EMGALITY SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 120 MG/ML	4	PA
Ergot Alkaloids		
DIHYDROERGOTAMINE MESYLATE NASAL SOLUTION 4 MG/ML	5	QL (8 ML per 28 days); NDS
<i>ergotamine-caffeine oral tablet 1-100 mg</i>	3	QL (40 EA per 30 days)
Serotonin (5-HT) 1B/1D Receptor Agonists		
<i>almotriptan malate oral tablet 12.5 mg, 6.25 mg</i>	4	ST; QL (18 EA per 30 days)
<i>frovatriptan succinate oral tablet 2.5 mg</i>	4	ST; QL (18 EA per 30 days)
<i>naratriptan hcl oral tablet 1 mg, 2.5 mg</i>	2	GC; QL (18 EA per 30 days)
<i>rizatriptan benzoate oral tablet 10 mg, 5 mg</i>	2	GC; QL (18 EA per 30 days)
<i>rizatriptan benzoate oral tablet dispersible 10 mg, 5 mg</i>	2	GC; QL (18 EA per 30 days)
<i>sumatriptan nasal solution 20 mg/act</i>	4	QL (12 EA per 30 days)
<i>sumatriptan succinate oral tablet 100 mg, 25 mg, 50 mg</i>	2	GC; QL (18 EA per 30 days)
<i>sumatriptan succinate refill subcutaneous solution cartridge 4 mg/0.5ml</i>	4	QL (4 ML per 30 days)
<i>sumatriptan succinate refill subcutaneous solution cartridge 6 mg/0.5ml</i>	4	QL (5 ML per 30 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5ml</i>	4	QL (5 ML per 30 days)
<i>sumatriptan succinate subcutaneous solution auto-injector 4 mg/0.5ml</i>	4	QL (4 ML per 30 days)
<i>sumatriptan succinate subcutaneous solution auto-injector 6 mg/0.5ml</i>	4	QL (5 ML per 30 days)
<i>sumatriptan succinate subcutaneous solution prefilled syringe 6 mg/0.5ml</i>	4	QL (5 ML per 30 days)
<i>zolmitriptan oral tablet 2.5 mg, 5 mg</i>	3	ST; QL (18 EA per 30 days)
Serotonin (5-HT) Receptor Agonist		
REYVOW ORAL TABLET 100 MG, 50 MG	4	ST; QL (8 EA per 30 days); NDS
Antimyasthenic Agents		

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
Parasympathomimetics		
<i>guanidine hcl oral tablet 125 mg</i>	4	
<i>pyridostigmine bromide oral solution 60 mg/5ml</i>	5	NDS
<i>pyridostigmine bromide oral tablet 60 mg</i>	2	GC
Antimycobacterials		
Antimycobacterials, Other		
<i>dapsone oral tablet 100 mg, 25 mg</i>	3	
PRIFTIN ORAL TABLET 150 MG	3	
<i>rifabutin oral capsule 150 mg</i>	4	
Antituberculars		
<i>ethambutol hcl oral tablet 100 mg, 400 mg</i>	2	GC
<i>isoniazid oral syrup 50 mg/5ml</i>	3	
<i>isoniazid oral tablet 100 mg, 300 mg</i>	2	GC
PASER ORAL PACKET 4 GM	4	
<i>pyrazinamide oral tablet 500 mg</i>	2	GC
<i>rifampin intravenous solution reconstituted 600 mg</i>	2	GC
<i>rifampin oral capsule 150 mg, 300 mg</i>	2	GC
RIFATER ORAL TABLET 50-120-300 MG	4	
SIRTURO ORAL TABLET 100 MG	5	PA; NDS
TRECATOR ORAL TABLET 250 MG	4	
Antineoplastics		
Alkylating Agents		
<i>cyclophosphamide oral capsule 25 mg, 50 mg</i>	2	PA B/D; GC
<i>cyclophosphamide oral tablet 25 mg, 50 mg</i>	2	PA B/D; GC
HEXALEN ORAL CAPSULE 50 MG	5	PA; NDS
LEUKERAN ORAL TABLET 2 MG	5	NDS
MATULANE ORAL CAPSULE 50 MG	5	PA; LA; NDS
VALCHLOR EXTERNAL GEL 0.016 %	5	PA; NDS
Antiandrogens		
<i>abiraterone acetate oral tablet 250 mg</i>	5	PA; QL (4 EA per 1 day); NDS
<i>abiraterone acetate oral tablet 500 mg</i>	5	PA; QL (2 EA per 1 day); NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
<i>bicalutamide oral tablet 50 mg</i>	2	GC
ERLEADA ORAL TABLET 240 MG	5	PA; QL (1 EA per 1 day); NDS
ERLEADA ORAL TABLET 60 MG	5	PA; QL (4 EA per 1 day); NDS
<i>flutamide oral capsule 125 mg</i>	2	
<i>nilutamide oral tablet 150 mg</i>	5	NDS
NUBEQA ORAL TABLET 300 MG	5	PA; LA; QL (4 EA per 1 day); NDS
XTANDI ORAL CAPSULE 40 MG	5	PA; LA; QL (4 EA per 1 day); NDS
XTANDI ORAL TABLET 40 MG	5	PA; LA; QL (4 EA per 1 day); NDS
XTANDI ORAL TABLET 80 MG	5	PA; LA; QL (2 EA per 1 day); NDS
YONSA ORAL TABLET 125 MG	5	PA; LA; QL (4 EA per 1 day); NDS
Antiangiogenic Agents		
<i>lenalidomide oral capsule 10 mg, 15 mg, 25 mg, 5 mg</i>	5	PA; QL (1 EA per 1 day); NDS
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	5	PA; LA; QL (21 EA per 28 days); NDS
REVLIMID ORAL CAPSULE 10 MG, 15 MG, 25 MG, 5 MG	5	PA; QL (1 EA per 1 day); NDS
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	5	PA; QL (2 EA per 1 day); NDS
Antiestrogens/Modifiers		
EMCYT ORAL CAPSULE 140 MG	5	NDS
ORSERDU ORAL TABLET 345 MG	5	PA; QL (1 EA per 1 day); NDS
ORSERDU ORAL TABLET 86 MG	5	PA; QL (3 EA per 1 day); NDS
SOLTAMOX ORAL SOLUTION 10 MG/5ML	5	NDS
<i>tamoxifen citrate oral tablet 10 mg, 20 mg</i>	2	GC
<i>toremifene citrate oral tablet 60 mg</i>	5	QL (1 EA per 1 day); NDS
Antimetabolites		
<i>hydroxyurea oral capsule 500 mg</i>	2	GC
INQOVI ORAL TABLET 35-100 MG	5	PA; QL (5 EA per 28 days); NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
LONSURF ORAL TABLET 15-6.14 MG	5	PA; QL (100 EA per 28 days); NDS
LONSURF ORAL TABLET 20-8.19 MG	5	PA; QL (80 EA per 28 days); NDS
ONUREG ORAL TABLET 200 MG, 300 MG	5	PA; LA; QL (14 EA per 28 days); NDS
PURIXAN ORAL SUSPENSION 2000 MG/100ML	5	PA; NDS
SIKLOS ORAL TABLET 100 MG	4	PA
SIKLOS ORAL TABLET 1000 MG	5	PA; NDS
TABLOID ORAL TABLET 40 MG	4	PA
Antineoplastics		
GLEOSTINE ORAL CAPSULE 10 MG, 100 MG, 40 MG, 5 MG	4	
LYNPARZA ORAL CAPSULE 50 MG	5	PA; QL (16 EA per 1 day); NDS
LYNPARZA ORAL TABLET 100 MG, 150 MG	5	PA; QL (4 EA per 1 day); NDS
MESNEX ORAL TABLET 400 MG	5	NDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	5	PA; QL (3 EA per 28 days); NDS
TALZENNA ORAL CAPSULE 0.1 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG	5	PA; QL (1 EA per 1 day); NDS
TALZENNA ORAL CAPSULE 0.25 MG	5	PA; QL (3 EA per 1 day); NDS
VENCLEXTA ORAL TABLET 10 MG	4	PA; LA; QL (2 EA per 1 day)
VENCLEXTA ORAL TABLET 100 MG	5	PA; LA; QL (4 EA per 1 day); NDS
VENCLEXTA ORAL TABLET 50 MG	5	PA; LA; QL (1 EA per 1 day); NDS
VENCLEXTA STARTING PACK ORAL TABLET THERAPY PACK 10 & 50 & 100 MG	5	PA; LA; QL (84 EA per 365 days); NDS
ZEJULA ORAL CAPSULE 100 MG	5	PA; LA; QL (3 EA per 1 day); NDS
ZEJULA ORAL TABLET 100 MG, 200 MG, 300 MG	5	PA; LA; QL (1 EA per 1 day); NDS
Antineoplastics, Other		
GAVRETO ORAL CAPSULE 100 MG	5	PA; LA; QL (4 EA per 1 day); NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
KRAZATI ORAL TABLET 200 MG	5	PA; QL (6 EA per 1 day); NDS
lenalidomide oral capsule 2.5 mg, 20 mg	5	PA; QL (1 EA per 1 day); NDS
leucovorin calcium oral tablet 15 mg, 25 mg, 5 mg	2	GC
LUMAKRAS ORAL TABLET 120 MG	5	PA; LA; QL (8 EA per 1 day); NDS
LUMAKRAS ORAL TABLET 320 MG	5	PA; QL (3 EA per 1 day); NDS
OJJAARA ORAL TABLET 100 MG	5	PA; QL (1 EA per 1 day); NDS
OJJAARA ORAL TABLET 150 MG, 200 MG	5	PA; LA; QL (1 EA per 1 day); NDS
ORGOVYX ORAL TABLET 120 MG	5	PA; LA; NDS
RETEVMO ORAL CAPSULE 40 MG	5	PA; LA; QL (6 EA per 1 day); NDS
RETEVMO ORAL CAPSULE 80 MG	5	PA; LA; QL (4 EA per 1 day); NDS
REVLIMID ORAL CAPSULE 2.5 MG, 20 MG	5	PA; QL (1 EA per 1 day); NDS
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	5	PA; QL (4 EA per 1 day); NDS
SYLATRON SUBCUTANEOUS KIT 200 MCG, 300 MCG, 600 MCG	5	PA; NDS
SYNRIBO SUBCUTANEOUS SOLUTION RECONSTITUTED 3.5 MG	5	PA; NDS
TUKYSA ORAL TABLET 150 MG, 50 MG	5	PA; LA; QL (4 EA per 1 day); NDS
WELIREG ORAL TABLET 40 MG	5	PA; LA; QL (3 EA per 1 day); NDS
XPOVIO (100 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 20 MG	5	PA; LA; QL (20 EA per 28 days); NDS
XPOVIO (100 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 50 MG	5	PA; QL (8 EA per 28 days); NDS
XPOVIO (40 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 20 MG	5	PA; LA; QL (8 EA per 28 days); NDS
XPOVIO (40 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 40 MG	5	PA; QL (4 EA per 28 days); NDS
XPOVIO (40 MG TWICE WEEKLY) ORAL TABLET THERAPY PACK 20 MG	5	PA; LA; QL (16 EA per 28 days); NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
XPOVIO (40 MG TWICE WEEKLY) ORAL TABLET THERAPY PACK 40 MG	5	PA; QL (8 EA per 28 days); NDS
XPOVIO (60 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 20 MG	5	PA; LA; QL (12 EA per 28 days); NDS
XPOVIO (60 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 60 MG	5	PA; QL (4 EA per 28 days); NDS
XPOVIO (60 MG TWICE WEEKLY) ORAL TABLET THERAPY PACK 20 MG	5	PA; LA; QL (24 EA per 28 days); NDS
XPOVIO (80 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 20 MG	5	PA; LA; QL (16 EA per 28 days); NDS
XPOVIO (80 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 40 MG	5	PA; QL (8 EA per 28 days); NDS
XPOVIO (80 MG TWICE WEEKLY) ORAL TABLET THERAPY PACK 20 MG	5	PA; LA; QL (32 EA per 28 days); NDS
Aromatase Inhibitors, 3Rd Generation		
<i>anastrozole oral tablet 1 mg</i>	2	GC
<i>exemestane oral tablet 25 mg</i>	4	
<i>letrozole oral tablet 2.5 mg</i>	2	GC
Enzyme Inhibitors		
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	5	PA; QL (2 EA per 1 day); NDS
FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG	5	PA; QL (12 EA per 42 days); NDS
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	5	PA; QL (21 EA per 28 days); NDS
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	5	PA; QL (21 EA per 28 days); NDS
IDHIFA ORAL TABLET 100 MG, 50 MG	5	PA; QL (1 EA per 1 day); NDS
KISQALI (200 MG DOSE) ORAL TABLET THERAPY PACK 200 MG	5	PA; QL (21 EA per 28 days); NDS
KISQALI (400 MG DOSE) ORAL TABLET THERAPY PACK 200 MG	5	PA; QL (42 EA per 28 days); NDS
KISQALI (600 MG DOSE) ORAL TABLET THERAPY PACK 200 MG	5	PA; QL (63 EA per 28 days); NDS
KISQALI 200 DOSE ORAL TABLET 200 MG	5	PA; QL (21 EA per 28 days); NDS
KISQALI 400 DOSE ORAL TABLET 200 MG	5	PA; QL (42 EA per 28 days); NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
KISQALI 600 DOSE ORAL TABLET 200 MG	5	PA; QL (63 EA per 28 days); NDS
KISQALI FEMARA (200 MG DOSE) ORAL TABLET THERAPY PACK 200 & 2.5 MG	5	PA; QL (49 EA per 28 days); NDS
KISQALI FEMARA (400 MG DOSE) ORAL TABLET THERAPY PACK 200 & 2.5 MG	5	PA; QL (70 EA per 28 days); NDS
KISQALI FEMARA (600 MG DOSE) ORAL TABLET THERAPY PACK 200 & 2.5 MG	5	PA; QL (91 EA per 28 days); NDS
PIQRAY (200 MG DAILY DOSE) ORAL TABLET THERAPY PACK 200 MG	5	PA; LA; QL (1 EA per 1 day); NDS
PIQRAY (250 MG DAILY DOSE) ORAL TABLET THERAPY PACK 200 & 50 MG	5	PA; LA; QL (2 EA per 1 day); NDS
PIQRAY (300 MG DAILY DOSE) ORAL TABLET THERAPY PACK 2 X 150 MG	5	PA; LA; QL (2 EA per 1 day); NDS
REZLIDHIA ORAL CAPSULE 150 MG	5	PA; QL (2 EA per 1 day); NDS
TIBSOVO ORAL TABLET 250 MG	5	PA; QL (2 EA per 1 day); NDS
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	5	PA; QL (2 EA per 1 day); NDS
VITRAKVI ORAL CAPSULE 100 MG, 25 MG	5	PA; QL (2 EA per 1 day); NDS
VITRAKVI ORAL SOLUTION 20 MG/ML	5	PA; NDS
XOSPATA ORAL TABLET 40 MG	5	PA; QL (3 EA per 1 day); NDS
ZOLINZA ORAL CAPSULE 100 MG	5	PA; QL (4 EA per 1 day); NDS
ZYDELIG ORAL TABLET 100 MG, 150 MG	5	PA; QL (2 EA per 1 day); NDS

Molecular Target Inhibitors

ALECensa ORAL CAPSULE 150 MG	5	PA; LA; QL (8 EA per 1 day); NDS
ALUNBRIG ORAL TABLET 180 MG, 90 MG	5	PA; LA; QL (1 EA per 1 day); NDS
ALUNBRIG ORAL TABLET 30 MG	5	PA; LA; QL (2 EA per 1 day); NDS
ALUNBRIG ORAL TABLET THERAPY PACK 90 & 180 MG	5	PA; LA; QL (1 EA per 1 day); NDS
AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG	5	PA; LA; QL (1 EA per 1 day); NDS
BALVERSA ORAL TABLET 3 MG	5	PA; QL (3 EA per 1 day); NDS
BALVERSA ORAL TABLET 4 MG	5	PA; QL (2 EA per 1 day); NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.

Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
BALVERSA ORAL TABLET 5 MG	5	PA; QL (1 EA per 1 day); NDS
BOSULIF ORAL TABLET 100 MG	5	PA; QL (3 EA per 1 day); NDS
BOSULIF ORAL TABLET 400 MG, 500 MG	5	PA; QL (1 EA per 1 day); NDS
BRAFTOVI ORAL CAPSULE 50 MG	5	PA; LA; QL (4 EA per 1 day); NDS
BRAFTOVI ORAL CAPSULE 75 MG	5	PA; QL (6 EA per 1 day); NDS
BRUKINSA ORAL CAPSULE 80 MG	5	PA; QL (4 EA per 1 day); NDS
CABOMETYX ORAL TABLET 20 MG, 40 MG, 60 MG	5	PA; LA; QL (1 EA per 1 day); NDS
CALQUENCE ORAL CAPSULE 100 MG	5	PA; QL (2 EA per 1 day); NDS
CALQUENCE ORAL TABLET 100 MG	5	PA; QL (2 EA per 1 day); NDS
CAPRELSA ORAL TABLET 100 MG, 300 MG	5	PA; LA; NDS
COMETRIQ (100 MG DAILY DOSE) ORAL KIT 1 X 80 & 1 X 20 MG, 80 & 20 MG	5	PA; NDS
COMETRIQ (140 MG DAILY DOSE) ORAL KIT 1 X 80 & 3 X 20 MG, 3 X 20 MG & 80 MG	5	PA; NDS
COMETRIQ (60 MG DAILY DOSE) ORAL KIT 20 MG	5	PA; NDS
COTELLIC ORAL TABLET 20 MG	5	PA; LA; QL (63 EA per 28 days); NDS
DAURISMO ORAL TABLET 100 MG	5	PA; QL (1 EA per 1 day); NDS
DAURISMO ORAL TABLET 25 MG	5	PA; QL (3 EA per 1 day); NDS
ERIVEDGE ORAL CAPSULE 150 MG	5	PA; LA; QL (1 EA per 1 day); NDS
<i>erlotinib hcl oral tablet 100 mg, 25 mg</i>	5	PA; QL (2 EA per 1 day); NDS
<i>erlotinib hcl oral tablet 150 mg</i>	5	PA; QL (3 EA per 1 day); NDS
<i>everolimus oral tablet 10 mg, 2.5 mg, 5 mg, 7.5 mg</i>	5	PA; NDS
<i>everolimus oral tablet soluble 2 mg, 3 mg, 5 mg</i>	5	PA; NDS
EXKIVITY ORAL CAPSULE 40 MG	5	PA; QL (4 EA per 1 day); NDS
FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG	5	PA; LA; QL (21 EA per 28 days); NDS
<i>gefitinib oral tablet 250 mg</i>	5	PA; QL (1 EA per 1 day); NDS
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	5	PA; QL (1 EA per 1 day); NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
ICLUSIG ORAL TABLET 10 MG, 30 MG, 45 MG	5	PA; QL (1 EA per 1 day); NDS
ICLUSIG ORAL TABLET 15 MG	5	PA; QL (2 EA per 1 day); NDS
<i>imatinib mesylate oral tablet 100 mg, 400 mg</i>	5	PA; QL (2 EA per 1 day); NDS
IMBRUVICA ORAL CAPSULE 140 MG	5	PA; QL (4 EA per 1 day); NDS
IMBRUVICA ORAL CAPSULE 70 MG	5	PA; QL (1 EA per 1 day); NDS
IMBRUVICA ORAL SUSPENSION 70 MG/ML	5	PA; QL (6 ML per 1 day); NDS
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG	5	PA; QL (1 EA per 1 day); NDS
INLYTA ORAL TABLET 1 MG	5	PA; LA; QL (6 EA per 1 day); NDS
INLYTA ORAL TABLET 5 MG	5	PA; LA; QL (4 EA per 1 day); NDS
INREBIC ORAL CAPSULE 100 MG	5	PA; LA; QL (4 EA per 1 day); NDS
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	5	PA; LA; QL (2 EA per 1 day); NDS
JAYPIRCA ORAL TABLET 100 MG	5	PA; QL (2 EA per 1 day); NDS
JAYPIRCA ORAL TABLET 50 MG	5	PA; QL (1 EA per 1 day); NDS
KOSELUGO ORAL CAPSULE 10 MG, 25 MG	5	PA; NDS
<i>lapatinib ditosylate oral tablet 250 mg</i>	5	PA; LA; QL (6 EA per 1 day); NDS
LENVIMA (10 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 10 MG	5	PA; QL (1 EA per 1 day); NDS
LENVIMA (12 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 3 X 4 MG	5	PA; QL (3 EA per 1 day); NDS
LENVIMA (14 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 10 & 4 MG	5	PA; QL (2 EA per 1 day); NDS
LENVIMA (18 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 10 MG & 2 X 4 MG	5	PA; QL (3 EA per 1 day); NDS
LENVIMA (20 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 2 X 10 MG	5	PA; QL (2 EA per 1 day); NDS
LENVIMA (24 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 2 X 10 MG & 4 MG	5	PA; QL (3 EA per 1 day); NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
LENVIMA (4 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 4 MG	5	PA; QL (1 EA per 1 day); NDS
LENVIMA (8 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 2 X 4 MG	5	PA; QL (2 EA per 1 day); NDS
LORBRENA ORAL TABLET 100 MG	5	PA; QL (1 EA per 1 day); NDS
LORBRENA ORAL TABLET 25 MG	5	PA; QL (3 EA per 1 day); NDS
LYTGOBI (12 MG DAILY DOSE) ORAL TABLET THERAPY PACK 4 MG	5	PA; QL (5 EA per 1 day); NDS
LYTGOBI (16 MG DAILY DOSE) ORAL TABLET THERAPY PACK 4 MG	5	PA; QL (5 EA per 1 day); NDS
LYTGOBI (20 MG DAILY DOSE) ORAL TABLET THERAPY PACK 4 MG	5	PA; QL (5 EA per 1 day); NDS
MEKINIST ORAL SOLUTION RECONSTITUTED 0.05 MG/ML	5	PA; NDS
MEKINIST ORAL TABLET 0.5 MG	5	PA; LA; QL (3 EA per 1 day); NDS
MEKINIST ORAL TABLET 2 MG	5	PA; LA; QL (1 EA per 1 day); NDS
MEKTOVI ORAL TABLET 15 MG	5	PA; QL (6 EA per 1 day); NDS
NERLYNX ORAL TABLET 40 MG	5	PA; QL (6 EA per 1 day); NDS
ODOMZO ORAL CAPSULE 200 MG	5	PA; LA; QL (1 EA per 1 day); NDS
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	5	PA; QL (14 EA per 21 days); NDS
QINLOCK ORAL TABLET 50 MG	5	PA; LA; QL (3 EA per 1 day); NDS
ROZLYTREK ORAL CAPSULE 100 MG	5	PA; QL (6 EA per 1 day); NDS
ROZLYTREK ORAL CAPSULE 200 MG	5	PA; QL (3 EA per 1 day); NDS
RYDAPT ORAL CAPSULE 25 MG	5	PA; QL (8 EA per 1 day); NDS
SCEMBLIX ORAL TABLET 20 MG	5	PA; QL (2 EA per 1 day); NDS
SCEMBLIX ORAL TABLET 40 MG	5	PA; QL (10 EA per 1 day); NDS
<i>sorafenib tosylate oral tablet 200 mg</i>	5	PA; QL (4 EA per 1 day); NDS
SPRYCEL ORAL TABLET 100 MG, 140 MG, 20 MG, 50 MG, 70 MG, 80 MG	5	PA; QL (1 EA per 1 day); NDS
STIVARGA ORAL TABLET 40 MG	5	PA; LA; QL (4 EA per 1 day); NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.

Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
sunitinib malate oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg	5	PA; QL (1 EA per 1 day); NDS
TABRECTA ORAL TABLET 150 MG, 200 MG	5	PA; LA; QL (4 EA per 1 day); NDS
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	5	PA; LA; QL (4 EA per 1 day); NDS
TAFINLAR ORAL TABLET SOLUBLE 10 MG	5	PA; QL (8 EA per 1 day); NDS
TAGRISSO ORAL TABLET 40 MG, 80 MG	5	PA; LA; QL (1 EA per 1 day); NDS
TASIGNA ORAL CAPSULE 150 MG, 200 MG	5	PA; QL (4 EA per 1 day); NDS
TASIGNA ORAL CAPSULE 50 MG	5	PA; QL (2 EA per 1 day); NDS
TAZVERIK ORAL TABLET 200 MG	5	PA; QL (8 EA per 1 day); NDS
TEPMETKO ORAL TABLET 225 MG	5	PA; QL (2 EA per 1 day); NDS
TRUSELTIQ (100MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 100 MG	5	PA; LA; QL (1 EA per 1 day); NDS
TRUSELTIQ (125MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 100 & 25 MG	5	PA; LA; QL (2 EA per 1 day); NDS
TRUSELTIQ (50MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 25 MG	5	PA; LA; QL (2 EA per 1 day); NDS
TRUSELTIQ (75MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 25 MG	5	PA; LA; QL (3 EA per 1 day); NDS
TURALIO ORAL CAPSULE 125 MG, 200 MG	5	PA; LA; QL (4 EA per 1 day); NDS
UKONIQ ORAL TABLET 200 MG	5	PA; LA; QL (4 EA per 1 day); NDS
VANFLYTA ORAL TABLET 17.7 MG, 26.5 MG	5	PA; LA; QL (1 EA per 2 days); NDS
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	5	PA; QL (1 EA per 1 day); NDS
VONJO ORAL CAPSULE 100 MG	5	PA; QL (4 EA per 1 day); NDS
VOTRIENT ORAL TABLET 200 MG	5	PA; LA; QL (4 EA per 1 day); NDS
XALKORI ORAL CAPSULE 200 MG, 250 MG	5	PA; LA; QL (2 EA per 1 day); NDS
ZELBORAFA ORAL TABLET 240 MG	5	PA; LA; QL (8 EA per 1 day); NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
ZYKADIA ORAL TABLET 150 MG	5	PA; LA; QL (3 EA per 1 day); NDS
Retinoids		
<i>bexarotene external gel 1 %</i>	5	PA; NDS
<i>bexarotene oral capsule 75 mg</i>	5	PA; NDS
PANRETIN EXTERNAL GEL 0.1 %	5	NDS
<i>tretinoin oral capsule 10 mg</i>	5	NDS
Antiparasitics		
Anthelmintics		
<i>albendazole oral tablet 200 mg</i>	5	NDS
<i>ivermectin oral tablet 3 mg</i>	2	PA; GC
<i>praziquantel oral tablet 600 mg</i>	3	
Antiprotozoals		
ALINIA ORAL TABLET 500 MG	5	NDS
<i>atovaquone oral suspension 750 mg/5ml</i>	4	
<i>atovaquone-proguanil hcl oral tablet 250-100 mg</i>	4	
<i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>	2	GC
COARTEM ORAL TABLET 20-120 MG	4	QL (24 EA per 30 days)
DARAPRIM ORAL TABLET 25 MG	5	PA; NDS
<i>hydroxychloroquine sulfate oral tablet 200 mg</i>	2	GC
<i>mefloquine hcl oral tablet 250 mg</i>	2	GC
<i>nitazoxanide oral tablet 500 mg</i>	5	NDS
<i>pentamidine isethionate inhalation solution reconstituted 300 mg</i>	4	PA B/D
<i>pentamidine isethionate injection solution reconstituted 300 mg</i>	4	
PRIMAQUINE PHOSPHATE ORAL TABLET 26.3 (15 BASE) MG, 26.3 MG	3	
<i>pyrimethamine oral tablet 25 mg</i>	5	PA; NDS
<i>quinine sulfate oral capsule 324 mg</i>	4	PA; QL (42 EA per 30 days)
Pediculicides/ Scabicides		
<i>lindane external shampoo 1 %</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
<i>malathion external lotion 0.5 %</i>	2	GC
<i>permethrin external cream 5 %</i>	2	GC
SKLICE EXTERNAL LOTION 0.5 %	4	
Antiparkinson Agents		
Anticholinergics		
<i>benztropine mesylate oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	GC
<i>trihexyphenidyl hcl oral elixir 0.4 mg/ml</i>	2	GC
<i>trihexyphenidyl hcl oral solution 0.4 mg/ml</i>	2	GC
<i>trihexyphenidyl hcl oral tablet 2 mg, 5 mg</i>	2	GC
Antiparkinson Agents, Other		
<i>entacapone oral tablet 200 mg</i>	4	
<i>tolcapone oral tablet 100 mg</i>	5	NDS
Dopamine Agonists		
APOKYN SUBCUTANEOUS SOLUTION CARTRIDGE 30 MG/3ML	5	PA; LA; QL (2 ML per 1 day); NDS
<i>apomorphine hcl subcutaneous solution cartridge 30 mg/3ml</i>	5	PA; QL (2 ML per 1 day); NDS
<i>bromocriptine mesylate oral capsule 5 mg</i>	3	
<i>bromocriptine mesylate oral tablet 2.5 mg</i>	3	
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24HR, 2 MG/24HR, 3 MG/24HR, 4 MG/24HR, 6 MG/24HR, 8 MG/24HR	4	QL (1 EA per 1 day)
<i>pramipexole dihydrochloride oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>	2	GC
<i>ropinirole hcl oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>	2	GC
Dopamine Precursors/ L-Amino Acid Decarboxylase Inhibitors		
<i>carbidopa-levodopa er oral tablet extended release 25-100 mg, 50-200 mg</i>	2	GC
<i>carbidopa-levodopa oral tablet 10-100 mg, 25-100 mg, 25-250 mg</i>	1	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
CARBIDOPA-LEVODOPA-ENTACAPONE ORAL TABLET 12.5-50-200 MG, 18.75-75-200 MG, 25-100-200 MG, 31.25-125-200 MG, 37.5-150-200 MG, 50-200-200 MG	3	
Monoamine Oxidase B (Mao-B) Inhibitors		
<i>rasagiline mesylate oral tablet 0.5 mg, 1 mg</i>	4	QL (1 EA per 1 day)
<i>selegiline hcl oral capsule 5 mg</i>	2	GC
<i>selegiline hcl oral tablet 5 mg</i>	2	GC
Antipsychotics		
1St Generation/ Typical		
<i>chlorpromazine hcl oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>	4	PA
<i>fluphenazine decanoate injection solution 25 mg/ml</i>	4	
<i>fluphenazine hcl injection solution 2.5 mg/ml</i>	4	
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>	4	
<i>fluphenazine hcl oral elixir 2.5 mg/5ml</i>	4	
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	4	
<i>haloperidol decanoate intramuscular solution 50 mg/ml</i>	2	GC
<i>haloperidol lactate injection solution 5 mg/ml</i>	2	GC
<i>haloperidol lactate injection solution 5 mg/ml(1 ml prefilled syringe)</i>	2	GC
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	2	GC
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	2	GC
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	2	GC
<i>molindone hcl oral tablet 10 mg, 25 mg, 5 mg</i>	4	
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	3	
<i>pimozide oral tablet 1 mg, 2 mg</i>	2	GC
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i>	2	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
<i>thioridazine hcl oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	GC
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	2	GC
<i>trifluoperazine hcl oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	2	GC
1St Generation/Typical		
<i>chlorpromazine hcl oral concentrate 30 mg/ml</i>	4	
<i>haloperidol decanoate intramuscular solution 100 mg/ml, 100 mg/ml 1 ml, 50 mg/ml(1ml)</i>	2	GC
2Nd Generation/ Atypical		
<i>ABILIFY MYCITE ORAL TABLET 10 MG, 15 MG, 2 MG, 20 MG, 30 MG, 5 MG</i>	5	PA; QL (1 EA per 1 day); NDS
<i>ariPIPRAZOLE oral solution 1 mg/ml</i>	4	
<i>ariPIPRAZOLE oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg</i>	4	QL (1 EA per 1 day)
<i>ariPIPRAZOLE oral tablet dispersible 10 mg, 15 mg</i>	5	PA; QL (2 EA per 1 day); NDS
<i>ARISTADA INITIO INTRAMUSCULAR PREFILLED SYRINGE 675 MG/2.4ML</i>	5	NDS
<i>ARISTADA INTRAMUSCULAR PREFILLED SYRINGE 1064 MG/3.9ML, 441 MG/1.6ML, 662 MG/2.4ML, 882 MG/3.2ML</i>	5	NDS
<i>asenapine maleate sublingual tablet sublingual 10 mg, 2.5 mg, 5 mg</i>	4	ST; QL (2 EA per 1 day)
<i>CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG</i>	5	PA; QL (30 EA per 30 days); NDS
<i>FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 6 MG, 8 MG</i>	5	ST; QL (2 EA per 1 day); NDS
<i>FANAPT ORAL TABLET 4 MG</i>	4	ST; QL (2 EA per 1 day)
<i>INVEGA SUSTENNA INTRAMUSCULAR SUSPENSION 117 MG/0.75ML, 156 MG/ML, 234 MG/1.5ML, 78 MG/0.5ML</i>	5	NDS
<i>INVEGA SUSTENNA INTRAMUSCULAR SUSPENSION 39 MG/0.25ML</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
INVEGA SUSTENNA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 117 MG/0.75ML, 156 MG/ML, 234 MG/1.5ML, 78 MG/0.5ML	5	NDS
INVEGA SUSTENNA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 39 MG/0.25ML	4	
INVEGA TRINZA INTRAMUSCULAR SUSPENSION 273 MG/0.875ML, 410 MG/1.315ML, 546 MG/1.75ML, 819 MG/2.625ML	5	NDS
INVEGA TRINZA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 273 MG/0.875ML, 273 MG/0.88ML, 410 MG/1.315ML, 410 MG/1.32ML, 546 MG/1.75ML, 819 MG/2.625ML, 819 MG/2.63ML	5	NDS
<i>lurasidone hcl oral tablet 120 mg, 20 mg, 40 mg, 60 mg</i>	4	ST; QL (1 EA per 1 day)
<i>lurasidone hcl oral tablet 80 mg</i>	4	ST; QL (2 EA per 1 day)
NUPLAZID ORAL CAPSULE 34 MG	5	PA; LA; QL (1 EA per 1 day); NDS
NUPLAZID ORAL TABLET 10 MG	5	PA; LA; QL (1 EA per 1 day); NDS
<i>olanzapine intramuscular solution reconstituted 10 mg</i>	2	GC
<i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i>	2	GC
<i>olanzapine oral tablet dispersible 10 mg, 15 mg, 20 mg, 5 mg</i>	2	GC; QL (1 EA per 1 day)
<i>paliperidone er oral tablet extended release 24 hour 1.5 mg, 3 mg, 9 mg</i>	4	ST; QL (1 EA per 1 day)
<i>paliperidone er oral tablet extended release 24 hour 6 mg</i>	4	ST; QL (2 EA per 1 day)
PERSERIS SUBCUTANEOUS PREFILLED SYRINGE 120 MG, 90 MG	5	PA; NDS
<i>quetiapine fumarate oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i>	2	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
quetiapine fumarate oral tablet 150 mg	2	NDS
REXULTI ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG	5	PA; QL (1 EA per 1 day); NDS
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION RECONSTITUTED 12.5 MG, 25 MG	4	
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION RECONSTITUTED 37.5 MG, 50 MG	5	NDS
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION RECONSTITUTED ER 12.5 MG	4	
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION RECONSTITUTED ER 25 MG, 37.5 MG, 50 MG	5	NDS
risperidone m-tab oral tablet dispersible 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg	4	
risperidone oral solution 1 mg/ml	2	GC
risperidone oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg	2	GC
risperidone oral tablet dispersible 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg	4	
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24HR, 5.7 MG/24HR, 7.6 MG/24HR	5	PA; QL (1 EA per 1 day); NDS
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	5	PA; QL (1 EA per 1 day); NDS
VRAYLAR ORAL CAPSULE THERAPY PACK 1.5 & 3 MG	4	PA; QL (14 EA per 365 days)
ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg	2	GC
ziprasidone mesylate intramuscular solution reconstituted 20 mg	3	
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION RECONSTITUTED 210 MG	4	
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION RECONSTITUTED 300 MG, 405 MG	5	NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
2Nd Generation/Atypical		
INVEGA HAFYERA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 1092 MG/3.5ML	5	QL (3.5 ML per 180 days); NDS
INVEGA HAFYERA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 1560 MG/5ML	5	QL (5 ML per 180 days); NDS
Treatment-Resistant		
<i>clozapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i>	2	GC
CLOZAPINE ORAL TABLET DISPERSIBLE 100 MG, 12.5 MG, 25 MG	4	ST
<i>clozapine oral tablet dispersible 150 mg</i>	4	ST
<i>clozapine oral tablet dispersible 200 mg</i>	5	ST; NDS
VERSACLOZ ORAL SUSPENSION 50 MG/ML	5	NDS
Antispasticity Agents		
Antispasticity Agents		
<i>baclofen oral tablet 10 mg, 20 mg</i>	2	GC
<i>tizanidine hcl oral tablet 2 mg, 4 mg</i>	2	GC
Antivirals		
Anti-Cytomegalovirus (Cmv) Agents		
PREVYMIS ORAL TABLET 240 MG, 480 MG	5	ST; QL (1 EA per 1 day); NDS
<i>valganciclovir hcl oral solution reconstituted 50 mg/ml</i>	5	QL (36 ML per 1 day); NDS
<i>valganciclovir hcl oral tablet 450 mg</i>	3	QL (4 EA per 1 day)
ZIRGAN OPHTHALMIC GEL 0.15 %	4	
Anti-Hepatitis B (Hbv) Agents		
<i>adefovir dipivoxil oral tablet 10 mg</i>	4	
<i>entecavir oral tablet 0.5 mg, 1 mg</i>	4	QL (1 EA per 1 day)
EPIVIR HBV ORAL SOLUTION 5 MG/ML	3	
INTRON A INJECTION SOLUTION 10000000 UNIT/ML, 6000000 UNIT/ML	5	NDS
INTRON A INJECTION SOLUTION RECONSTITUTED 10000000 UNIT	5	NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
Anti-Hepatitis C (Hcv) Agents		
INTRON A INJECTION SOLUTION RECONSTITUTED 18000000 UNIT, 50000000 UNIT	5	NDS
MAVYRET ORAL TABLET 100-40 MG	5	PA; QL (3 EA per 1 day); NDS
MODERIBA ORAL TABLET 200 MG	3	
PEGASYS PROCLICK SUBCUTANEOUS SOLUTION 135 MCG/0.5ML, 180 MCG/0.5ML	5	NDS
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/0.5ML	5	NDS
PEGASYS SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 180 MCG/0.5ML	5	NDS
RIBASPHERE ORAL CAPSULE 200 MG	3	
RIBASPHERE ORAL TABLET 200 MG	3	
<i>ribavirin oral capsule 200 mg</i>	2	GC
<i>ribavirin oral tablet 200 mg</i>	2	GC
<i>sofosbuvir-velpatasvir oral tablet 400-100 mg</i>	5	PA; QL (84 EA per 84 days); NDS
Antiherpetic Agents		
<i>acyclovir external ointment 5 %</i>	4	QL (30 GM per 30 days)
<i>acyclovir oral capsule 200 mg</i>	2	GC
<i>acyclovir oral suspension 200 mg/5ml</i>	2	GC
<i>acyclovir oral tablet 400 mg, 800 mg</i>	2	GC
<i>acyclovir sodium intravenous solution 50 mg/ml</i>	2	PA B/D; GC
DENAVIR EXTERNAL CREAM 1 %	5	QL (5 GM per 30 days); NDS
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	2	GC
<i>penciclovir external cream 1 %</i>	4	QL (5 GM per 30 days)
<i>trifluridine ophthalmic solution 1 %</i>	2	GC
<i>valacyclovir hcl oral tablet 1 gm, 500 mg</i>	4	
Anti-Hiv Agents, Integrase Inhibitors (Insti)		
BIKTARVY ORAL TABLET 30-120-15 MG, 50-200-25 MG	5	NDS
GENVOYA ORAL TABLET 150-150-200-10 MG	5	QL (1 EA per 1 day); NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
ISENTRESS HD ORAL TABLET 600 MG	5	QL (2 EA per 1 day); NDS
ISENTRESS ORAL PACKET 100 MG	5	NDS
ISENTRESS ORAL TABLET 400 MG	5	QL (2 EA per 1 day); NDS
ISENTRESS ORAL TABLET CHEWABLE 100 MG	5	QL (6 EA per 1 day); NDS
ISENTRESS ORAL TABLET CHEWABLE 25 MG	3	QL (6 EA per 1 day)
STRIBILD ORAL TABLET 150-150-200-300 MG	5	QL (1 EA per 1 day); NDS
SYMTUZA ORAL TABLET 800-150-200-10 MG	5	QL (1 EA per 1 day); NDS
TIVICAY ORAL TABLET 10 MG	4	
TIVICAY ORAL TABLET 25 MG, 50 MG	5	NDS
TIVICAY PD ORAL TABLET SOLUBLE 5 MG	4	
Anti-Hiv Agents, Non-Nucleoside Reverse Transcriptase Inhibitors (Nnrti)		
COMPLERA ORAL TABLET 200-25-300 MG	5	QL (1 EA per 1 day); NDS
EDURANT ORAL TABLET 25 MG	5	QL (1 EA per 1 day); NDS
<i>efavirenz oral capsule 200 mg</i>	2	GC; GC; NDS
<i>efavirenz oral capsule 50 mg</i>	2	GC
<i>efavirenz oral tablet 600 mg</i>	2	GC; QL (1 EA per 1 day); NDS
<i>etravirine oral tablet 100 mg</i>	4	QL (4 EA per 1 day)
<i>etravirine oral tablet 200 mg</i>	5	QL (2 EA per 1 day); NDS
INTELENCE ORAL TABLET 25 MG	4	
<i>nevirapine er oral tablet extended release 24 hour 100 mg, 400 mg</i>	4	
<i>nevirapine oral suspension 50 mg/5ml</i>	4	
<i>nevirapine oral tablet 200 mg</i>	2	GC
PIFELTRO ORAL TABLET 100 MG	5	QL (1 EA per 1 day); NDS
RESCRIPTOR ORAL TABLET 100 MG, 200 MG	3	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
Anti-Hiv Agents, Nucleoside And Nucleotide Reverse Transcriptase Inhibitors (Nrti)		
<i>abacavir sulfate oral solution 20 mg/ml</i>	4	QL (30 ML per 1 day)
<i>abacavir sulfate oral tablet 300 mg</i>	2	GC; QL (2 EA per 1 day)
<i>abacavir sulfate-lamivudine oral tablet 600-300 mg</i>	4	QL (2 EA per 1 day)
<i>abacavir-lamivudine-zidovudine oral tablet 300-150-300 mg</i>	5	NDS
CIMDUO ORAL TABLET 300-300 MG	5	NDS
DELSTRIGO ORAL TABLET 100-300-300 MG	5	NDS
DESCOVY ORAL TABLET 120-15 MG, 200-25 MG	5	QL (1 EA per 1 day); NDS
<i>didanosine oral capsule delayed release 125 mg, 200 mg</i>	2	GC
DOVATO ORAL TABLET 50-300 MG	5	QL (1 EA per 1 day); NDS
<i>efavirenz-emtricitab-tenofo df oral tablet 600-200-300 mg</i>	5	QL (1 EA per 1 day); NDS
<i>efavirenz-emtricitab-tenofovir oral tablet 600-200-300 mg</i>	5	QL (1 EA per 1 day); NDS
<i>efavirenz-lamivudine-tenofovir oral tablet 400-300-300 mg, 600-300-300 mg</i>	5	NDS
<i>emtricitabine oral capsule 200 mg</i>	4	
<i>emtricitabine-tenofovir df oral tablet 100-150 mg, 133-200 mg, 167-250 mg, 200-300 mg</i>	5	QL (1 EA per 1 day); NDS
EMTRIVA ORAL SOLUTION 10 MG/ML	4	
JULUCA ORAL TABLET 50-25 MG	5	QL (1 EA per 1 day); NDS
<i>lamivudine oral solution 10 mg/ml</i>	2	GC
<i>lamivudine oral tablet 100 mg, 150 mg, 300 mg</i>	2	GC
<i>lamivudine-zidovudine oral tablet 150-300 mg</i>	4	
ODEFSEY ORAL TABLET 200-25-25 MG	5	QL (1 EA per 1 day); NDS
TEMIXYS ORAL TABLET 300-300 MG	5	NDS
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i>	4	QL (1 EA per 1 day)
TRIZIVIR ORAL TABLET 300-150-300 MG	5	NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
VIDEX EC ORAL CAPSULE DELAYED RELEASE 125 MG	3	
VIDEX ORAL SOLUTION RECONSTITUTED 2 GM, 4 GM	3	
VIREAD ORAL POWDER 40 MG/GM	5	QL (225 GM per 30 days); NDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	5	QL (1 EA per 1 day); NDS
ZERIT ORAL SOLUTION RECONSTITUTED 1 MG/ML	3	
<i>zidovudine oral capsule 100 mg</i>	2	GC
<i>zidovudine oral syrup 50 mg/5ml</i>	2	GC
<i>zidovudine oral tablet 300 mg</i>	2	GC
Anti-Hiv Agents, Other		
FUZEON SUBCUTANEOUS SOLUTION RECONSTITUTED 90 MG	5	NDS
<i>maraviroc oral tablet 150 mg</i>	5	QL (2 EA per 1 day); NDS
<i>maraviroc oral tablet 300 mg</i>	5	QL (4 EA per 1 day); NDS
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HOUR 600 MG	5	NDS
SELZENTRY ORAL SOLUTION 20 MG/ML	5	QL (30 ML per 1 day); NDS
SELZENTRY ORAL TABLET 25 MG	4	QL (8 EA per 1 day)
SELZENTRY ORAL TABLET 75 MG	5	QL (8 EA per 1 day); NDS
SUNLENCA ORAL TABLET THERAPY PACK 4 X 300 MG	5	QL (4 EA per 999 days); NDS
SUNLENCA ORAL TABLET THERAPY PACK 5 X 300 MG	5	QL (5 EA per 999 days); NDS
TRIUMEQ ORAL TABLET 600-50-300 MG	5	NDS
TRIUMEQ PD ORAL TABLET SOLUBLE 60-5-30 MG	5	QL (6 EA per 1 day); NDS
TYBOST ORAL TABLET 150 MG	3	
Anti-Hiv Agents, Protease Inhibitors		
APTIVUS ORAL CAPSULE 250 MG	5	NDS
APTIVUS ORAL SOLUTION 100 MG/ML	5	NDS
<i>atazanavir sulfate oral capsule 150 mg, 300 mg</i>	4	QL (1 EA per 1 day); NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
<i>atazanavir sulfate oral capsule 200 mg</i>	4	QL (2 EA per 1 day); NDS
CRIXIVAN ORAL CAPSULE 200 MG, 400 MG	3	
<i>darunavir oral tablet 600 mg</i>	4	QL (2 EA per 1 day)
<i>darunavir oral tablet 800 mg</i>	4	QL (1 EA per 1 day)
EVOTAZ ORAL TABLET 300-150 MG	5	QL (1 EA per 1 day); NDS
<i>fosamprenavir calcium oral tablet 700 mg</i>	5	NDS
INVIRASE ORAL CAPSULE 200 MG	5	NDS
INVIRASE ORAL TABLET 500 MG	5	NDS
LEXIVA ORAL SUSPENSION 50 MG/ML	4	
<i>lopinavir-ritonavir oral solution 400-100 mg/5ml</i>	4	
<i>lopinavir-ritonavir oral tablet 100-25 mg</i>	4	
<i>lopinavir-ritonavir oral tablet 200-50 mg</i>	4	QL (4 EA per 1 day)
NORVIR ORAL CAPSULE 100 MG	4	
NORVIR ORAL PACKET 100 MG	4	
NORVIR ORAL SOLUTION 80 MG/ML	4	
PREZCOBIX ORAL TABLET 800-150 MG	5	QL (2 EA per 1 day); NDS
PREZISTA ORAL SUSPENSION 100 MG/ML	5	QL (12 ML per 1 day); NDS
PREZISTA ORAL TABLET 150 MG	4	QL (6 EA per 1 day)
PREZISTA ORAL TABLET 75 MG	4	QL (10 EA per 1 day)
REYATAZ ORAL PACKET 50 MG	5	NDS
<i>ritonavir oral tablet 100 mg</i>	2	GC; QL (12 EA per 1 day)
VIRACEPT ORAL TABLET 250 MG, 625 MG	5	NDS
Anti-Influenza Agents		
<i>amantadine hcl oral capsule 100 mg</i>	2	GC
<i>amantadine hcl oral tablet 100 mg</i>	2	GC
<i>oseltamivir phosphate oral capsule 30 mg, 45 mg, 75 mg</i>	2	GC; QL (84 EA per 180 days)
<i>oseltamivir phosphate oral suspension reconstituted 6 mg/ml</i>	2	GC
RELENZA DISKHALER INHALATION AEROSOL POWDER BREATH ACTIVATED 5 MG/ACT, 5 MG/BLISTER	3	
<i>rimantadine hcl oral tablet 100 mg</i>	2	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
Antivirals		
<i>molnupiravir oral capsule 200 mg</i>	4	QL (80 EA per 365 days)
PAXLOVID (150/100) ORAL TABLET THERAPY PACK 10 X 150 MG & 10 X 100MG	4	QL (40 EA per 365 days)
PAXLOVID (300/100) ORAL TABLET THERAPY PACK 20 X 150 MG & 10 X 100MG	4	QL (60 EA per 365 days)
Anxiolytics		
Anxiolytics, Other		
<i>buspirone hcl oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	2	GC
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	4	PA
<i>hydroxyzine pamoate oral capsule 100 mg, 25 mg, 50 mg</i>	4	PA
<i>triazolam oral tablet 0.125 mg, 0.25 mg</i>	2	GC; QL (2 EA per 1 day); NDS
Benzodiazepines		
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i>	2	GC; QL (3 EA per 1 day); NDS
<i>alprazolam oral tablet 2 mg</i>	2	GC; QL (5 EA per 1 day); NDS
<i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>	2	PA; GC; QL (4 EA per 1 day); NDS
<i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg</i>	3	QL (6 EA per 1 day); NDS
<i>diazepam intensol oral concentrate 5 mg/ml</i>	4	NDS
<i>diazepam oral concentrate 5 mg/ml</i>	4	NDS
<i>diazepam oral solution 1 mg/ml</i>	4	QL (40 EA per 1 day); NDS
<i>diazepam oral solution 5 mg/5ml</i>	4	QL (40 ML per 1 day); NDS
<i>diazepam oral tablet 2 mg, 5 mg</i>	2	GC; QL (4 EA per 1 day); NDS
<i>lorazepam oral tablet 0.5 mg, 1 mg</i>	2	GC; QL (3 EA per 1 day); NDS
<i>lorazepam oral tablet 2 mg</i>	2	GC; QL (5 EA per 1 day); NDS
Ssrts/ Snris		
<i>duloxetine hcl oral capsule delayed release particles 40 mg</i>	4	QL (3 EA per 1 day)
<i>paroxetine hcl oral tablet 20 mg</i>	2	PA; GC
Bipolar Agents		

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
Bipolar Agents, Other		
LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG	5	PA; QL (1 EA per 1 day); NDS
Mood Stabilizers		
<i>carbamazepine er oral capsule extended release 12 hour 100 mg, 200 mg, 300 mg</i>	3	
<i>lithium carbonate er oral tablet extended release 300 mg, 450 mg</i>	2	GC
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	2	GC
LITHIUM ORAL SOLUTION 8 MEQ/5ML	3	
Blood Glucose Regulators		
Antidiabetic Agents		
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i>	2	GC; DDMP
ALOGLIPTIN BENZOATE ORAL TABLET 12.5 MG, 25 MG, 6.25 MG	3	ST; DDMP; QL (1 EA per 1 day)
ALOGLIPTIN-METFORMIN HCL ORAL TABLET 12.5-1000 MG, 12.5-500 MG	3	ST; DDMP; QL (2 EA per 1 day)
ALOGLIPTIN-PIOGLITAZONE ORAL TABLET 12.5-15 MG, 12.5-30 MG, 12.5-45 MG, 25-15 MG, 25-30 MG, 25-45 MG	3	ST; DDMP; QL (1 EA per 1 day)
AVANDIA ORAL TABLET 2 MG, 4 MG	4	
BYDUREON BCISE SUBCUTANEOUS AUTO-INJECTOR 2 MG/0.85ML	4	QL (3.4 ML per 28 days)
BYDUREON SUBCUTANEOUS SUSPENSION RECONSTITUTED ER 2 MG	5	QL (4 EA per 28 days); NDS
CYCLOSET ORAL TABLET 0.8 MG	4	
FARXIGA ORAL TABLET 10 MG, 5 MG	3	QL (1 EA per 1 day)
<i>glimepiride oral tablet 1 mg, 2 mg</i>	1	GC; QL (3 EA per 1 day)
<i>glimepiride oral tablet 4 mg</i>	1	GC; QL (2 EA per 1 day)
<i>glipizide er oral tablet extended release 24 hour 10 mg</i>	1	GC; QL (2 EA per 1 day)
<i>glipizide er oral tablet extended release 24 hour 2.5 mg, 5 mg</i>	1	GC; QL (3 EA per 1 day)
<i>glipizide oral tablet 10 mg</i>	1	GC; QL (4 EA per 1 day)

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
glipizide oral tablet 5 mg	1	GC; QL (3 EA per 1 day)
INVOKAMET ORAL TABLET 150-1000 MG, 150-500 MG, 50-1000 MG, 50-500 MG	4	QL (2 EA per 1 day)
INVOKAMET XR ORAL TABLET EXTENDED RELEASE 24 HOUR 150-1000 MG, 150-500 MG, 50-1000 MG, 50-500 MG	4	QL (2 EA per 1 day)
INVOKANA ORAL TABLET 100 MG, 300 MG	4	QL (1 EA per 1 day)
JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG	3	ST; QL (1 EA per 1 day)
metformin hcl er oral tablet extended release 24 hour 500 mg	1	GC; QL (4 EA per 1 day)
metformin hcl er oral tablet extended release 24 hour 750 mg	1	GC; QL (2 EA per 1 day)
metformin hcl oral tablet 1000 mg	1	GC; QL (2.5 EA per 1 day)
metformin hcl oral tablet 500 mg	1	GC; QL (5 EA per 1 day)
metformin hcl oral tablet 850 mg	1	GC; QL (3 EA per 1 day)
nateglinide oral tablet 120 mg, 60 mg	2	GC; DDMP
OZEMPIC (0.25 OR 0.5 MG/DOSE) SUBCUTANEOUS SOLUTION PEN-INJECTOR 2 MG/1.5ML	3	QL (1.5 ML per 28 days)
OZEMPIC (0.25 OR 0.5 MG/DOSE) SUBCUTANEOUS SOLUTION PEN-INJECTOR 2 MG/3ML	3	QL (3 ML per 28 days)
OZEMPIC (1 MG/DOSE) SUBCUTANEOUS SOLUTION PEN-INJECTOR 4 MG/3ML	3	QL (3 ML per 28 days)
OZEMPIC (2 MG/DOSE) SUBCUTANEOUS SOLUTION PEN-INJECTOR 8 MG/3ML	3	QL (3 ML per 28 days)
pioglitazone hcl oral tablet 15 mg, 30 mg, 45 mg	2	GC; DDMP; QL (1 EA per 1 day)
repaglinide oral tablet 0.5 mg, 1 mg, 2 mg	4	
RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG	3	QL (1 EA per 1 day)
SYMLINPEN 120 SUBCUTANEOUS SOLUTION PEN-INJECTOR 2700 MCG/2.7ML	5	NDS
SYMLINPEN 60 SUBCUTANEOUS SOLUTION PEN-INJECTOR 1500 MCG/1.5ML	5	NDS
tolbutamide oral tablet 500 mg	3	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
TRADJENTA ORAL TABLET 5 MG	4	ST; QL (1 EA per 1 day)
TRULICITY SUBCUTANEOUS SOLUTION PEN-INJECTOR 0.75 MG/0.5ML, 1.5 MG/0.5ML, 3 MG/0.5ML, 4.5 MG/0.5ML	3	QL (2 ML per 28 days)
VICTOZA SUBCUTANEOUS SOLUTION PEN-INJECTOR 18 MG/3ML	3	QL (9 ML per 30 days)
XIGDUO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 10-1000 MG, 10-500 MG, 5-500 MG	3	QL (1 EA per 1 day)
XIGDUO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 2.5-1000 MG, 5-1000 MG	3	QL (2 EA per 1 day)
Blood Glucose Regulators		
glipizide-metformin hcl oral tablet 2.5-250 mg, 2.5-500 mg, 5-500 mg	1	GC; QL (4 EA per 1 day)
JANUMET ORAL TABLET 50-1000 MG, 50- 500 MG	3	ST; QL (2 EA per 1 day)
JANUMET XR ORAL TABLET EXTENDED RELEASE 24 HOUR 100-1000 MG	3	ST; QL (1 EA per 1 day)
JANUMET XR ORAL TABLET EXTENDED RELEASE 24 HOUR 50-1000 MG, 50-500 MG	3	ST; QL (2 EA per 1 day)
pioglitazone hcl-glimepiride oral tablet 30-2 mg, 30-4 mg	4	QL (1 EA per 1 day)
pioglitazone hcl-metformin hcl oral tablet 15-500 mg, 15-850 mg	4	QL (3 EA per 1 day)
repaglinide-metformin hcl oral tablet 1-500 mg, 2-500 mg	2	ST; GC; QL (5 EA per 1 day)
Glycemic Agents		
BAQSIMI ONE PACK NASAL POWDER 3 MG/DOSE	3	
BAQSIMI TWO PACK NASAL POWDER 3 MG/DOSE	3	
diazoxide oral suspension 50 mg/ml	4	
GLUCAGON EMERGENCY INJECTION KIT 1 MG	3	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
GVOKE HYPOOPEN 1-PACK SUBCUTANEOUS SOLUTION AUTO- INJECTOR 0.5 MG/0.1ML, 1 MG/0.2ML	3	
GVOKE HYPOOPEN 2-PACK SUBCUTANEOUS SOLUTION AUTO- INJECTOR 0.5 MG/0.1ML, 1 MG/0.2ML	3	
GVOKE KIT SUBCUTANEOUS SOLUTION 1 MG/0.2ML	3	
GVOKE PFS SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 0.5 MG/0.1ML, 1 MG/0.2ML	3	
KORLYM ORAL TABLET 300 MG	5	PA; QL (4 EA per 1 day); NDS
Insulins		
assure id insulin safety syr 29g x 1/2" 1 ml	2	GC
BASAGLAR KWIKPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML	3	QL (45 ML per 30 days); SSM
comfort assist insulin syringe 29g x 1/2" 1 ml	2	GC
FIASP FLEXTOUCH SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML	3	QL (45 ML per 30 days)
FIASP INJECTION SOLUTION 100 UNIT/ML	3	QL (50 ML per 30 days)
FIASP SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	QL (50 ML per 30 days)
HUMALOG JUNIOR KWIKPEN SUBCUTANEOUS SOLUTION PEN- INJECTOR 100 UNIT/ML	4	QL (45 ML per 30 days)
HUMALOG MIX 50/50 KWIKPEN SUBCUTANEOUS SUSPENSION PEN- INJECTOR (50-50) 100 UNIT/ML	4	QL (45 ML per 30 days)
HUMALOG MIX 50/50 SUBCUTANEOUS SUSPENSION (50-50) 100 UNIT/ML	4	QL (50 ML per 30 days)
HUMALOG MIX 75/25 KWIKPEN SUBCUTANEOUS SUSPENSION PEN- INJECTOR (75-25) 100 UNIT/ML	4	QL (45 ML per 30 days)
HUMALOG MIX 75/25 SUBCUTANEOUS SUSPENSION (75-25) 100 UNIT/ML	4	QL (50 ML per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
HUMULIN 70/30 KWIKPEN SUBCUTANEOUS SUSPENSION PEN- INJECTOR (70-30) 100 UNIT/ML	4	QL (45 ML per 30 days)
HUMULIN 70/30 SUBCUTANEOUS SUSPENSION (70-30) 100 UNIT/ML	4	QL (50 ML per 30 days)
HUMULIN N KWIKPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR 100 UNIT/ML	4	QL (45 ML per 30 days)
HUMULIN N SUBCUTANEOUS SUSPENSION 100 UNIT/ML	4	QL (50 ML per 30 days)
HUMULIN R INJECTION SOLUTION 100 UNIT/ML	4	QL (50 ML per 30 days)
HUMULIN R U-500 (CONCENTRATED) SUBCUTANEOUS SOLUTION 500 UNIT/ML	4	PA; QL (1 ML per 1 day); NDS
HUMULIN R U-500 KWIKPEN SUBCUTANEOUS SOLUTION PEN- INJECTOR 500 UNIT/ML	4	PA; QL (18 ML per 30 days)
INSULIN LISPRO (1 UNIT DIAL) SUBCUTANEOUS SOLUTION PEN- INJECTOR 100 UNIT/ML	4	QL (45 ML per 30 days)
INSULIN LISPRO INJECTION SOLUTION 100 UNIT/ML	4	QL (50 ML per 30 days)
INSULIN LISPRO JUNIOR KWIKPEN SUBCUTANEOUS SOLUTION PEN- INJECTOR 100 UNIT/ML	4	QL (45 ML per 30 days)
INSULIN LISPRO PROT & LISPRO SUBCUTANEOUS SUSPENSION PEN- INJECTOR (75-25) 100 UNIT/ML	4	QL (45 ML per 30 days)
LEVEMIR FLEXPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML	3	QL (45 ML per 30 days)
LEVEMIR FLEXTOUCH SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML	3	QL (45 ML per 30 days)
LEVEMIR SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	QL (50 ML per 30 days)
<i>novofine</i> 30g x 8 mm , 32g x 6 mm	2	GC
<i>novofine</i> pen needle 32g x 6 mm	2	GC
<i>novofine plus</i> 32g x 4 mm	2	GC
<i>novofine plus</i> pen needle 32g x 4 mm	2	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
NOVOLIN 70/30 FLEXPEN RELION SUBCUTANEOUS SUSPENSION PEN- INJECTOR (70-30) 100 UNIT/ML	3	QL (45 ML per 30 days)
NOVOLIN 70/30 FLEXPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR (70-30) 100 UNIT/ML	3	QL (45 ML per 30 days); SSM
NOVOLIN 70/30 RELION SUBCUTANEOUS SUSPENSION (70-30) 100 UNIT/ML	3	QL (50 ML per 30 days)
NOVOLIN 70/30 SUBCUTANEOUS SUSPENSION (70-30) 100 UNIT/ML	3	QL (50 ML per 30 days); SSM
NOVOLIN N FLEXPEN RELION SUBCUTANEOUS SUSPENSION PEN- INJECTOR 100 UNIT/ML	3	QL (45 ML per 30 days)
NOVOLIN N FLEXPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR 100 UNIT/ML	3	QL (45 ML per 30 days); SSM
NOVOLIN N RELION SUBCUTANEOUS SUSPENSION 100 UNIT/ML	3	QL (50 ML per 30 days)
NOVOLIN N SUBCUTANEOUS SUSPENSION 100 UNIT/ML	3	QL (50 ML per 30 days); SSM
NOVOLIN R FLEXPEN INJECTION SOLUTION PEN-INJECTOR 100 UNIT/ML	3	QL (45 ML per 30 days); SSM
NOVOLIN R FLEXPEN RELION INJECTION SOLUTION PEN-INJECTOR 100 UNIT/ML	3	QL (45 ML per 30 days)
NOVOLIN R INJECTION SOLUTION 100 UNIT/ML	3	QL (50 ML per 30 days); SSM
NOVOLIN R RELION INJECTION SOLUTION 100 UNIT/ML	3	QL (50 ML per 30 days)
NOVOLOG 70/30 FLEXPEN RELION SUBCUTANEOUS SUSPENSION PEN- INJECTOR (70-30) 100 UNIT/ML	3	QL (45 ML per 30 days)
NOVOLOG FLEXPEN RELION SUBCUTANEOUS SOLUTION PEN- INJECTOR 100 UNIT/ML	3	QL (45 ML per 30 days)
NOVOLOG FLEXPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML	3	QL (45 ML per 30 days); SSM
NOVOLOG INJECTION SOLUTION 100 UNIT/ML	3	QL (50 ML per 30 days); SSM

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
NOVOLOG MIX 70/30 FLEXPEN SUBCUTANEOUS SUSPENSION PEN- INJECTOR (70-30) 100 UNIT/ML	3	QL (45 ML per 30 days); SSM
NOVOLOG MIX 70/30 RELION SUBCUTANEOUS SUSPENSION (70-30) 100 UNIT/ML	3	QL (50 ML per 30 days)
NOVOLOG MIX 70/30 SUBCUTANEOUS SUSPENSION (70-30) 100 UNIT/ML	3	QL (50 ML per 30 days); SSM
NOVOLOG PENFILL SUBCUTANEOUS SOLUTION CARTRIDGE 100 UNIT/ML	3	QL (45 ML per 30 days); SSM
NOVOLOG RELION INJECTION SOLUTION 100 UNIT/ML	3	QL (50 ML per 30 days)
<i>novotwist 32g x 5 mm</i>	2	GC
<i>novotwist pen needle 32g x 5 mm</i>	2	GC
TRESIBA FLEXTOUCH SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML, 200 UNIT/ML	3	QL (45 ML per 30 days); SSM
TRESIBA SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	QL (50 ML per 30 days); SSM
Blood Products And Modifiers		
Blood Products And Modifiers, Other		
RETACRIT INJECTION SOLUTION 10000 UNIT/ML, 10000 UNIT/ML(1ML)	3	PA; QL (12 ML per 28 days)
Blood Products/ Modifiers/ Volume Expanders		
Anticoagulants		
<i>dabigatran etexilate mesylate oral capsule 150 mg, 75 mg</i>	4	QL (2 EA per 1 day)
ELIQUIS DVT/PE STARTER PACK ORAL TABLET 5 MG	3	
ELIQUIS DVT/PE STARTER PACK ORAL TABLET THERAPY PACK 5 MG	3	
ELIQUIS ORAL TABLET 2.5 MG, 5 MG	3	QL (2 EA per 1 day)

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
<i>enoxaparin sodium injection solution prefilled syringe 100 mg/ml, 120 mg/0.8ml, 150 mg/ml, 30 mg/0.3ml, 40 mg/0.4ml, 60 mg/0.6ml, 80 mg/0.8ml</i>	2	GC
<i>enoxaparin sodium subcutaneous solution 100 mg/ml, 150 mg/ml</i>	2	QL (30 ML per 90 days)
<i>enoxaparin sodium subcutaneous solution 120 mg/0.8ml, 80 mg/0.8ml</i>	2	QL (24 ML per 90 days)
<i>enoxaparin sodium subcutaneous solution 30 mg/0.3ml</i>	2	QL (9 ML per 90 days)
<i>enoxaparin sodium subcutaneous solution 40 mg/0.4ml</i>	2	QL (12 ML per 90 days)
<i>enoxaparin sodium subcutaneous solution 60 mg/0.6ml</i>	2	QL (18 ML per 90 days)
<i>fondaparinux sodium subcutaneous solution 10 mg/0.8ml, 5 mg/0.4ml, 7.5 mg/0.6ml</i>	5	NDS
<i>fondaparinux sodium subcutaneous solution 2.5 mg/0.5ml</i>	4	
FRAGMIN SUBCUTANEOUS SOLUTION 10000 UNIT/ML, 12500 UNIT/0.5ML, 15000 UNIT/0.6ML, 18000 UNT/0.72ML, 7500 UNIT/0.3ML, 95000 UNIT/3.8ML	5	NDS
FRAGMIN SUBCUTANEOUS SOLUTION 2500 UNIT/0.2ML, 5000 UNIT/0.2ML	4	
FRAGMIN SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 10000 UNIT/ML, 12500 UNIT/0.5ML, 15000 UNIT/0.6ML, 18000 UNT/0.72ML, 7500 UNIT/0.3ML	5	NDS
FRAGMIN SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 2500 UNIT/0.2ML, 5000 UNIT/0.2ML	4	
<i>heparin sodium (porcine) injection solution 1000 unit/ml, 10000 unit/ml, 20000 unit/ml, 5000 unit/ml</i>	2	GC
JANTOVEN ORAL TABLET 1 MG, 10 MG, 2 MG, 2.5 MG, 3 MG, 4 MG, 5 MG, 6 MG, 7.5 MG	3	
PRADAXA ORAL CAPSULE 110 MG	4	QL (2 EA per 1 day)

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
<i>warfarin sodium oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i>	1	GC
XARELTO ORAL SUSPENSION RECONSTITUTED 1 MG/ML	3	
XARELTO ORAL TABLET 10 MG, 15 MG, 20 MG	3	QL (1 EA per 1 day)
XARELTO ORAL TABLET 2.5 MG	3	QL (2 EA per 1 day)
XARELTO STARTER PACK ORAL TABLET THERAPY PACK 15 & 20 MG	3	QL (102 EA per 365 days)
Blood Formation Modifiers		
<i>anagrelide hcl oral capsule 0.5 mg</i>	3	
<i>anagrelide hcl oral capsule 1 mg</i>	3	GC
LEUKINE INJECTION SOLUTION RECONSTITUTED 250 MCG	5	PA; NDS
LEUKINE INTRAVENOUS SOLUTION RECONSTITUTED 250 MCG	5	PA; NDS
PROMACTA ORAL PACKET 12.5 MG	5	PA; QL (6 EA per 1 day); NDS
PROMACTA ORAL PACKET 25 MG	5	PA; QL (3 EA per 1 day); NDS
PROMACTA ORAL TABLET 12.5 MG, 25 MG	5	PA; QL (1 EA per 1 day); NDS
PROMACTA ORAL TABLET 50 MG, 75 MG	5	PA; QL (2 EA per 1 day); NDS
RETACRIT INJECTION SOLUTION 2000 UNIT/ML, 3000 UNIT/ML, 4000 UNIT/ML	3	PA; QL (12 ML per 28 days)
RETACRIT INJECTION SOLUTION 40000 UNIT/ML	5	PA; QL (4 ML per 28 days); NDS
UDENYCA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 6 MG/0.6ML	5	PA; NDS
ZARXIO INJECTION SOLUTION PREFILLED SYRINGE 300 MCG/0.5ML, 480 MCG/0.8ML	5	PA; NDS
Hemostasis Agents		
<i>tranexamic acid oral tablet 650 mg</i>	2	GC
Platelet Modifying Agents		
<i>aspirin-dipyridamole er oral capsule extended release 12 hour 25-200 mg</i>	4	QL (2 EA per 1 day)
BRILINTA ORAL TABLET 60 MG, 90 MG	3	QL (2 EA per 1 day)
<i>cilostazol oral tablet 100 mg, 50 mg</i>	2	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
<i>clopidogrel bisulfate oral tablet 75 mg</i>	2	GC
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	2	GC
<i>prasugrel hcl oral tablet 10 mg, 5 mg</i>	4	QL (1 EA per 1 day)
Cardiovascular Agents		
Alpha-Adrenergic Agonists		
<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>	2	GC
<i>clonidine hcl transdermal patch weekly 0.1 mg/24hr, 0.2 mg/24hr, 0.3 mg/24hr</i>	4	QL (4 EA per 28 days)
<i>clonidine transdermal patch weekly 0.1 mg/24hr, 0.2 mg/24hr, 0.3 mg/24hr</i>	4	QL (4 EA per 28 days)
<i>droxidopa oral capsule 100 mg</i>	4	PA; QL (3 EA per 1 day)
<i>droxidopa oral capsule 200 mg, 300 mg</i>	4	PA; QL (6 EA per 1 day)
<i>guanfacine hcl oral tablet 1 mg, 2 mg</i>	2	GC
<i>midodrine hcl oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	GC
Alpha-Adrenergic Blocking Agents		
<i>doxazosin mesylate oral tablet 1 mg</i>	1	GC
<i>prazosin hcl oral capsule 1 mg, 2 mg, 5 mg</i>	1	GC
Angiotensin II Receptor Antagonists		
<i>candesartan cilexetil oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i>	4	
<i>ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG</i>	3	QL (2 EA per 1 day)
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i>	2	GC
<i>losartan potassium oral tablet 100 mg, 25 mg, 50 mg</i>	1	GC
<i>olmesartan medoxomil oral tablet 20 mg, 40 mg, 5 mg</i>	2	GC
<i>olmesartan medoxomil-hctz oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i>	2	GC
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i>	2	GC; GC
Angiotensin-Converting Enzyme (Ace) Inhibitors		

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
<i>benazepril hcl oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>	1	GC
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	3	
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i>	1	GC
<i>fosinopril sodium oral tablet 10 mg, 20 mg, 40 mg</i>	1	GC
<i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i>	1	GC
<i>moexipril hcl oral tablet 15 mg, 7.5 mg</i>	1	GC
<i>quinapril hcl oral tablet 10 mg, 5 mg</i>	1	GC; GC
<i>quinapril hcl oral tablet 20 mg, 40 mg</i>	1	GC
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i>	1	GC
Antiarrhythmics		
<i>amiodarone hcl oral tablet 100 mg, 200 mg, 400 mg</i>	2	GC
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i>	3	
<i>flecainide acetate oral tablet 100 mg, 150 mg, 50 mg</i>	2	GC
<i>mexiletine hcl oral capsule 150 mg, 200 mg, 250 mg</i>	2	GC
MULTAQ ORAL TABLET 400 MG	4	QL (2 EA per 1 day)
PACERONE ORAL TABLET 100 MG, 200 MG, 400 MG	3	
<i>propafenone hcl oral tablet 150 mg, 225 mg, 300 mg</i>	2	GC
<i>quinidine gluconate er oral tablet extended release 324 mg</i>	2	GC
<i>quinidine sulfate oral tablet 200 mg, 300 mg</i>	2	GC
SORINE ORAL TABLET 120 MG, 160 MG, 240 MG, 80 MG	3	
<i>sotalol hcl (af) oral tablet 120 mg, 160 mg, 80 mg</i>	2	GC
<i>sotalol hcl oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i>	2	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
Beta-Adrenergic Blocking Agents		
<i>acebutolol hcl oral capsule 200 mg, 400 mg</i>	2	GC
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i>	1	GC
<i>betaxolol hcl oral tablet 10 mg, 20 mg</i>	2	GC
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	2	GC
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i>	1	GC
<i>labetalol hcl oral tablet 100 mg, 200 mg, 300 mg</i>	2	GC
<i>metoprolol succinate er oral tablet extended release 24 hour 100 mg, 200 mg, 25 mg, 50 mg</i>	1	GC
<i>metoprolol tartrate oral tablet 100 mg, 25 mg, 50 mg</i>	1	GC
<i>metoprolol tartrate oral tablet 37.5 mg, 75 mg</i>	2	GC
<i>nadolol oral tablet 20 mg, 40 mg, 80 mg</i>	2	GC
<i>nebivolol hcl oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i>	4	
<i>pindolol oral tablet 10 mg, 5 mg</i>	2	GC
<i>propranolol hcl er oral capsule extended release 24 hour 120 mg, 160 mg, 60 mg, 80 mg</i>	2	GC
<i>propranolol hcl oral solution 20 mg/5ml, 40 mg/5ml</i>	3	
<i>propranolol hcl oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	1	GC
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	3	
Calcium Channel Blocking Agents		
<i>amlodipine besylate oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	GC
<i>CARTIA XT ORAL CAPSULE EXTENDED RELEASE 24 HOUR 120 MG, 180 MG, 240 MG, 300 MG</i>	3	
<i>diltiazem cd oral capsule extended release 24 hour 120 mg, 180 mg</i>	2	GC
<i>diltiazem hcl er beads oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg</i>	2	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
diltiazem hcl er beads oral capsule extended release 24 hour 360 mg, 420 mg	2	GC
diltiazem hcl er coated beads oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg	2	GC
diltiazem hcl er oral capsule extended release 12 hour 120 mg, 60 mg, 90 mg	2	GC
diltiazem hcl er oral capsule extended release 24 hour 180 mg, 240 mg	2	GC
diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg, 90 mg	2	GC
dilt-xr oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg	2	GC
felodipine er oral tablet extended release 24 hour 10 mg, 2.5 mg, 5 mg	2	GC
isradipine oral capsule 2.5 mg, 5 mg	2	GC
nicardipine hcl oral capsule 20 mg, 30 mg	2	GC
nifedipine er oral tablet extended release 24 hour 30 mg, 60 mg, 90 mg	2	GC
nifedipine er osmotic release oral tablet extended release 24 hour 30 mg, 60 mg, 90 mg	2	GC
nimodipine oral capsule 30 mg	2	GC
NISOLDIPINE ER ORAL TABLET EXTENDED RELEASE 24 HOUR 20 MG, 30 MG, 40 MG	3	
taztia xt oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg, 360 mg	2	GC
tiadylt er oral capsule extended release 24 hour 120 mg, 240 mg, 300 mg, 420 mg	2	GC; GC
tiadylt er oral capsule extended release 24 hour 180 mg, 360 mg	2	GC
verapamil hcl er oral capsule extended release 24 hour 100 mg, 120 mg, 180 mg, 200 mg, 240 mg, 300 mg, 360 mg	2	GC
verapamil hcl er oral tablet extended release 120 mg, 180 mg, 240 mg	2	GC
verapamil hcl oral tablet 120 mg, 40 mg, 80 mg	2	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
Cardiovascular Agents		
ALDACTAZIDE ORAL TABLET 50-50 MG	4	
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	2	GC
<i>amlodipine besy-benazepril hcl oral capsule 10-20 mg, 10-40 mg, 2.5-10 mg, 5-10 mg, 5-20 mg, 5-40 mg</i>	2	GC
<i>atenolol-chlorthalidone oral tablet 100-25 mg, 50-25 mg</i>	2	GC
<i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg, 5-6.25 mg</i>	1	GC; GC
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i>	1	GC
<i>candesartan cilexetil-hctz oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i>	4	
<i>captopril-hydrochlorothiazide oral tablet 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg</i>	1	
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i>	1	GC
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>	1	GC; GC
<i>fosinopril sodium-hctz oral tablet 10-12.5 mg, 20-12.5 mg</i>	1	GC
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>	1	GC
<i>losartan potassium-hctz oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i>	1	GC
<i>metoprolol-hydrochlorothiazide oral tablet 100-25 mg, 100-50 mg, 50-25 mg</i>	2	GC
<i>metyrosine oral capsule 250 mg</i>	5	NDS
<i>moexipril-hydrochlorothiazide oral tablet 15-12.5 mg, 15-25 mg, 7.5-12.5 mg</i>	1	GC
<i>propranolol-hctz oral tablet 40-25 mg, 80-25 mg</i>	3	
<i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>	1	
<i>spironolactone-hctz oral tablet 25-25 mg</i>	2	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
<i>triamterene-hctz oral capsule 37.5-25 mg</i>	2	GC
<i>triamterene-hctz oral capsule 50-25 mg</i>	2	GC
<i>triamterene-hctz oral tablet 37.5-25 mg, 75-50 mg</i>	2	GC
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i>	2	GC; GC
Cardiovascular Agents, Other		
<i>aliskiren fumarate oral tablet 150 mg, 300 mg</i>	4	ST; QL (1 EA per 1 day)
CORLANOR ORAL SOLUTION 5 MG/5ML	4	PA
CORLANOR ORAL TABLET 5 MG, 7.5 MG	4	PA; QL (2 EA per 1 day)
DIGITEK ORAL TABLET 125 MCG, 250 MCG	3	
<i>digox oral tablet 125 mcg, 250 mcg</i>	1	
DIGOXIN ORAL SOLUTION 0.05 MG/ML	3	
<i>digoxin oral tablet 125 mcg, 250 mcg</i>	1	GC
<i>pentoxifylline er oral tablet extended release 400 mg</i>	2	GC
<i>ranolazine er oral tablet extended release 12 hour 1000 mg, 500 mg</i>	3	QL (2 EA per 1 day)
REPATHA PUSHTRONEX SYSTEM SUBCUTANEOUS SOLUTION CARTRIDGE 420 MG/3.5ML	4	PA
UPTRAVI ORAL TABLET 1000 MCG, 1200 MCG, 1400 MCG, 1600 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG	5	PA; QL (2 EA per 1 day); NDS
UPTRAVI ORAL TABLET THERAPY PACK 200 & 800 MCG	5	PA; QL (400 EA per 365 days); NDS
Diuretics, Carbonic Anhydrase Inhibitors		
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	2	GC
<i>methazolamide oral tablet 25 mg, 50 mg</i>	2	GC
Diuretics, Loop		
<i>bumetanide injection solution 0.25 mg/ml</i>	2	GC
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	GC
<i>ethacrynic acid oral tablet 25 mg</i>	4	NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
<i>furosemide injection solution 10 mg/ml</i>	2	GC
<i>furosemide injection solution 10 mg/ml (4ml syringe)</i>	2	
<i>furosemide oral solution 8 mg/ml</i>	3	
<i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i>	1	GC
<i>torsemide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i>	2	GC
Diuretics, Potassium-Sparing		
<i>amiloride hcl oral tablet 5 mg</i>	2	GC
<i>eplerenone oral tablet 25 mg, 50 mg</i>	3	
KERENDIA ORAL TABLET 10 MG, 20 MG	4	PA; QL (30 EA per 30 days)
<i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i>	1	GC
<i>triamterene oral capsule 100 mg, 50 mg</i>	4	
Diuretics, Thiazide		
<i>chlorothiazide oral tablet 250 mg</i>	2	GC
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	2	GC
<i>hydrochlorothiazide oral capsule 12.5 mg</i>	1	GC
<i>hydrochlorothiazide oral tablet 12.5 mg</i>	2	GC
<i>hydrochlorothiazide oral tablet 25 mg, 50 mg</i>	1	GC
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	2	GC
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i>	2	GC
<i>methyclothiazide oral tablet 5 mg</i>	3	
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	GC
Dyslipidemics, Fibric Acid Derivatives		
<i>fenofibrate micronized oral capsule 134 mg</i>	2	GC; GC
<i>fenofibrate micronized oral capsule 200 mg, 67 mg</i>	2	GC
<i>fenofibrate oral capsule 134 mg</i>	2	
<i>fenofibrate oral tablet 145 mg, 160 mg, 48 mg, 54 mg</i>	2	GC
<i>gemfibrozil oral tablet 600 mg</i>	2	GC
Dyslipidemics, Hmg Coa Reductase Inhibitors		

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
<i>atorvastatin calcium oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i>	1	GC
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>	1	GC
<i>pravastatin sodium oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i>	1	GC
<i>rosuvastatin calcium oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>	2	GC
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg, 80 mg</i>	1	GC
Dyslipidemics, Other		
<i>cholestyramine light oral packet 4 gm</i>	3	GC
<i>cholestyramine light oral powder 4 gm/dose</i>	3	
<i>cholestyramine oral packet 4 gm</i>	3	GC
<i>cholestyramine oral powder 4 gm/dose</i>	2	GC
<i>colesevelam hcl oral packet 3.75 gm</i>	3	
<i>colesevelam hcl oral tablet 625 mg</i>	3	
<i>colestipol hcl oral granules 5 gm</i>	2	GC
<i>colestipol hcl oral packet 5 gm</i>	2	GC
<i>colestipol hcl oral tablet 1 gm</i>	2	GC
<i>ezetimibe oral tablet 10 mg</i>	2	GC
<i>icosapent ethyl oral capsule 1 gm</i>	4	QL (4 EA per 1 day)
<i>JUXTAPID ORAL CAPSULE 10 MG, 20 MG, 30 MG, 40 MG, 5 MG, 60 MG</i>	5	PA; LA; NDS
<i>niacin er (antihyperlipidemic) oral tablet extended release 1000 mg, 500 mg, 750 mg</i>	4	
<i>omega-3-acid ethyl esters oral capsule 1 gm</i>	4	QL (4 EA per 1 day)
<i>PREVALITE ORAL PACKET 4 GM</i>	3	
<i>PREVALITE ORAL POWDER 4 GM/DOSE</i>	3	
<i>REPATHA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 140 MG/ML</i>	4	PA
<i>REPATHA SURECLICK SUBCUTANEOUS SOLUTION AUTO-INJECTOR 140 MG/ML</i>	4	PA
<i>triklo oral capsule 1 gm</i>	4	QL (4 EA per 1 day)
Vasodilators, Direct-Acting Arterial		

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
<i>hydralazine hcl oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	GC
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	2	GC
Vasodilators, Direct-Acting Arterial/Venous		
<i>isosorbide dinitrate er oral tablet extended release 40 mg</i>	2	GC
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg, 5 mg</i>	2	GC
<i>isosorbide mononitrate er oral tablet extended release 24 hour 120 mg, 30 mg, 60 mg</i>	2	GC
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	2	GC
MINITRAN TRANSDERMAL PATCH 24 HOUR 0.1 MG/HR, 0.2 MG/HR, 0.4 MG/HR, 0.6 MG/HR	3	
NITRO-BID TRANSDERMAL OINTMENT 2 %	3	
<i>nitroglycerin sublingual tablet sublingual 0.3 mg, 0.4 mg, 0.6 mg</i>	1	GC
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i>	2	GC
RECTIV RECTAL OINTMENT 0.4 %	4	QL (30 GM per 30 days)
Central Nervous System Agents		
Attention Deficit Hyperactivity Disorder Agents, Amphetamines		
<i>amphetamine-dextroamphetamine oral capsule extended release 24 hour 10 mg, 15 mg, 5 mg</i>	2	GC; QL (1 EA per 1 day); NDS
<i>amphetamine-dextroamphetamine oral capsule extended release 24 hour 20 mg, 25 mg, 30 mg</i>	2	GC; QL (2 EA per 1 day); NDS
<i>amphetamine-dextroamphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i>	2	GC; QL (3 EA per 1 day); NDS
<i>dexedrine oral tablet 10 mg, 5 mg</i>	2	GC; QL (6 EA per 1 day); NDS
<i>dextroamphetamine sulfate er oral capsule extended release 24 hour 10 mg</i>	4	QL (2 EA per 1 day); NDS
<i>dextroamphetamine sulfate er oral capsule extended release 24 hour 15 mg</i>	4	GC; QL (4 EA per 1 day); NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
<i>dextroamphetamine sulfate er oral capsule extended release 24 hour 5 mg</i>	4	QL (1 EA per 1 day); NDS
<i>dextroamphetamine sulfate oral tablet 10 mg, 5 mg</i>	2	GC; QL (6 EA per 1 day); NDS
<i>lisdexamfetamine dimesylate oral capsule 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg, 70 mg</i>	4	QL (1 EA per 1 day)
VYVANSE ORAL CAPSULE 10 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG, 70 MG	4	QL (1 EA per 1 day); NDS
Attention Deficit Hyperactivity Disorder Agents, Non-Amphetamines		
<i>atomoxetine hcl oral capsule 10 mg, 100 mg, 18 mg, 25 mg, 40 mg, 60 mg, 80 mg</i>	4	QL (1 EA per 1 day)
<i>dexmethylphenidate hcl er oral capsule extended release 24 hour 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 35 mg, 40 mg, 5 mg</i>	4	QL (1 EA per 1 day); NDS
<i>dexmethylphenidate hcl oral tablet 10 mg, 2.5 mg, 5 mg</i>	4	QL (2 EA per 1 day); NDS
<i>guanfacine hcl er oral tablet extended release 24 hour 1 mg, 2 mg, 3 mg, 4 mg</i>	4	QL (1 EA per 1 day)
<i>methylphenidate hcl er (cd) oral capsule extended release 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg</i>	3	QL (1 EA per 1 day); NDS
<i>methylphenidate hcl er (osm) oral tablet extended release 18 mg, 27 mg, 54 mg</i>	3	QL (1 EA per 1 day); NDS
<i>methylphenidate hcl er (osm) oral tablet extended release 36 mg</i>	3	QL (2 EA per 1 day); NDS
<i>methylphenidate hcl er oral tablet extended release 10 mg, 20 mg</i>	3	QL (3 EA per 1 day); NDS
<i>methylphenidate hcl er oral tablet extended release 24 hour 18 mg, 27 mg, 54 mg</i>	3	QL (1 EA per 1 day); NDS
<i>methylphenidate hcl er oral tablet extended release 24 hour 36 mg</i>	3	QL (2 EA per 1 day); NDS
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i>	2	GC; QL (3 EA per 1 day); NDS
Central Nervous System, Other		
AUSTEDO ORAL TABLET 12 MG, 9 MG	5	PA; QL (4 EA per 1 day); NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
AUSTEDO ORAL TABLET 6 MG	5	PA; QL (2 EA per 1 day); NDS
AUSTEDO PATIENT TITRATION KIT ORAL TABLET THERAPY PACK 6 & 9 & 12 MG	5	PA; NDS
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 12 MG, 6 MG	5	PA; QL (1 EA per 1 day); NDS
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 24 MG	5	PA; QL (2 EA per 1 day); NDS
<i>austedo xr patient titration oral tablet extended release therapy pack 6 & 12 & 24 mg</i>	5	PA; NDS
NUEDEXTA ORAL CAPSULE 20-10 MG	5	PA; QL (2 EA per 1 day); NDS
<i>riluzole oral tablet 50 mg</i>	2	GC
<i>tetrabenazine oral tablet 12.5 mg</i>	5	PA; QL (3 EA per 1 day); NDS
<i>tetrabenazine oral tablet 25 mg</i>	5	PA; QL (4 EA per 1 day); NDS
TIGLUTIK ORAL SUSPENSION 50 MG/10ML	5	NDS
Multiple Sclerosis Agents		
AVONEX INTRAMUSCULAR KIT 30 MCG	5	NDS
AVONEX PEN INTRAMUSCULAR AUTO-INJECTOR KIT 30 MCG/0.5ML	5	QL (4 EA per 28 days); NDS
AVONEX PREFILLED INTRAMUSCULAR PREFILLED SYRINGE KIT 30 MCG/0.5ML	5	QL (4 EA per 28 days); NDS
<i>dalfampridine er oral tablet extended release 12 hour 10 mg</i>	4	QL (2 EA per 1 day); NDS
EXTAVIA SUBCUTANEOUS KIT 0.3 MG	5	PA; NDS
FIRDAPSE ORAL TABLET 10 MG	5	PA; LA; QL (8 EA per 1 day); NDS
GLATOPA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 20 MG/ML	3	QL (1 ML per 1 day); NDS
GLATOPA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 40 MG/ML	3	QL (12 ML per 28 days); NDS
OCREVUS INTRAVENOUS SOLUTION 300 MG/10ML	5	PA; LA; NDS
REBIF REBIDOSE SUBCUTANEOUS SOLUTION AUTO-INJECTOR 22 MCG/0.5ML, 44 MCG/0.5ML	5	QL (6 ML per 28 days); NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
REBIF REBIDOSE TITRATION PACK SUBCUTANEOUS SOLUTION AUTO- INJECTOR 6X8.8 & 6X22 MCG	5	QL (4.2 ML per 28 days); NDS
REBIF SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 22 MCG/0.5ML, 44 MCG/0.5ML	5	QL (6 ML per 28 days); NDS
REBIF TITRATION PACK SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 6X8.8 & 6X22 MCG	5	QL (4.2 ML per 28 days); NDS
<i>teriflunomide oral tablet 14 mg, 7 mg</i>	5	PA; QL (1 EA per 1 day); NDS
Dental And Oral Agents		
Dental And Oral Agents		
<i>cevimeline hcl oral capsule 30 mg</i>	4	
<i>chlorhexidine gluconate mouth/throat solution 0.12 %</i>	2	GC
<i>oralone mouth/throat paste 0.1 %</i>	2	GC
<i>paroex mouth/throat solution 0.12 %</i>	2	GC
PERIOGARD MOUTH/THROAT SOLUTION 0.12 %	3	
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i>	3	
<i>triamcinolone acetonide mouth/throat paste 0.1 %</i>	2	GC
Dermatological Agents		
Acne And Rosacea Agents		
ACCUTANE ORAL CAPSULE 20 MG, 30 MG, 40 MG	4	
Dermatological Agents		
ACCUTANE ORAL CAPSULE 10 MG	4	
<i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i>	4	
<i>ammonium lactate external lotion 12 %</i>	2	GC
<i>avita external cream 0.025 %</i>	4	
<i>azelaic acid external gel 15 %</i>	4	
AZELEX EXTERNAL CREAM 20 %	3	
<i>benzoyl peroxide-erythromycin external gel 5-3 %</i>	2	GC
<i>calcipotriene external cream 0.005 %</i>	3	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
<i>calcipotriene external solution 0.005 %</i>	4	
<i>claravis oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	4	
<i>clindamycin phos-benzoyl perox external gel 1-5 %</i>	2	GC
<i>clobetasol propionate external solution 0.05 %</i>	2	GC
<i>clotrimazole-betamethasone external cream 1-0.05 %</i>	4	
<i>clotrimazole-betamethasone external lotion 1-0.05 %</i>	4	
CORMAX SCALP APPLICATION EXTERNAL SOLUTION 0.05 %	3	
COSENTYX (300 MG DOSE) SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML	5	PA; NDS
COSENTYX SENSOREADY (300 MG) SUBCUTANEOUS SOLUTION AUTO- INJECTOR 150 MG/ML	5	PA; NDS
COSENTYX SENSOREADY PEN SUBCUTANEOUS SOLUTION AUTO- INJECTOR 150 MG/ML	5	PA; NDS
COSENTYX SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML, 75 MG/0.5ML	5	PA; NDS
COSENTYX UNOREADY SUBCUTANEOUS SOLUTION AUTO-INJECTOR 300 MG/2ML	5	PA; NDS
<i>diclofenac sodium external gel 1 %</i>	4	
<i>diclofenac sodium external gel 3 %</i>	4	PA
<i>diclofenac sodium transdermal gel 1 %</i>	4	
<i>diclofenac sodium transdermal gel 3 %</i>	4	PA
<i>doxepin hcl external cream 5 %</i>	4	
EUCRISA EXTERNAL OINTMENT 2 %	4	PA; QL (60 GM per 30 days)
FINACEA EXTERNAL FOAM 15 %	4	
<i>fluorouracil external cream 0.5 %</i>	5	NDS
<i>fluorouracil external cream 5 %</i>	4	
<i>fluorouracil external solution 2 %, 5 %</i>	2	GC
<i>imiquimod external cream 5 %</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.

Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
<i>isotretinoin oral capsule 10 mg, 20 mg, 30 mg</i>	4	
<i>methoxsalen rapid oral capsule 10 mg</i>	5	NDS
<i>myorisan oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	4	
<i>nystatin-triamcinolone external cream 100000-0.1 unit/gm-%</i>	2	GC
<i>nystatin-triamcinolone external ointment 100000-0.1 unit/gm-%</i>	2	GC
<i>podofilox external solution 0.5 %</i>	2	GC
PRUDOXIN EXTERNAL CREAM 5 %	4	
REGRANEX EXTERNAL GEL 0.01 %	5	PA; NDS
SANTYL EXTERNAL OINTMENT 250 UNIT/GM	4	
<i>selenium sulfide external lotion 2.5 %</i>	2	GC
STELARA INTRAVENOUS SOLUTION 130 MG/26ML	5	PA; NDS
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5ML	5	PA; NDS
STELARA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 45 MG/0.5ML, 90 MG/ML	5	PA; NDS
<i>tacrolimus external ointment 0.03 %</i>	4	PA; QL (100 GM per 60 days)
<i>tacrolimus external ointment 0.1 %</i>	4	PA; QL (120 GM per 60 days)
<i>tazarotene external cream 0.1 %</i>	4	
<i>tazarotene external gel 0.05 %, 0.1 %</i>	4	
TAZORAC EXTERNAL CREAM 0.05 %	4	
<i>tretinoin external cream 0.025 %</i>	3	
<i>tretinoin external cream 0.05 %, 0.1 %</i>	4	
UVADEX INJECTION SOLUTION 20 MCG/ML	4	
<i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	4	
Pediculicides/Scabicides		
<i>ivermectin external lotion 0.5 %</i>	4	
Electrolytes/Minerals/Metals/Vitamins		

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
Electrolyte/Mineral/Metal Modifiers		
<i>deferiprone oral tablet 1000 mg</i>	5	PA; NDS
Enzyme Replacement/ Modifiers		
Enzyme Replacement/ Modifiers		
<i>betaine oral powder</i>	5	NDS
CREON ORAL CAPSULE DELAYED RELEASE PARTICLES 12000-38000 UNIT, 24000-76000 UNIT, 3000-9500 UNIT, 36000-114000 UNIT, 6000-19000 UNIT	3	
CYSTAGON ORAL CAPSULE 150 MG, 50 MG	3	
<i>miglustat oral capsule 100 mg</i>	5	NDS
<i>nitisinone oral capsule 10 mg, 2 mg, 20 mg, 5 mg</i>	5	PA; NDS
PANCREAZE ORAL CAPSULE DELAYED RELEASE PARTICLES 10500-35500 UNIT, 16800-56800 UNIT, 4200-14200 UNIT	3	
PANCREAZE ORAL CAPSULE DELAYED RELEASE PARTICLES 21000-54700 UNIT	5	NDS
RAVICTI ORAL LIQUID 1.1 GM/ML	5	NDS
<i>sapropterin dihydrochloride oral packet 100 mg, 500 mg</i>	5	PA; NDS
<i>sapropterin dihydrochloride oral tablet 100 mg</i>	5	PA; NDS
<i>sapropterin dihydrochloride oral tablet soluble 100 mg</i>	5	PA; NDS
<i>sodium phenylbutyrate oral tablet 500 mg</i>	5	PA; NDS
STRENSIQ SUBCUTANEOUS SOLUTION 40 MG/ML, 80 MG/0.8ML	5	PA; NDS
Gastrointestinal Agents		
Antispasmodics, Gastrointestinal		
<i>dicyclomine hcl oral capsule 10 mg</i>	2	GC
<i>dicyclomine hcl oral solution 10 mg/5ml</i>	2	GC
<i>dicyclomine hcl oral tablet 20 mg</i>	2	GC
<i>glycopyrrolate oral tablet 1 mg, 2 mg</i>	2	GC
Gastrointestinal Agents, Other		

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
diphenoxylate-atropine oral liquid 2.5-0.025 mg/5ml	3	
diphenoxylate-atropine oral tablet 2.5-0.025 mg	3	
GATTEX SUBCUTANEOUS KIT 5 MG	5	PA; LA; NDS
loperamide hcl oral capsule 2 mg	2	GC
metoclopramide hcl oral solution 5 mg/5ml	2	GC
metoclopramide hcl oral tablet 10 mg, 5 mg	2	GC
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	4	PA; QL (1 EA per 1 day)
RELISTOR ORAL TABLET 150 MG	5	PA; QL (3 EA per 1 day); NDS
RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6ML, 12 MG/0.6ML (0.6ML SYRINGE)	5	PA; QL (0.6 ML per 1 day); NDS
RELISTOR SUBCUTANEOUS SOLUTION 8 MG/0.4ML	5	PA; QL (0.8 ML per 1 day); NDS
ursodiol oral capsule 300 mg	3	
ursodiol oral tablet 250 mg, 500 mg	3	
XERMELO ORAL TABLET 250 MG	5	PA; LA; QL (3 EA per 1 day); NDS
Histamine2 (H2) Receptor Antagonists		
cimetidine oral tablet 200 mg, 300 mg, 400 mg, 800 mg	2	GC
famotidine oral tablet 20 mg, 40 mg	2	GC
nizatidine oral capsule 150 mg, 300 mg	2	GC
nizatidine oral solution 15 mg/ml	2	
Irritable Bowel Syndrome Agents		
alosetron hcl oral tablet 0.5 mg, 1 mg	5	QL (2 EA per 1 day); NDS
budesonide er oral tablet extended release 24 hour 9 mg	5	PA; NDS
budesonide oral capsule delayed release particles 3 mg	4	PA
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	4	QL (1 EA per 1 day)
lubiprostone oral capsule 24 mcg, 8 mcg	3	QL (2 EA per 1 day)
Laxatives		
constulose oral solution 10 gm/15ml	2	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
<i>enulose oral solution 10 gm/15ml</i>	2	GC
GAVILYTE-C ORAL SOLUTION RECONSTITUTED 240 GM	3	
GAVILYTE-G ORAL SOLUTION RECONSTITUTED 236 GM	3	
GAVILYTE-N WITH FLAVOR PACK ORAL SOLUTION RECONSTITUTED 420 GM	3	
<i>generlac oral solution 10 gm/15ml</i>	2	GC
GOLYTELY ORAL SOLUTION RECONSTITUTED 227.1 GM	3	
<i>kristalose oral packet 20 gm</i>	4	
<i>lactulose encephalopathy oral solution 10 gm/15ml</i>	2	GC
<i>lactulose oral packet 10 gm</i>	4	
<i>lactulose oral solution 10 gm/15ml</i>	2	GC
<i>peg 3350/electrolytes oral solution reconstituted 240 gm</i>	2	GC
<i>peg 3350-kcl-na bicarb-nacl oral solution reconstituted 420 gm</i>	2	GC
<i>peg-3350/electrolytes oral solution reconstituted 236 gm</i>	2	GC
TRILYTE ORAL SOLUTION RECONSTITUTED 420 GM	3	
Protectants		
<i>misoprostol oral tablet 100 mcg, 200 mcg</i>	2	GC
<i>sucralfate oral suspension 1 gm/10ml</i>	4	
<i>sucralfate oral tablet 1 gm</i>	2	GC
Proton Pump Inhibitors		
<i>esomeprazole magnesium oral capsule delayed release 20 mg, 40 mg</i>	2	GC; QL (30 EA per 30 days)
<i>lansoprazole oral capsule delayed release 15 mg, 30 mg</i>	4	QL (2 EA per 1 day)
<i>omeprazole magnesium oral capsule delayed release 20.6 (20 base) mg</i>	2	QL (2 EA per 1 day)

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
<i>omeprazole oral capsule delayed release 10 mg, 20 mg, 40 mg</i>	2	GC; QL (2 EA per 1 day)
<i>pantoprazole sodium oral tablet delayed release 20 mg, 40 mg</i>	2	GC; QL (2 EA per 1 day)
<i>rabeprazole sodium oral tablet delayed release 20 mg</i>	3	QL (2 EA per 1 day)
Genitourinary Agents		
Antispasmodics, Urinary		
<i>flavoxate hcl oral tablet 100 mg</i>	2	GC
<i>MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HOUR 25 MG, 50 MG</i>	3	QL (1 EA per 1 day)
<i>oxybutynin chloride er oral tablet extended release 24 hour 10 mg, 15 mg, 5 mg</i>	2	GC
<i>oxybutynin chloride oral solution 5 mg/5ml</i>	2	GC
<i>oxybutynin chloride oral syrup 5 mg/5ml</i>	2	
<i>oxybutynin chloride oral tablet 5 mg</i>	2	GC
<i>solifenacin succinate oral tablet 10 mg, 5 mg</i>	2	GC; QL (1 EA per 1 day)
<i>tolterodine tartrate er oral capsule extended release 24 hour 2 mg, 4 mg</i>	4	ST; QL (1 EA per 1 day)
<i>tolterodine tartrate oral tablet 1 mg, 2 mg</i>	2	GC
<i>trospium chloride er oral capsule extended release 24 hour 60 mg</i>	4	ST; QL (1 EA per 1 day)
<i>trospium chloride oral tablet 20 mg</i>	2	GC
Benign Prostatic Hypertrophy Agents		
<i>alfuzosin hcl er oral tablet extended release 24 hour 10 mg</i>	4	
<i>doxazosin mesylate oral tablet 2 mg, 4 mg, 8 mg</i>	1	GC
<i>dutasteride oral capsule 0.5 mg</i>	2	GC
<i>finasteride oral tablet 5 mg</i>	2	GC
<i>tamsulosin hcl oral capsule 0.4 mg</i>	2	GC
<i>terazosin hcl oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	GC
Genitourinary Agents, Other		

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
<i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>	2	GC
ELMIRON ORAL CAPSULE 100 MG	4	
<i>penicillamine oral tablet 250 mg</i>	5	PA; NDS
<i>potassium citrate er oral tablet extended release 10 meq (1080 mg), 5 meq (540 mg)</i>	2	GC
<i>sodium phenylbutyrate oral powder 3 gm/tsp</i>	5	PA; NDS
<i>tiopronin oral tablet 100 mg</i>	5	NDS
Phosphate Binders		
<i>calcium acetate (phos binder) oral capsule 667 mg</i>	2	GC
<i>lanthanum carbonate oral tablet chewable 1000 mg, 500 mg, 750 mg</i>	5	NDS
<i>sevelamer carbonate oral packet 0.8 gm, 2.4 gm</i>	5	NDS
<i>sevelamer carbonate oral tablet 800 mg</i>	3	
Hormonal Agents, Stimulant/ Replacement/ Modifying (Adrenal)		
Estrogens		
SIMLIYA ORAL TABLET 0.15-0.02/0.01 MG (21/5)	3	
Hormonal Agents, Stimulant/ Replacement/ Modifying (Adrenal)		
<i>ala-cort external cream 1 %</i>	2	GC
<i>alclometasone dipropionate external cream 0.05 %</i>	2	GC
<i>alclometasone dipropionate external ointment 0.05 %</i>	2	GC
AMCINONIDE EXTERNAL OINTMENT 0.1 %	4	
<i>betamethasone dipropionate aug external cream 0.05 %</i>	2	GC
<i>betamethasone dipropionate aug external gel 0.05 %</i>	2	GC
<i>betamethasone dipropionate aug external lotion 0.05 %</i>	2	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
<i>betamethasone dipropionate aug external ointment 0.05 %</i>	2	GC
<i>betamethasone dipropionate aug gel 0.05 % external</i>	2	GC
<i>betamethasone dipropionate external cream 0.05 %</i>	2	GC
<i>betamethasone dipropionate external ointment 0.05 %</i>	2	GC
<i>betamethasone valerate external cream 0.1 %</i>	2	GC
<i>betamethasone valerate external lotion 0.1 %</i>	2	GC
<i>betamethasone valerate external ointment 0.1 %</i>	2	GC
<i>clobetasol prop emollient base external cream 0.05 %</i>	2	GC
<i>clobetasol propionate e external cream 0.05 %</i>	2	GC
<i>clobetasol propionate emulsion external foam 0.05 %</i>	4	
<i>clobetasol propionate external gel 0.05 %</i>	2	GC
<i>clobetasol propionate external ointment 0.05 %</i>	2	GC
<i>deltasone oral tablet 20 mg</i>	2	GC
<i>desoximetasone external cream 0.05 %, 0.25 %</i>	4	
<i>desoximetasone external gel 0.05 %</i>	4	
<i>desoximetasone external ointment 0.25 %</i>	4	
DEXAMETHASONE INTENSOL ORAL CONCENTRATE 1 MG/ML	3	
<i>dexamethasone oral elixir 0.5 mg/5ml</i>	2	
<i>dexamethasone oral tablet 0.5 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i>	2	GC
<i>fludrocortisone acetate oral tablet 0.1 mg</i>	2	GC
<i>fluocinolone acetonide body external oil 0.01 %</i>	2	GC
<i>fluocinolone acetonide external cream 0.01 %, 0.025 %</i>	2	GC
<i>fluocinolone acetonide external ointment 0.025 %</i>	2	GC
<i>fluocinolone acetonide external solution 0.01 %</i>	4	
<i>fluocinolone acetonide otic oil 0.01 %</i>	2	GC
<i>fluocinolone acetonide scalp external oil 0.01 %</i>	2	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.

Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
<i>fluocinonide emulsified base external cream 0.05 %</i>	2	GC
<i>fluocinonide external cream 0.05 %</i>	2	GC; GC
<i>fluocinonide external gel 0.05 %</i>	2	GC
<i>fluocinonide external ointment 0.05 %</i>	2	GC
<i>fluocinonide external solution 0.05 %</i>	2	GC
<i>fluocinonide-e external cream 0.05 %</i>	2	GC
<i>fluticasone propionate external cream 0.05 %</i>	2	GC
<i>fluticasone propionate external ointment 0.005 %</i>	2	GC
<i>halobetasol propionate external cream 0.05 %</i>	2	GC
<i>hydrocortisone (perianal) external cream 1 %</i>	2	GC
<i>hydrocortisone butyr lipo base external cream 0.1 %</i>	2	GC
<i>hydrocortisone butyrate external cream 0.1 %</i>	2	GC
<i>hydrocortisone butyrate external ointment 0.1 %</i>	2	GC
<i>hydrocortisone butyrate external solution 0.1 %</i>	2	GC
<i>hydrocortisone external cream 1 %</i>	2	GC
<i>hydrocortisone external cream 2.5 %</i>	2	
<i>hydrocortisone external lotion 2.5 %</i>	2	GC
<i>hydrocortisone external ointment 1 %, 2.5 %</i>	2	GC
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i>	2	GC
<i>hydrocortisone rectal cream 1 %</i>	2	GC
<i>hydrocortisone valerate external cream 0.2 %</i>	2	GC
<i>methylprednisolone oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i>	2	GC
<i>methylprednisolone oral tablet therapy pack 4 mg</i>	2	GC
<i>mometasone furoate external cream 0.1 %</i>	2	GC
<i>mometasone furoate external ointment 0.1 %</i>	2	GC
<i>mometasone furoate external solution 0.1 %</i>	2	GC
<i>prednisolone oral solution 15 mg/5ml</i>	2	GC
<i>prednisolone oral syrup 15 mg/5ml</i>	2	GC
<i>prednisolone sodium phosphate oral solution 15 mg/5ml</i>	2	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
<i>prednisolone sodium phosphate oral solution 6.7 (5 base) mg/5ml</i>	2	GC
PREDNISONE INTENSOL ORAL CONCENTRATE 5 MG/ML	3	
<i>prednisone oral tablet therapy pack 10 mg (21), 10 mg (48), 5 mg (21), 5 mg (48)</i>	2	GC
PROCTOFOAM HC RECTAL FOAM 1-1 %	3	
PROCTO-PAK RECTAL CREAM 1 %	3	
<i>tovet external foam 0.05 %</i>	4	
<i>triamcinolone acetonide external cream 0.025 %, 0.1 %, 0.5 %</i>	2	GC
<i>triamcinolone acetonide external lotion 0.025 %, 0.1 %</i>	2	GC
<i>triamcinolone acetonide external ointment 0.025 %, 0.1 %</i>	2	GC
<i>triamcinolone acetonide external ointment 0.5 %</i>	3	
TRIDERM EXTERNAL CREAM 0.1 %	3	
<i>triderm external cream 0.5 %</i>	2	GC; GC
Hormonal Agents, Stimulant/Replacement/ Modifying (Pituitary)		
Hormonal Agents, Stimulant/Replacement/ Modifying (Pituitary)		
<i>desmopressin ace rhinal tube nasal solution 0.01 %</i>	2	GC
<i>desmopressin ace spray refrig nasal solution 0.01 %</i>	2	
<i>desmopressin acetate oral tablet 0.1 mg, 0.2 mg</i>	2	GC
INCRELEX SUBCUTANEOUS SOLUTION 40 MG/4ML	5	PA; LA; NDS
OMNITROPE SUBCUTANEOUS SOLUTION 10 MG/1.5ML, 5 MG/1.5ML	5	PA; LA; NDS
OMNITROPE SUBCUTANEOUS SOLUTION CARTRIDGE 10 MG/1.5ML, 5 MG/1.5ML	5	PA; LA; NDS
OMNITROPE SUBCUTANEOUS SOLUTION RECONSTITUTED 5.8 MG	5	PA; LA; NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
VYNDAQEL ORAL CAPSULE 20 MG Hormonal Agents, Stimulant/ Replacement/ Modifying (Sex Hormones/ Modifiers)	5	PA; QL (4 EA per 1 day); NDS
Anabolic Steroids		
<i>oxandrolone oral tablet 10 mg</i>	4	
<i>oxandrolone oral tablet 2.5 mg</i>	2	
Androgens		
ANDRODERM TRANSDERMAL PATCH 24 HOUR 2 MG/24HR, 4 MG/24HR	4	PA; QL (1 EA per 1 day)
ANDROXY ORAL TABLET 10 MG	4	
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	2	GC
<i>testosterone cypionate intramuscular solution 100 mg/ml, 200 mg/ml (1 ml)</i>	2	PA; GC
<i>testosterone enanthate intramuscular solution 200 mg/ml</i>	2	PA; GC
<i>testosterone transdermal gel 1.62 %, 20.25 mg/act (1.62%), 25 mg/2.5gm (1%), 40.5 mg/2.5gm (1.62%)</i>	3	PA; QL (150 GM per 30 days)
<i>testosterone transdermal gel 10 mg/act (2%)</i>	3	PA; QL (120 GM per 30 days)
<i>testosterone transdermal gel 20.25 mg/1.25gm (1.62%)</i>	3	PA; QL (75 GM per 30 days)
<i>testosterone transdermal gel 50 mg/5gm (1%)</i>	3	PA; QL (300 GM per 30 days)
Estrogens		
AFIRMELLE ORAL TABLET 0.1-20 MG-MCG	3	
ALORA TRANSDERMAL PATCH TWICE WEEKLY 0.025 MG/24HR, 0.05 MG/24HR, 0.075 MG/24HR, 0.1 MG/24HR	4	PA
ALTAVERA ORAL TABLET 0.15-30 MG-MCG	3	
<i>alyacen 1/35 oral tablet 1-35 mg-mcg</i>	3	
<i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	4	PA
AMETHIA LO ORAL TABLET 0.1-0.02 & 0.01 MG	3	
APRI ORAL TABLET 0.15-30 MG-MCG	3	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
ARANELLE ORAL TABLET 0.5/1/0.5-35 MG-MCG	3	
AUBRA ORAL TABLET 0.1-20 MG-MCG	3	
AUROVELA 1.5/30 ORAL TABLET 1.5-30 MG-MCG	3	
AUROVELA 1/20 ORAL TABLET 1-20 MG-MCG	3	
AUROVELA FE 1.5/30 ORAL TABLET 1.5-30 MG-MCG	3	
AUROVELA FE 1/20 ORAL TABLET 1-20 MG-MCG	3	
AVIANE ORAL TABLET 0.1-20 MG-MCG	3	
AYUNA ORAL TABLET 0.15-30 MG-MCG	3	
AZURETTE ORAL TABLET 0.15-0.02/0.01 MG (21/5)	3	
BEKYREE ORAL TABLET 0.15-0.02/0.01 MG (21/5)	3	
BLISOVI FE 1.5/30 ORAL TABLET 1.5-30 MG-MCG	3	
BLISOVI FE 1/20 ORAL TABLET 1-20 MG-MCG	3	
CAMRESE LO ORAL TABLET 0.1-0.02 & 0.01 MG	3	
CAZIANT ORAL TABLET 0.1/0.125/0.15 - 0.025 MG	3	
CHATEAL EQ ORAL TABLET 0.15-30 MG-MCG	3	
CHATEAL ORAL TABLET 0.15-30 MG-MCG	3	
COMBIPATCH TRANSDERMAL PATCH TWICE WEEKLY 0.05-0.14 MG/DAY, 0.05-0.25 MG/DAY	4	PA
CRYSELLE-28 ORAL TABLET 0.3-30 MG-MCG	3	
CYCLAFEM 1/35 ORAL TABLET 1-35 MG-MCG	3	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
CYCLAFEM 7/7/7 ORAL TABLET 0.5/0.75/1-35 MG-MCG	3	
CYRED EQ ORAL TABLET 0.15-30 MG-MCG	3	
CYRED ORAL TABLET 0.15-30 MG-MCG	3	
DASETTA 1/35 ORAL TABLET 1-35 MG-MCG	3	
DASETTA 7/7/7 ORAL TABLET 0.5/0.75/1-35 MG-MCG	3	
DELYLA ORAL TABLET 0.1-20 MG-MCG	3	
<i>desogestrel-ethinyl estradiol oral tablet 0.15-0.02/0.01 mg (21/5)</i>	3	
<i>dotti transdermal patch twice weekly 0.025 mg/24hr, 0.0375 mg/24hr, 0.05 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr</i>	4	PA
DROSPIREN-ETH ESTRAD-LEVOMEFOL ORAL TABLET 3-0.02-0.451 MG	4	
<i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg, 3-0.03 mg</i>	3	
ELINEST ORAL TABLET 0.3-30 MG-MCG	3	
<i>eluryng vaginal ring 0.12-0.015 mg/24hr</i>	4	
EMOQUETTE ORAL TABLET 0.15-30 MG-MCG	3	
ENPRESSE-28 ORAL TABLET 50-30/75-40/125-30 MCG	3	
ENSKYCE ORAL TABLET 0.15-30 MG-MCG	3	
ESTARYLLA ORAL TABLET 0.25-35 MG-MCG	3	
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i>	4	PA
<i>estradiol transdermal patch twice weekly 0.025 mg/24hr, 0.0375 mg/24hr, 0.05 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr</i>	4	PA
<i>estradiol transdermal patch weekly 0.025 mg/24hr, 0.0375 mg/24hr, 0.05 mg/24hr, 0.06 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr</i>	4	PA
<i>estradiol vaginal cream 0.1 mg/gm</i>	3	
<i>estradiol vaginal tablet 10 mcg</i>	3	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	4	PA
ESTRING VAGINAL RING 2 MG, 7.5 MCG/24HR	4	
<i>estropipate oral tablet 0.75 mg, 1.5 mg, 3 mg</i>	4	PA
<i>etonogestrel-ethynodiol dienoate vaginal ring 0.12-0.015 mg/24hr</i>	4	
EVAMIST TRANSDERMAL SOLUTION 1.53 MG/SPRAY	4	PA
FEMRING VAGINAL RING 0.05 MG/24HR, 0.1 MG/24HR	4	
FEMYNOR ORAL TABLET 0.25-35 MG-MCG	3	
<i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	4	PA
GIANVI ORAL TABLET 3-0.02 MG	3	
HAILEY 1.5/30 ORAL TABLET 1.5-30 MG-MCG	3	
HAILEY FE 1.5/30 ORAL TABLET 1.5-30 MG-MCG	3	
HAILEY FE 1/20 ORAL TABLET 1-20 MG-MCG	3	
HALOETTE VAGINAL RING 0.12-0.015 MG/24HR	4	
ICLEVIA ORAL TABLET 0.15-0.03 MG	3	
INTROVALE ORAL TABLET 0.15-0.03 MG	3	
JASMIEL ORAL TABLET 3-0.02 MG	3	
<i>jevantique lo oral tablet 0.5-2.5 mg-mcg</i>	4	PA
<i>jinteli oral tablet 1-5 mg-mcg</i>	4	PA
JOLESSA ORAL TABLET 0.15-0.03 MG	3	
JULEBER ORAL TABLET 0.15-30 MG-MCG	3	
JUNEL 1.5/30 ORAL TABLET 1.5-30 MG-MCG	3	
JUNEL 1/20 ORAL TABLET 1-20 MG-MCG	3	
JUNEL FE 1.5/30 ORAL TABLET 1.5-30 MG-MCG	3	
JUNEL FE 1/20 ORAL TABLET 1-20 MG-MCG	3	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
KALLIGA ORAL TABLET 0.15-30 MG-MCG	3	
KARIVA ORAL TABLET 0.15-0.02/0.01 MG (21/5)	3	
KELNOR 1/35 ORAL TABLET 1-35 MG-MCG	3	
KIMIDESS ORAL TABLET 0.15-0.02/0.01 MG (21/5)	3	
KURVELO ORAL TABLET 0.15-30 MG-MCG	3	
LARIN 1.5/30 ORAL TABLET 1.5-30 MG-MCG	3	
LARIN 1/20 ORAL TABLET 1-20 MG-MCG	3	
LARIN FE 1.5/30 ORAL TABLET 1.5-30 MG-MCG	3	
LARIN FE 1/20 ORAL TABLET 1-20 MG-MCG	3	
LARISSIA ORAL TABLET 0.1-20 MG-MCG	3	
LEENA ORAL TABLET 0.5/1/0.5-35 MG-MCG	3	
LESSINA ORAL TABLET 0.1-20 MG-MCG	3	
<i>levonorgest-eth estrad 91-day oral tablet 0.1-0.02 & 0.01 mg</i>	3	
<i>levonorgest-eth estrad 91-day oral tablet 0.15-0.03 mg</i>	2	GC
<i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg, 0.15-30 mg-mcg</i>	3	
<i>levonorg-eth estrad triphasic oral tablet , 50-30/75-40/ 125-30 mcg</i>	3	
LEVORA 0.15/30 (28) ORAL TABLET 0.15-30 MG-MCG	3	
<i>lillow oral tablet 0.15-30 mg-mcg</i>	2	GC
LOJAIMESS ORAL TABLET 0.1-0.02 & 0.01 MG	3	
LORYNA ORAL TABLET 3-0.02 MG	3	
LOW-OGESTREL ORAL TABLET 0.3-30 MG-MCG	3	
LO-ZUMANDIMINE ORAL TABLET 3-0.02 MG	3	
LUTERA ORAL TABLET 0.1-20 MG-MCG	3	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
MARLISSA ORAL TABLET 0.15-30 MG-MCG	3	
MENEST ORAL TABLET 0.3 MG, 0.625 MG, 1.25 MG, 2.5 MG	3	PA
MICROGESTIN 1.5/30 ORAL TABLET 1.5-30 MG-MCG	3	
MICROGESTIN 1/20 ORAL TABLET 1-20 MG-MCG	3	
<i>microgestin 24 fe oral tablet 1-20 mg-mcg</i>	3	
MICROGESTIN FE 1.5/30 ORAL TABLET 1.5-30 MG-MCG	3	
MICROGESTIN FE 1/20 ORAL TABLET 1-20 MG-MCG	3	
MILI ORAL TABLET 0.25-35 MG-MCG	3	
<i>mimvey lo oral tablet 0.5-0.1 mg</i>	4	PA
<i>mimvey oral tablet 1-0.5 mg</i>	4	PA
MONO-LINYAH ORAL TABLET 0.25-35 MG-MCG	3	
NECON 1/50 (28) ORAL TABLET 1-50 MG-MCG	3	
NECON 7/7/7 ORAL TABLET 0.5/0.75/1-35 MG-MCG	3	
NIKKI ORAL TABLET 3-0.02 MG	3	
<i>norethin ace-eth estrad-fe oral tablet 1-20 mg-mcg, 1.5-30 mg-mcg</i>	3	
<i>norethindrone acet-ethynodiol oral tablet 1.5-30 mg-mcg</i>	3	
<i>norethindrone acet-ethynodiol oral tablet 1-20 mg-mcg</i>	2	GC
<i>norethindrone-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	4	PA
<i>norgestimate-eth estradiol oral tablet 0.25-35 mg-mcg</i>	3	
<i>norgestim-eth estrad triphasic oral tablet 0.18/0.215/0.25 mg-35 mcg</i>	2	GC
NORTREL 1/35 (21) ORAL TABLET 1-35 MG-MCG	3	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
NORTREL 1/35 (28) ORAL TABLET 1-35 MG-MCG	3	
NORTREL 7/7/7 ORAL TABLET 0.5/0.75/1-35 MG-MCG	3	
NYLIA 1/35 ORAL TABLET 1-35 MG-MCG	3	
OCELLA ORAL TABLET 3-0.03 MG	3	
ORSYTHIA ORAL TABLET 0.1-20 MG-MCG	3	
PIMTREA ORAL TABLET 0.15-0.02/0.01 MG (21/5)	3	
PIRMELLA 1/35 ORAL TABLET 1-35 MG-MCG	3	
PIRMELLA 7/7/7 ORAL TABLET 0.5/0.75/1-35 MG-MCG	3	
PORTIA-28 ORAL TABLET 0.15-30 MG-MCG	3	
PREFEST ORAL TABLET 1/1-0.09 MG (15/15)	4	PA
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG	3	PA
PREMARIN VAGINAL CREAM 0.625 MG/GM	3	
PREMPHASE ORAL TABLET 0.625-5 MG	3	PA
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	3	PA
PREVIFEM ORAL TABLET 0.25-35 MG-MCG	3	
RECLIPSEN ORAL TABLET 0.15-30 MG-MCG	3	
SETLAKIN ORAL TABLET 0.15-0.03 MG	3	
SPRINTEC 28 ORAL TABLET 0.25-35 MG-MCG	3	
SRONYX ORAL TABLET 0.1-20 MG-MCG	3	
SYEDA ORAL TABLET 3-0.03 MG	3	
TARINA 24 FE ORAL TABLET 1-20 MG-MCG(24)	3	
TARINA FE 1/20 EQ ORAL TABLET 1-20 MG-MCG	3	
TARINA FE 1/20 ORAL TABLET 1-20 MG-MCG	3	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
TRI-ESTARYLLA ORAL TABLET 0.18/0.215/0.25 MG-35 MCG	3	
TRI-LEGEST FE ORAL TABLET 1-20/1-30/1-35 MG-MCG	3	
TRI-LINYAH ORAL TABLET 0.18/0.215/0.25 MG-35 MCG	3	
TRI-MILI ORAL TABLET 0.18/0.215/0.25 MG-35 MCG	3	
TRI-PREVIFEM ORAL TABLET 0.18/0.215/0.25 MG-35 MCG	3	
TRI-SPRINTEC ORAL TABLET 0.18/0.215/0.25 MG-35 MCG	3	
TRIVORA (28) ORAL TABLET 50-30/75-40/ 125-30 MCG	3	
TRI-VYLIBRA ORAL TABLET 0.18/0.215/0.25 MG-35 MCG	3	
TYBLUME ORAL TABLET 0.1-20 MG-MCG	3	
TYBLUME ORAL TABLET CHEWABLE 0.1-20 MG-MCG	3	
VELIVET ORAL TABLET 0.1/0.125/0.15 -0.025 MG	3	
VESTURA ORAL TABLET 3-0.02 MG	3	
VIENVA ORAL TABLET 0.1-20 MG-MCG	3	
VOLNEA ORAL TABLET 0.15-0.02/0.01 MG (21/5)	3	
VYLIBRA ORAL TABLET 0.25-35 MG-MCG	3	
<i>xulane transdermal patch weekly 150-35 mcg/24hr</i>	4	
YUVAFEM VAGINAL TABLET 10 MCG	3	
ZARAH ORAL TABLET 3-0.03 MG	3	
ZOVIA 1/35E (28) ORAL TABLET 1-35 MG-MCG	3	
ZUMANDIMINE ORAL TABLET 3-0.03 MG	3	
Hormonal Agents, Stimulant/ Replacement/ Modifying (Sex Hormones/ Modifiers)		

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
<i>desogestrel-ethynodiol oral tablet 0.15-30 mg-mcg</i>	2	GC; GC
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i>	2	GC
<i>isibloom oral tablet 0.15-30 mg-mcg</i>	2	GC
<i>lopreeza oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	4	PA
<i>thyroid oral tablet 60 mg</i>	3	
ZAFEMY TRANSDERMAL PATCH WEEKLY 150-35 MCG/24HR	4	
Progesterone Agonists/Antagonists		
ELLA ORAL TABLET 30 MG	3	
Progestins		
BALZIVA ORAL TABLET 0.4-35 MG-MCG	3	
<i>brielllyn oral tablet 0.4-35 mg-mcg</i>	3	
CAMILA ORAL TABLET 0.35 MG	3	
DEBLITANE ORAL TABLET 0.35 MG	3	
ERRIN ORAL TABLET 0.35 MG	3	
HEATHER ORAL TABLET 0.35 MG	3	
<i>incassia oral tablet 0.35 mg</i>	2	GC
JENCYCLA ORAL TABLET 0.35 MG	3	
JOLIVETTE ORAL TABLET 0.35 MG	3	
LYZA ORAL TABLET 0.35 MG	3	
<i>medroxyprogesterone acetate intramuscular suspension 150 mg/ml</i>	2	GC
<i>medroxyprogesterone acetate intramuscular suspension prefilled syringe 150 mg/ml</i>	2	GC
<i>medroxyprogesterone acetate oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	GC
<i>megestrol acetate oral suspension 40 mg/ml</i>	2	GC
<i>megestrol acetate oral suspension 625 mg/5ml</i>	4	
<i>megestrol acetate oral tablet 20 mg, 40 mg</i>	2	GC
NECON 0.5/35 (28) ORAL TABLET 0.5-35 MG-MCG	3	
NORA-BE ORAL TABLET 0.35 MG	3	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
<i>norethindrone acetate oral tablet 5 mg</i>	2	GC
<i>norethindrone oral tablet 0.35 mg</i>	2	GC
NORLYDA ORAL TABLET 0.35 MG	3	
NORLYROC ORAL TABLET 0.35 MG	3	
NORTREL 0.5/35 (28) ORAL TABLET 0.5-35 MG-MCG	3	
PHILITH ORAL TABLET 0.4-35 MG-MCG	3	
<i>progesterone micronized oral capsule 100 mg, 200 mg</i>	2	
<i>progesterone oral capsule 100 mg, 200 mg</i>	2	GC
SHAROBEL ORAL TABLET 0.35 MG	3	
TULANA ORAL TABLET 0.35 MG	3	
VYFEMLA ORAL TABLET 0.4-35 MG-MCG	3	
WERA ORAL TABLET 0.5-35 MG-MCG	3	
ZENCHENT ORAL TABLET 0.4-35 MG-MCG	3	

Selective Estrogen Receptor Modifying Agents

OSPHENA ORAL TABLET 60 MG	4	QL (90 EA per 90 days)
<i>raloxifene hcl oral tablet 60 mg</i>	2	GC

Hormonal Agents, Stimulant/ Replacement/ Modifying (Thyroid)

Hormonal Agents, Stimulant/ Replacement/ Modifying (Thyroid)		
ARMOUR THYROID ORAL TABLET 120 MG, 15 MG, 180 MG, 240 MG, 30 MG, 300 MG, 60 MG, 90 MG	3	
EUTHYROX ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG	3	
LEVO-T ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG	3	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
<i>levothyroxine sodium oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 300 mcg, 50 mcg, 75 mcg, 88 mcg</i>	1	GC
LEVOHYROXINE-LIOTHYRONINE ORAL TABLET 120 MG, 15 MG, 30 MG, 60 MG, 90 MG	3	
LEVOXYL ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG	3	
<i>liothyronine sodium oral tablet 25 mcg, 5 mcg, 50 mcg</i>	2	GC
NP THYROID ORAL TABLET 120 MG, 15 MG, 30 MG, 60 MG, 90 MG	3	
SYNTHROID ORAL TABLET 100 MCG, 125 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG	4	
SYNTHROID ORAL TABLET 112 MCG, 137 MCG	4	
<i>thyroid oral tablet 120 mg, 15 mg, 30 mg, 90 mg</i>	3	
UNITHROID ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG	3	
Hormonal Agents, Stimulant/Replacement/Modifying (Adrenal)		
Hormonal Agents, Stimulant/Replacement/Modifying (Adrenal)		
<i>dexamethasone oral solution 0.5 mg/5ml</i>	2	GC
Hormonal Agents, Stimulant/Replacement/Modifying (Sex Hormones/Modifiers)		
Androgens		

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
<i>testosterone cypionate intramuscular solution 200 mg/ml</i>	2	PA; GC
<i>testosterone transdermal gel 12.5 mg/act (1%)</i>	3	PA; QL (300 GM per 30 days)
Estrogens		
AUBRA EQ ORAL TABLET 0.1-20 MG-MCG	3	
FALMINA ORAL TABLET 0.1-20 MG-MCG	3	
FINZALA ORAL TABLET CHEWABLE 1-20 MG-MCG(24)	3	
LEVONEST ORAL TABLET 50-30/75-40/ 125-30 MCG	3	
LYLLANA TRANSDERMAL PATCH TWICE WEEKLY 0.025 MG/24HR, 0.0375 MG/24HR, 0.05 MG/24HR, 0.075 MG/24HR, 0.1 MG/24HR	4	PA
MIBELAS 24 FE ORAL TABLET CHEWABLE 1-20 MG-MCG(24)	3	
<i>norethin ace-eth estrad-fe oral tablet chewable 1-20 mg-mcg(24)</i>	3	
<i>norethindron-ethinyl estrad-fe oral tablet 1-20/1-30/1-35 mg-mcg</i>	3	
NYLIA 7/7/7 ORAL TABLET 0.5/0.75/1-35 MG-MCG	3	
NYMYO ORAL TABLET 0.25-35 MG-MCG	3	
TILIA FE ORAL TABLET 1-20/1-30/1-35 MG-MCG	3	
TRI-NYMYO ORAL TABLET 0.18/0.215/0.25 MG-35 MCG	3	
Progestins		
LYLEQ ORAL TABLET 0.35 MG	3	
Hormonal Agents, Suppressant (Adrenal)		
Hormonal Agents, Suppressant (Adrenal)		
LYSODREN ORAL TABLET 500 MG	5	NDS
Hormonal Agents, Suppressant (Parathyroid)		

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
Hormonal Agents, Suppressant (Parathyroid)		
<i>cinacalcet hcl oral tablet 30 mg, 60 mg</i>	4	QL (2 EA per 1 day)
<i>cinacalcet hcl oral tablet 90 mg</i>	4	QL (3 EA per 1 day)
<i>doxercalciferol oral capsule 0.5 mcg</i>	4	
Hormonal Agents, Suppressant (Pituitary)		
Hormonal Agents, Suppressant (Pituitary)		
<i>cabergoline oral tablet 0.5 mg</i>	2	GC
<i>ELIGARD SUBCUTANEOUS KIT 22.5 MG, 30 MG, 45 MG</i>	4	
<i>ELIGARD SUBCUTANEOUS KIT 7.5 MG</i>	3	
<i>FENSOLVI (6 MONTH) SUBCUTANEOUS KIT 45 MG</i>	5	PA; NDS
<i>FENSOLVI SUBCUTANEOUS KIT 45 MG</i>	5	PA; NDS
<i>FIRMAGON (240 MG DOSE) SUBCUTANEOUS SOLUTION RECONSTITUTED 120 MG/VIAL</i>	5	QL (2 EA per 28 days); NDS
<i>FIRMAGON SUBCUTANEOUS SOLUTION RECONSTITUTED 80 MG</i>	4	QL (1 EA per 28 days)
<i>leuprolide acetate injection kit 1 mg/0.2ml</i>	5	NDS
<i>LUPRON DEPOT (1-MONTH) INTRAMUSCULAR KIT 3.75 MG, 7.5 MG</i>	5	NDS
<i>LUPRON DEPOT (3-MONTH) INTRAMUSCULAR KIT 11.25 MG, 22.5 MG</i>	5	NDS
<i>LUPRON DEPOT (4-MONTH) INTRAMUSCULAR KIT 30 MG</i>	5	NDS
<i>LUPRON DEPOT (6-MONTH) INTRAMUSCULAR KIT 45 MG</i>	5	NDS
<i>LUPRON DEPOT-PED (1-MONTH) INTRAMUSCULAR KIT 7.5 MG</i>	5	NDS
<i>LUPRON DEPOT-PED (3-MONTH) INTRAMUSCULAR KIT 11.25 MG (PED)</i>	5	NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
LUPRON DEPOT-PED (6-MONTH) INTRAMUSCULAR KIT 45 MG	5	NDS
<i>octreotide acetate injection solution 100 mcg/ml, 50 mcg/ml</i>	2	GC
<i>octreotide acetate injection solution 1000 mcg/ml</i>	4	
<i>octreotide acetate injection solution 200 mcg/ml</i>	3	
<i>octreotide acetate injection solution 500 mcg/ml</i>	5	NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML, 0.6 MG/ML, 0.9 MG/ML	5	PA; QL (2 ML per 1 day); NDS
SOMAVERT SUBCUTANEOUS SOLUTION RECONSTITUTED 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; QL (1 EA per 1 day); NDS
SYNAREL NASAL SOLUTION 2 MG/ML	5	PA; NDS
Hormonal Agents, Suppressant (Thyroid)		
Antithyroid Agents		
<i>methimazole oral tablet 10 mg, 5 mg</i>	2	GC
<i>propylthiouracil oral tablet 50 mg</i>	2	GC
Immunological Agents		
Angioedema (Hae) Agents		
CINRYZE INTRAVENOUS SOLUTION RECONSTITUTED 500 UNIT	5	PA; NDS
<i>icatibant acetate subcutaneous solution 30 mg/3ml</i>	5	PA; NDS
<i>icatibant acetate subcutaneous solution prefilled syringe 30 mg/3ml</i>	5	PA; NDS
SAJAZIR SUBCUTANEOUS SOLUTION 30 MG/3ML	5	PA; NDS
SAJAZIR SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 30 MG/3ML	5	PA; NDS
TAKHYRO SUBCUTANEOUS SOLUTION 300 MG/2ML	5	PA; LA; NDS
TAKHYRO SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML	5	PA; NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
TAKHZYRO SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 300 MG/2ML	5	PA; LA; NDS
Immune Suppressants		
ACTEMRA ACTPEN SUBCUTANEOUS SOLUTION AUTO-Injector 162 MG/0.9ML	5	PA; QL (3.6 ML per 28 days); NDS
ACTEMRA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 162 MG/0.9ML	5	PA; QL (3.6 ML per 28 days); NDS
<i>azathioprine oral tablet 50 mg</i>	2	PA B/D; GC
BENLYSTA SUBCUTANEOUS SOLUTION AUTO-Injector 200 MG/ML	5	PA; QL (4 ML per 28 days); NDS
BENLYSTA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 200 MG/ML	5	PA; QL (4 ML per 28 days); NDS
<i>cyclosporine modified oral capsule 100 mg, 25 mg, 50 mg</i>	2	PA B/D; GC
<i>cyclosporine modified oral solution 100 mg/ml</i>	2	PA B/D; GC
<i>cyclosporine oral capsule 100 mg, 25 mg</i>	2	PA B/D; GC
ENBREL MINI SUBCUTANEOUS SOLUTION CARTRIDGE 50 MG/ML	5	PA; NDS
ENBREL SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 25 MG/0.5ML	5	PA; QL (4.08 ML per 28 days); NDS
ENBREL SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 50 MG/ML	5	PA; NDS
ENBREL SUBCUTANEOUS SOLUTION RECONSTITUTED 25 MG	5	PA; QL (8 EA per 28 days); NDS
ENBREL SURECLICK SUBCUTANEOUS SOLUTION AUTO-Injector 50 MG/ML	5	PA; NDS
<i>everolimus oral tablet 0.25 mg</i>	4	PA B/D; QL (2 EA per 1 day)
<i>everolimus oral tablet 0.5 mg, 0.75 mg, 1 mg</i>	5	PA B/D; QL (2 EA per 1 day); NDS
<i>everolimus oral tablet soluble 5 mg</i>	5	PA; NDS
GENGRAF ORAL CAPSULE 100 MG, 25 MG	3	PA B/D
GENGRAF ORAL SOLUTION 100 MG/ML	3	PA B/D
HUMIRA PEDIATRIC CROHNS START SUBCUTANEOUS PREFILLED SYRINGE KIT 40 MG/0.8ML, 80 MG/0.8ML, 80 MG/0.8ML & 40MG/0.4ML	5	PA; NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
HUMIRA PEN SUBCUTANEOUS PEN- INJECTOR KIT 40 MG/0.4ML, 40 MG/0.8ML, 80 MG/0.8ML	5	PA; NDS
HUMIRA PEN-CD/UC/HS STARTER SUBCUTANEOUS PEN-INJECTOR KIT 40 MG/0.8ML, 80 MG/0.8ML	5	PA; NDS
HUMIRA PEN-PS/UV/ADOL HS START SUBCUTANEOUS PEN-INJECTOR KIT 40 MG/0.8ML, 80 MG/0.8ML & 40MG/0.4ML	5	PA; NDS
HUMIRA SUBCUTANEOUS PREFILLED SYRINGE KIT 10 MG/0.1ML, 10 MG/0.2ML, 20 MG/0.2ML, 20 MG/0.4ML, 40 MG/0.4ML, 40 MG/0.8ML	5	PA; NDS
KINERET SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/0.67ML	5	PA; NDS
<i>mercaptopurine oral tablet 50 mg</i>	2	GC
<i>methotrexate oral tablet 2.5 mg</i>	1	
<i>methotrexate sodium (pf) injection solution 1 gm/40ml, 250 mg/10ml</i>	2	GC
<i>methotrexate sodium (pf) injection solution 50 mg/2ml</i>	2	GC
<i>methotrexate sodium injection solution 250 mg/10ml</i>	2	GC
<i>methotrexate sodium injection solution 50 mg/2ml</i>	2	GC
<i>mycophenolate mofetil oral capsule 250 mg</i>	2	PA B/D; GC
<i>mycophenolate mofetil oral suspension reconstituted 200 mg/ml</i>	5	PA B/D; NDS
<i>mycophenolate mofetil oral tablet 500 mg</i>	2	PA B/D; GC
<i>mycophenolate sodium oral tablet delayed release 180 mg, 360 mg</i>	4	PA B/D
ORENCIA CLICKJECT SUBCUTANEOUS SOLUTION AUTO-INJECTOR 125 MG/ML	5	PA; QL (4 ML per 28 days); NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
ORENCIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 125 MG/ML, 50 MG/0.4ML, 87.5 MG/0.7ML	5	PA; QL (4 ML per 28 days); NDS
OTEZLA ORAL TABLET 30 MG	5	PA; LA; QL (2 EA per 1 day); NDS
OTEZLA ORAL TABLET THERAPY PACK 10 & 20 & 30 MG	5	PA; LA; QL (2 EA per 1 day); NDS
PROGRAF ORAL PACKET 0.2 MG	4	PA B/D
PROGRAF ORAL PACKET 1 MG	4	PA B/D; NDS
RENFLEXIS INTRAVENOUS SOLUTION RECONSTITUTED 100 MG	5	PA; NDS
SANDIMMUNE ORAL SOLUTION 100 MG/ML	4	PA B/D
<i>sirolimus oral solution 1 mg/ml</i>	5	PA B/D; NDS
<i>sirolimus oral tablet 0.5 mg, 1 mg</i>	4	PA B/D
<i>sirolimus oral tablet 2 mg</i>	5	PA B/D; NDS
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i>	2	PA B/D; GC
XATMEP ORAL SOLUTION 2.5 MG/ML	4	PA
XELJANZ ORAL SOLUTION 1 MG/ML	5	PA; QL (10 ML per 1 day); NDS
XELJANZ ORAL TABLET 10 MG, 5 MG	5	PA; QL (2 EA per 1 day); NDS
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HOUR 11 MG, 22 MG	5	PA; QL (1 EA per 1 day); NDS
Immunizing Agents, Passive		
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 0.5 GM/10ML, 10 GM/100ML, 10 GM/200ML, 2.5 GM/50ML, 20 GM/200ML, 20 GM/400ML, 5 GM/100ML	5	PA; NDS
GAMUNEX-C INJECTION SOLUTION 10 GM/100ML, 2.5 GM/25ML, 20 GM/200ML, 40 GM/400ML, 5 GM/50ML	5	PA; NDS
Immunoglobulins		
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 5 GM/50ML	5	PA; NDS
GAMUNEX-C INJECTION SOLUTION 1 GM/10ML	5	PA; NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
Immunological Agents, Other		
DUPIXENT SUBCUTANEOUS SOLUTION PEN-INJECTOR 200 MG/1.14ML, 300 MG/2ML	5	PA; QL (8 ML per 28 days); NDS
DUPIXENT SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/0.67ML	5	PA; QL (1.34 ML per 28 days); NDS
DUPIXENT SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 200 MG/1.14ML, 300 MG/2ML	5	PA; QL (8 ML per 28 days); NDS
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HOUR 15 MG, 30 MG	5	PA; QL (1 EA per 1 day); NDS
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HOUR 45 MG	5	PA; QL (60 EA per 365 days); NDS
SKYRIZI (150 MG DOSE) SUBCUTANEOUS PREFILLED SYRINGE KIT 75 MG/0.83ML	5	PA; QL (2 EA per 84 days); NDS
SKYRIZI PEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR 150 MG/ML	5	PA; QL (7 ML per 365 days); NDS
SKYRIZI SUBCUTANEOUS SOLUTION CARTRIDGE 180 MG/1.2ML	5	PA; QL (1.2 ML per 56 days); NDS
SKYRIZI SUBCUTANEOUS SOLUTION CARTRIDGE 360 MG/2.4ML	5	PA; QL (2.4 ML per 56 days); NDS
SKYRIZI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML	5	PA; QL (7 ML per 365 days); NDS
Immunomodulators		
ACTIMMUNE SUBCUTANEOUS SOLUTION 2000000 UNIT/0.5ML	5	LA; NDS
ARCALYST SUBCUTANEOUS SOLUTION RECONSTITUTED 220 MG	5	PA; NDS
<i>leflunomide oral tablet 10 mg, 20 mg</i>	2	GC
RIDAURA ORAL CAPSULE 3 MG	5	NDS
Immunostimulants		
BESREMI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 500 MCG/ML	5	PA; QL (2 ML per 28 days); NDS
Immunosuppressants		
<i>azathioprine oral tablet 100 mg, 75 mg</i>	4	PA B/D

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5ML	5	PA; QL (8 ML per 28 days); NDS
HUMIRA PEN-PEDIATRIC UC START SUBCUTANEOUS PEN-INJECTOR KIT 80 MG/0.8ML	5	PA; NDS
<i>methotrexate sodium oral tablet 2.5 mg</i>	1	GC
Vaccines		
<i>abrysvo intramuscular solution reconstituted 120 mcg/0.5ml</i>	3	GC
ACTHIB INTRAMUSCULAR SOLUTION RECONSTITUTED	3	
ADACEL INTRAMUSCULAR SUSPENSION 5-2-15.5 (PREFILLED SYRINGE), 5-2-15.5 LF-MCG/0.5	3	
<i>arexvy intramuscular suspension reconstituted 120 mcg/0.5ml</i>	3	GC
BCG VACCINE INJECTION INJECTABLE	3	
BCG VACCINE INJECTION SOLUTION RECONSTITUTED 50 MG	3	
BEXSERO INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE	3	
BOOSTRIX INTRAMUSCULAR SUSPENSION 5-2.5-18.5 , 5-2.5-18.5 (0.5ML SYRINGE), 5-2.5-18.5 LF-MCG/0.5	3	
BOOSTRIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 5-2.5-18.5 LF-MCG/0.5	3	
DAPTACEL INTRAMUSCULAR SUSPENSION 10-15-5 , 23-15-5	3	
DIPHTHERIA-TETANUS TOXOIDS DT INTRAMUSCULAR SUSPENSION 25-5 LFU/0.5ML	3	
ENGERIX-B INJECTION SUSPENSION 10 MCG/0.5ML, 10 MCG/0.5ML (0.5ML SYRINGE), 20 MCG/ML	3	PA B/D

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
ENGERIX-B INJECTION SUSPENSION PREFILLED SYRINGE 10 MCG/0.5ML, 20 MCG/ML	3	PA B/D
GARDASIL 9 INTRAMUSCULAR SUSPENSION	3	
GARDASIL 9 INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE	3	
HAVRIX INTRAMUSCULAR SUSPENSION 1440 EL U/ML, 1440 EL U/ML 1 ML, 720 EL U/0.5ML, 720 EL U/0.5ML 0.5 ML	3	
HEPLISAV-B INTRAMUSCULAR SOLUTION PREFILLED SYRINGE 20 MCG/0.5ML	3	
HIBERIX INJECTION SOLUTION RECONSTITUTED 10 MCG	3	
IMOVAX RABIES INTRAMUSCULAR INJECTABLE 2.5 UNIT/ML	3	
IMOVAX RABIES INTRAMUSCULAR SUSPENSION RECONSTITUTED 2.5 UNIT/ML	3	
INFANRIX INTRAMUSCULAR SUSPENSION 25-58-10	3	
IPOP INJECTION INJECTABLE	3	
IXIARO INTRAMUSCULAR SUSPENSION	3	
JYNNEOS SUBCUTANEOUS SUSPENSION 0.5 ML	3	
KINRIX INTRAMUSCULAR SUSPENSION , INJECTION 0.5 ML	3	
KINRIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 0.5 ML	3	
MENACTRA INTRAMUSCULAR INJECTABLE	3	
MENACTRA INTRAMUSCULAR SOLUTION	3	
MENOMUNE SUBCUTANEOUS INJECTABLE	3	
MENQUADFI INTRAMUSCULAR INJECTABLE	3	
MENQUADFI INTRAMUSCULAR SOLUTION	3	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
MENVEO INTRAMUSCULAR SOLUTION RECONSTITUTED	3	
M-M-R II INJECTION SOLUTION RECONSTITUTED	3	
M-M-R II SUBCUTANEOUS INJECTABLE	3	
PEDIARIX INTRAMUSCULAR SUSPENSION	3	
PEDIARIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE	3	
PEDVAX HIB INTRAMUSCULAR SUSPENSION 7.5 MCG/0.5ML	3	
PENTACEL INTRAMUSCULAR SUSPENSION RECONSTITUTED , (96-30-68-1-80-2-16-3-64-20 VAR UNITS)	3	
<i>prehevbrio intramuscular suspension 10 mcg/ml</i>	3	PA B/D
PRIORIX SUBCUTANEOUS SUSPENSION RECONSTITUTED	3	
PROQUAD SUBCUTANEOUS INJECTABLE	3	
PROQUAD SUBCUTANEOUS SUSPENSION RECONSTITUTED	3	
QUADRACEL INTRAMUSCULAR SUSPENSION , (58 UNT/ML)	3	
QUADRACEL INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 0.5 ML	3	
RABAVERT INTRAMUSCULAR SUSPENSION RECONSTITUTED	3	
RECOMBIVAX HB INJECTION SUSPENSION 10 MCG/ML, 10 MCG/ML (1ML SYRINGE), 40 MCG/ML, 5 MCG/0.5ML, 5 MCG/0.5ML (PREFILLED SYRINGE)	3	PA B/D
RECOMBIVAX HB INJECTION SUSPENSION PREFILLED SYRINGE 10 MCG/ML, 5 MCG/0.5ML	3	PA B/D
ROTARIX ORAL SUSPENSION	3	
ROTARIX ORAL SUSPENSION RECONSTITUTED	3	
ROTATEQ ORAL SOLUTION	3	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
SHINGRIX INTRAMUSCULAR SUSPENSION RECONSTITUTED 50 MCG/0.5ML	3	
TDVAX INTRAMUSCULAR SUSPENSION 2-2 LF/0.5ML	3	
TENIVAC INTRAMUSCULAR INJECTABLE 5-2 LFU, 5-2 LFU (INJECTION)	3	
TETANUS-DIPHTHERIA TOXOIDS TD INTRAMUSCULAR SUSPENSION 2-2 LF/0.5ML	3	
TICOVAC INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 1.2 MCG/0.25ML, 2.4 MCG/0.5ML	3	
TRUMENBA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE	3	
TWINRIX INTRAMUSCULAR SUSPENSION 720-20	3	
TWINRIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 720-20 ELU-MCG/ML	3	
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5ML, 25 MCG/0.5ML (0.5ML SYRINGE)	3	
TYPHIM VI INTRAMUSCULAR SOLUTION PREFILLED SYRINGE 25 MCG/0.5ML	3	
VAQTA INTRAMUSCULAR SUSPENSION 25 UNIT/0.5ML, 25 UNIT/0.5ML 0.5 ML, 50 UNIT/ML, 50 UNIT/ML 1 ML	3	
VARIVAX SUBCUTANEOUS INJECTABLE 1350 PFU/0.5ML	3	
YF-VAX SUBCUTANEOUS INJECTABLE , (2.5 ML IN 1 VIAL, MULTI-DOSE)	3	
ZOSTAVAX SUBCUTANEOUS SUSPENSION RECONSTITUTED 19400 UNT/0.65ML	3	
Inflammatory Bowel Disease Agents		
Aminosalicylates		
<i>balsalazide disodium oral capsule 750 mg</i>	2	GC
DIPENTUM ORAL CAPSULE 250 MG	5	NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
<i>mesalamine er oral capsule extended release 24 hour 0.375 gm</i>	3	QL (4 EA per 1 day)
<i>mesalamine er oral capsule extended release 500 mg</i>	5	QL (8 EA per 1 day); NDS
<i>mesalamine oral capsule delayed release 400 mg</i>	4	ST; QL (6 EA per 1 day)
<i>mesalamine oral tablet delayed release 1.2 gm</i>	4	QL (4 EA per 1 day)
<i>mesalamine rectal enema 4 gm</i>	2	GC
<i>mesalamine rectal suppository 1000 mg</i>	4	QL (1 EA per 1 day)
PENTASA ORAL CAPSULE EXTENDED RELEASE 250 MG	4	QL (8 EA per 1 day)
<i>sulfasalazine oral tablet 500 mg</i>	2	GC
<i>sulfasalazine oral tablet delayed release 500 mg</i>	2	GC
Glucocorticoids		
COLOCORT RECTAL ENEMA 100 MG/60ML	3	
<i>hydrocortisone rectal cream 2.5 %</i>	2	GC
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	2	GC
<i>procto-med hc rectal cream 2.5 %</i>	2	GC
PROCTOSOL HC EXTERNAL CREAM 2.5 %	3	
PROCTOSOL HC RECTAL CREAM 2.5 %	3	
PROCTOZONE-HC EXTERNAL CREAM 2.5 %	3	
PROCTOZONE-HC RECTAL CREAM 2.5 %	3	
Metabolic Bone Disease Agents		
Metabolic Bone Disease Agents		
<i>alendronate sodium oral tablet 10 mg</i>	2	GC
<i>alendronate sodium oral tablet 35 mg, 70 mg</i>	1	GC
<i>alendronate sodium oral tablet 40 mg, 5 mg</i>	2	GC
<i>calcitonin (salmon) nasal solution 200 unit/act</i>	3	
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i>	2	GC
<i>calcitriol oral solution 1 mcg/ml</i>	2	GC
<i>doxercalciferol oral capsule 1 mcg, 2.5 mcg</i>	4	
<i>etidronate disodium oral tablet 200 mg, 400 mg</i>	2	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
FORTEO SUBCUTANEOUS SOLUTION 600 MCG/2.4ML	5	PA; QL (2.4 ML per 28 days); NDS
FORTEO SUBCUTANEOUS SOLUTION PEN-INJECTOR 600 MCG/2.4ML, 620 MCG/2.48ML	5	PA; QL (2.4 ML per 28 days); NDS
<i>ibandronate sodium oral tablet 150 mg</i>	4	QL (1 EA per 28 days)
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG, 25 MCG, 50 MCG, 75 MCG	5	PA; LA; NDS
<i>paricalcitol oral capsule 1 mcg, 2 mcg, 4 mcg</i>	4	
PROLIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 60 MG/ML	4	QL (1 ML per 180 days)
<i>risedronate sodium oral tablet 150 mg, 30 mg, 5 mg</i>	4	
<i>risedronate sodium oral tablet 35 mg, 35 mg (12 pack), 35 mg (4 pack)</i>	3	
<i>risedronate sodium oral tablet delayed release 35 mg</i>	4	
<i>teriparatide (recombinant) subcutaneous solution pen-injector 620 mcg/2.48ml</i>	5	PA; QL (2.48 ML per 28 days); NDS
TYMLOS SUBCUTANEOUS SOLUTION PEN-INJECTOR 3120 MCG/1.56ML	5	PA; QL (1.56 ML per 30 days); NDS
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7ML	5	NDS

Miscellaneous Therapeutic Agents

Miscellaneous Therapeutic Agents

<i>alcohol prep pad 70 %</i>	2	GC
<i>curity gauze pad 2"x2"</i>	2	GC
<i>cvs gauze sterile pad 2"x2"</i>	2	GC
<i>exel comfort point pen needle 29g x 12mm</i>	2	GC; QL (200 EA per 30 days)
<i>global alcohol prep ease pad 70 %</i>	2	GC
OMNIPOD 5 G6 INTRO (GEN 5) KIT	4	QL (1 EA per 365 days); NDS
OMNIPOD 5 G6 POD (GEN 5)	4	QL (10 EA per 30 days); NDS
OMNIPOD DASH PODS (GEN 4)	4	QL (10 EA per 30 days); NDS
<i>preferred plus insulin syringe 28g x 1/2" 0.5 ml</i>	2	GC
<i>reli-on insulin syringe 29g 0.3 ml</i>	2	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
Ophthalmic Agents		
Ophthalmic Agents		
<i>bacitracin-neomycin-polymyxin-hc ophthalmic ointment 1 %</i>	2	GC
BLEPHAMIDE OPHTHALMIC SUSPENSION 10-0.2 %	3	
BLEPHAMIDE S.O.P. OPHTHALMIC OINTMENT 10-0.2 %	3	
<i>neomycin-bacitracin zn-polymyx ophthalmic ointment 5-400-10000</i>	2	GC
<i>neomycin-polymyxin-dexameth ophthalmic ointment 3.5-10000-0.1</i>	2	GC
<i>neomycin-polymyxin-dexameth ophthalmic suspension 3.5-10000-0.1</i>	2	GC
<i>neomycin-polymyxin-gramicidin ophthalmic solution 1.75-10000-.025</i>	2	GC
<i>neomycin-polymyxin-hc ophthalmic suspension 3.5-10000-1</i>	3	
<i>neo-polycin hc ophthalmic ointment 1 %</i>	2	GC
<i>neo-polycin ophthalmic ointment 3.5-400-10000</i>	2	GC
<i>polymyxin b-trimethoprim ophthalmic solution 10000-0.1 unit/ml-%</i>	2	GC
<i>tobramycin-dexamethasone ophthalmic suspension 0.3-0.1 %</i>	4	
Ophthalmic Agents, Other		
ATROPINE SULFATE OPHTHALMIC SOLUTION 1 %	3	
<i>bacitracin-polymyxin b ophthalmic ointment 500-10000 unit/gm</i>	2	GC
<i>brimonidine tartrate-timolol ophthalmic solution 0.2-0.5 %</i>	4	
<i>cyclosporine ophthalmic emulsion 0.05 %</i>	3	QL (2 EA per 1 day)
CYSTARAN OPHTHALMIC SOLUTION 0.44 %	5	PA; NDS
LACRISERT OPHTHALMIC INSERT 5 MG	3	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
<i>polycin ophthalmic ointment 500-10000 unit/gm</i>	2	GC
RESTASIS MULTIDOSE OPHTHALMIC EMULSION 0.05 %	3	QL (16.5 ML per 90 days)
Ophthalmic Anti-Allergy Agents		
ALOCRIL OPHTHALMIC SOLUTION 2 %	3	
ALOMIDE OPHTHALMIC SOLUTION 0.1 %	3	
<i>azelastine hcl ophthalmic solution 0.05 %</i>	2	GC
<i>cromolyn sodium ophthalmic solution 4 %</i>	2	GC
<i>epinastine hcl ophthalmic solution 0.05 %</i>	2	GC
<i>olopatadine hcl ophthalmic solution 0.1 %, 0.2 %</i>	4	
Ophthalmic Antiglaucoma Agents		
ALPHAGAN P OPHTHALMIC SOLUTION 0.1 %	3	
<i>apraclonidine hcl ophthalmic solution 0.5 %</i>	2	GC
<i>betaxolol hcl ophthalmic solution 0.5 %</i>	2	GC
BETOPTIC-S OPHTHALMIC SUSPENSION 0.25 %	3	
<i>brimonidine tartrate ophthalmic solution 0.15 %, 0.2 %</i>	2	GC
<i>brinzolamide ophthalmic suspension 1 %</i>	2	GC
<i>carteolol hcl ophthalmic solution 1 %</i>	2	GC
<i>dorzolamide hcl ophthalmic solution 2 %</i>	2	GC
<i>dorzolamide hcl-timolol mal ophthalmic solution 2-0.5 %</i>	2	GC
<i>levobunolol hcl ophthalmic solution 0.5 %</i>	2	GC
<i>metipranolol ophthalmic solution 0.3 %</i>	2	GC
PHOSPHOLINE IODIDE OPHTHALMIC SOLUTION RECONSTITUTED 0.125 %	3	
RHOPRESSA OPHTHALMIC SOLUTION 0.02 %	3	ST
SIMBRINZA OPHTHALMIC SUSPENSION 1-0.2 %	4	
<i>timolol maleate (once-daily) ophthalmic solution 0.5 %</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
<i>timolol maleate ophthalmic solution 0.25 %, 0.5 %</i>	2	GC
Ophthalmic Anti-Inflammatories		
ALREX OPHTHALMIC SUSPENSION 0.2 %	3	
<i>diclofenac sodium ophthalmic solution 0.1 %</i>	2	GC
<i>fluorometholone ophthalmic suspension 0.1 %</i>	2	GC
<i>flurbiprofen sodium ophthalmic solution 0.03 %</i>	2	GC
FML FORTE OPHTHALMIC SUSPENSION 0.25 %	3	
FML OPHTHALMIC OINTMENT 0.1 %	3	
<i>ketorolac tromethamine ophthalmic solution 0.4 %, 0.5 %</i>	2	GC
<i>loteprednol etabonate ophthalmic gel 0.5 %</i>	3	
<i>loteprednol etabonate ophthalmic suspension 0.5 %</i>	4	
PREDNISOLONE ACETATE OPHTHALMIC SUSPENSION 1 %	3	
<i>prednisolone sodium phosphate ophthalmic solution 1 %</i>	3	
XIIDRA OPHTHALMIC SOLUTION 5 %	4	PA; QL (2 EA per 1 day)
Ophthalmic Intraocular Pressure Lowering Agents, Other		
<i>pilocarpine hcl ophthalmic solution 1 %, 2 %, 4 %</i>	2	GC
Ophthalmic Prostaglandin And Prostamide Analogs		
<i>latanoprost ophthalmic solution 0.005 %</i>	2	GC
LUMIGAN OPHTHALMIC SOLUTION 0.01 %	3	
<i>travoprost (bak free) ophthalmic solution 0.004 %</i>	3	
Otic Agents		
Otic Agents		
COLY-MYCIN S OTIC SUSPENSION 3.3-3-10-0.5 MG/ML	3	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
CORTISPORIN-TC OTIC SUSPENSION 3.3-3-10-0.5 MG/ML	3	
<i>flac otic oil 0.01 %</i>	2	GC
<i>hydrocortisone-acetic acid otic solution 1-2 %</i>	2	GC
<i>neomycin-polymyxin-hc otic solution 1 %</i>	2	GC
<i>neomycin-polymyxin-hc otic suspension 3.5-10000-1</i>	2	GC
Respiratory Tract/ Pulmonary Agents		
Antihistamines		
<i>azelastine hcl nasal solution 0.1 %</i>	2	GC
<i>cetirizine hcl oral solution 1 mg/ml</i>	2	GC
<i>cetirizine hcl oral syrup 1 mg/ml</i>	2	GC
<i>cyproheptadine hcl oral syrup 2 mg/5ml</i>	2	GC
<i>cyproheptadine hcl oral tablet 4 mg</i>	2	GC
<i>levocetirizine dihydrochloride oral tablet 5 mg</i>	2	GC
<i>promethazine hcl oral syrup 6.25 mg/5ml</i>	2	GC
<i>promethazine hcl oral tablet 12.5 mg, 25 mg, 50 mg</i>	2	GC
Anti-Inflammatories, Inhaled		
Corticosteroids		
ADVAIR HFA INHALATION AEROSOL 115-21 MCG/ACT, 230-21 MCG/ACT, 45-21 MCG/ACT	4	ST; QL (12 GM per 30 days)
ARNUITY ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100 MCG/ACT, 200 MCG/ACT, 50 MCG/ACT	3	QL (30 EA per 30 days)
ASMANEX (120 METERED DOSES) INHALATION AEROSOL POWDER BREATH ACTIVATED 220 MCG/ACT, 220 MCG/INH	3	
ASMANEX (30 METERED DOSES) INHALATION AEROSOL POWDER BREATH ACTIVATED 110 MCG/ACT, 110 MCG/INH, 220 MCG/ACT, 220 MCG/INH	3	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
ASMANEX (60 METERED DOSES) INHALATION AEROSOL POWDER BREATH ACTIVATED 220 MCG/ACT, 220 MCG/INH	3	
ASMANEX HFA INHALATION AEROSOL 100 MCG/ACT, 200 MCG/ACT, 50 MCG/ACT	3	
<i>budesonide inhalation suspension 0.25 mg/2ml, 0.5 mg/2ml</i>	4	PA B/D
FLOVENT DISKUS INHALATION AEROSOL POWDER BREATH ACTIVATED 100 MCG/ACT, 100 MCG/BLIST, 250 MCG/ACT, 250 MCG/BLIST, 50 MCG/ACT, 50 MCG/BLIST	3	
FLOVENT HFA INHALATION AEROSOL 110 MCG/ACT, 220 MCG/ACT, 44 MCG/ACT	3	
<i>flunisolide nasal solution 25 mcg/act (0.025%)</i>	2	GC
<i>fluticasone propionate nasal suspension 50 mcg/act</i>	2	GC
FLUTICASONE-SALMETEROL INHALATION AEROSOL POWDER BREATH ACTIVATED 100-50 MCG/ACT, 100-50 MCG/DOSE, 250-50 MCG/ACT, 250-50 MCG/DOSE, 500-50 MCG/ACT, 500-50 MCG/DOSE	4	ST
FLUTICASONE-SALMETEROL INHALATION AEROSOL POWDER BREATH ACTIVATED 113-14 MCG/ACT, 232-14 MCG/ACT, 55-14 MCG/ACT	3	
<i>mometasone furoate nasal suspension 50 mcg/act</i>	4	
PULMICORT FLEXHALER INHALATION AEROSOL POWDER BREATH ACTIVATED 180 MCG/ACT, 90 MCG/ACT	4	
QVAR INHALATION AEROSOL SOLUTION 40 MCG/ACT, 80 MCG/ACT	4	
QVAR REDIHALER INHALATION AEROSOL BREATH ACTIVATED 40 MCG/ACT, 80 MCG/ACT	4	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
<i>wixela inhale inhalation aerosol powder breath activated 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i>	4	ST
Antileukotrienes		
<i>montelukast sodium oral tablet 10 mg</i>	2	GC; QL (1 EA per 1 day)
<i>montelukast sodium oral tablet chewable 4 mg, 5 mg</i>	2	GC; QL (1 EA per 1 day)
<i>zafirlukast oral tablet 10 mg, 20 mg</i>	3	
<i>zileuton er oral tablet extended release 12 hour 600 mg</i>	5	QL (4 EA per 1 day); NDS
Bronchodilators, Anticholinergic		
ATROVENT HFA INHALATION AEROSOL SOLUTION 17 MCG/ACT	3	
<i>ipratropium bromide inhalation solution 0.02 %</i>	2	PA B/D; GC
<i>ipratropium bromide nasal solution 0.03 %, 0.06 %</i>	2	GC
SPIRIVA HANDIHALER INHALATION CAPSULE 18 MCG	3	QL (30 EA per 30 days)
SPIRIVA RESPIMAT INHALATION AEROSOL SOLUTION 1.25 MCG/ACT, 2.5 MCG/ACT	3	QL (4 GM per 30 days)
TUDORZA PRESSAIR INHALATION AEROSOL POWDER BREATH ACTIVATED 400 MCG/ACT, 400 MCG/ACT (30 ACTUATE)	4	
Bronchodilators, Sympathomimetic		
<i>albuterol sulfate er oral tablet extended release 12 hour 4 mg, 8 mg</i>	2	
<i>albuterol sulfate hfa inhalation aerosol solution 108 (90 base) mcg/act (nda020503), 108 (90 base) mcg/act (nda020983)</i>	2	GC
<i>albuterol sulfate inhalation nebulization solution (2.5 mg/3ml) 0.083%, 0.63 mg/3ml, 1.25 mg/3ml, 2.5 mg/0.5ml</i>	2	PA B/D; GC
<i>albuterol sulfate inhalation nebulization solution (5 mg/ml) 0.5%</i>	2	PA B/D; GC
<i>albuterol sulfate oral syrup 2 mg/5ml</i>	2	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
<i>albuterol sulfate oral tablet 2 mg, 4 mg</i>	2	GC
<i>epinephrine injection solution auto-injector 0.15 mg/0.3ml, 0.3 mg/0.3ml</i>	2	GC; QL (4 EA per 30 days)
LEVALBUTEROL TARTRATE INHALATION AEROSOL 45 MCG/ACT	4	ST
<i>metaproterenol sulfate oral tablet 20 mg</i>	2	GC
PROAIR RESPICLICK INHALATION AEROSOL POWDER BREATH ACTIVATED 108 (90 BASE) MCG/ACT	4	
SEREVENT DISKUS INHALATION AEROSOL POWDER BREATH ACTIVATED 50 MCG/ACT, 50 MCG/DOSE	3	QL (60 EA per 30 days)
SYMJEPI INJECTION SOLUTION PREFILLED SYRINGE 0.15 MG/0.3ML, 0.3 MG/0.3ML	3	
<i>terbutaline sulfate oral tablet 2.5 mg, 5 mg</i>	2	GC
VENTOLIN HFA INHALATION AEROSOL SOLUTION 108 (90 BASE) MCG/ACT	3	
Cystic Fibrosis Agents		
CAYSTON INHALATION SOLUTION RECONSTITUTED 75 MG	5	PA; NDS
KALYDECO ORAL PACKET 25 MG, 50 MG, 75 MG	5	PA; QL (2 EA per 1 day); NDS
KALYDECO ORAL TABLET 150 MG	5	PA; QL (2 EA per 1 day); NDS
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	5	PA; LA; QL (4 EA per 1 day); NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	5	PA B/D; NDS
SYMDEKO ORAL TABLET THERAPY PACK 100-150 & 150 MG, 50-75 & 75 MG	5	PA; LA; QL (2 EA per 1 day); NDS
Mast Cell Stabilizers		
<i>cromolyn sodium inhalation nebulization solution 20 mg/2ml</i>	2	PA B/D; GC
<i>cromolyn sodium oral concentrate 100 mg/5ml</i>	2	GC
Phosphodiesterase Inhibitors, Airways Disease		

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
<i>roflumilast oral tablet 250 mcg</i>	3	PA; QL (1 EA per 1 day); NDS
<i>roflumilast oral tablet 500 mcg</i>	3	PA; QL (1 EA per 1 day)
<i>theophylline er oral tablet extended release 12 hour 100 mg, 450 mg</i>	4	GC
<i>theophylline er oral tablet extended release 12 hour 300 mg</i>	4	
Pulmonary Antihypertensives		
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	5	PA; LA; QL (3 EA per 1 day); NDS
<i>alyq oral tablet 20 mg</i>	5	PA; QL (2 EA per 1 day); NDS
<i>ambrisentan oral tablet 10 mg, 5 mg</i>	5	PA; LA; QL (1 EA per 1 day); NDS
<i>bosentan oral tablet 125 mg, 62.5 mg</i>	5	PA; LA; QL (2 EA per 1 day); NDS
OPSUMIT ORAL TABLET 10 MG	5	PA; LA; QL (1 EA per 1 day); NDS
<i>sildenafil citrate oral tablet 20 mg</i>	2	PA; GC; QL (3 EA per 1 day)
<i>tadalafil (pah) oral tablet 20 mg</i>	5	PA; QL (2 EA per 1 day); NDS
VENTAVIS INHALATION SOLUTION 10 MCG/ML, 20 MCG/ML	5	PA B/D; QL (3 ML per 1 day); NDS
Respiratory Tract Agents, Other		
<i>acetylcysteine inhalation solution 10 %, 20 %</i>	2	PA B/D; GC
ANORO ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 62.5-25 MCG/ACT	3	QL (60 EA per 30 days)
FASENRA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 30 MG/ML	5	PA; LA; NDS
PROLASTIN-C INTRAVENOUS SOLUTION RECONSTITUTED 1000 MG	5	PA; LA; NDS
<i>ribavirin inhalation solution reconstituted 6 gm</i>	5	NDS
STIOLTO RESPIMAT INHALATION AEROSOL SOLUTION 2.5-2.5 MCG/ACT	3	QL (4 GM per 30 days)
TRELEGY ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100-62.5-25 MCG/ACT, 100-62.5-25 MCG/INH, 200-62.5-25 MCG/ACT	3	QL (60 EA per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
Respiratory Tract/ Pulmonary Agents		
COMBIVENT RESPIMAT INHALATION AEROSOL SOLUTION 20-100 MCG/ACT	4	QL (8 GM per 30 days)
<i>ipratropium-albuterol inhalation solution 0.5-2.5 (3) mg/3ml</i>	2	PA B/D; GC
OFEV ORAL CAPSULE 100 MG, 150 MG	5	PA; LA; QL (2 EA per 1 day); NDS
SYMBICORT INHALATION AEROSOL 160-4.5 MCG/ACT, 80-4.5 MCG/ACT	3	QL (10.2 GM per 30 days)
XOLAIR SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML, 75 MG/0.5ML	5	PA; LA; NDS
XOLAIR SUBCUTANEOUS SOLUTION RECONSTITUTED 150 MG	5	PA; LA; NDS
Respiratory Tract/Pulmonary Agents		
Bronchodilators, Sympathomimetic		
<i>albuterol sulfate hfa inhalation aerosol solution 108 (90 base) mcg/act</i>	2	GC
<i>epinephrine injection solution 0.3 mg/0.3ml</i>	2	GC; QL (4 EA per 30 days)
Cystic Fibrosis Agents		
PULMOZYME INHALATION SOLUTION 2.5 MG/2.5ML	5	PA B/D; NDS
Pulmonary Fibrosis Agents		
<i>pirfenidone oral capsule 267 mg</i>	5	PA; QL (6 EA per 1 day); NDS
<i>pirfenidone oral tablet 267 mg</i>	5	PA; QL (6 EA per 1 day); NDS
<i>pirfenidone oral tablet 801 mg</i>	5	PA; QL (3 EA per 1 day); NDS
Respiratory Tract Agents, Other		
FASENRA PEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR 30 MG/ML	5	PA; LA; NDS
<i>wixela inhlu inhalation aerosol powder breath activated 100-50 mcg/act, 250-50 mcg/act, 500-50 mcg/act</i>	4	ST
Skeletal Muscle Relaxants		
Skeletal Muscle Relaxants		

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
<i>chlorzoxazone oral tablet 500 mg</i>	2	GC
<i>cyclobenzaprine hcl oral tablet 10 mg, 5 mg, 7.5 mg</i>	2	PA; GC; QL (3 EA per 1 day)
<i>orphenadrine citrate er oral tablet extended release 12 hour 100 mg</i>	2	GC
Sleep Disorder Agents		
Gaba Receptor Modulators		
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i>	4	QL (90 EA per 365 days); NDS
<i>flurazepam hcl oral capsule 15 mg, 30 mg</i>	2	QL (1 EA per 1 day); NDS
<i>temazepam oral capsule 15 mg</i>	2	GC; QL (2 EA per 1 day); NDS
<i>temazepam oral capsule 30 mg</i>	2	GC; QL (1 EA per 1 day); NDS
<i>zaleplon oral capsule 10 mg, 5 mg</i>	2	GC; QL (90 EA per 365 days); NDS
<i>zolpidem tartrate er oral tablet extended release 12.5 mg, 6.25 mg</i>	2	GC; QL (90 EA per 365 days); NDS
<i>zolpidem tartrate oral tablet 10 mg, 5 mg</i>	2	GC; QL (90 EA per 365 days); NDS
Sleep Disorders, Other		
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i>	3	PA; QL (1 EA per 1 day)
<i>BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG</i>	4	ST; QL (1 EA per 1 day)
<i>DAYVIGO ORAL TABLET 10 MG, 5 MG</i>	4	ST; QL (1 EA per 1 day)
<i>ramelteon oral tablet 8 mg</i>	4	QL (1 EA per 1 day)
<i>tasimelteon oral capsule 20 mg</i>	5	PA; QL (1 EA per 1 day); NDS
<i>XYREM ORAL SOLUTION 500 MG/ML</i>	5	PA; QL (540 ML per 30 days); NDS
Therapeutic Nutrients/ Minerals/ Electrolytes		
Electrolyte/ Mineral Modifiers		
<i>deferasirox oral tablet soluble 125 mg, 250 mg, 500 mg</i>	5	PA; NDS
<i>deferiprone oral tablet 500 mg</i>	5	PA; NDS
<i>kionex oral suspension 15 gm/60ml</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
<i>klor-con oral packet 20 meq</i>	4	
<i>potassium chloride oral packet 20 meq</i>	4	
<i>sodium polystyrene sulfonate oral powder</i>	2	GC
<i>sodium polystyrene sulfonate oral suspension 15 gm/60ml</i>	2	
<i>sodium polystyrene sulfonate rectal suspension 30 gm/120ml, 50 gm/200ml</i>	2	GC
SPS ORAL SUSPENSION 15 GM/60ML	3	
Electrolyte/ Mineral Replacement		
<i>carglumic acid oral tablet 200 mg</i>	5	PA; LA; NDS
<i>carglumic acid oral tablet soluble 200 mg</i>	5	PA; NDS
CLINISOL SF INTRAVENOUS SOLUTION 15 %	3	PA B/D
<i>kcl in d5w lactated ringers intravenous solution 40 meq/l</i>	2	GC
KLOR-CON 10 ORAL TABLET EXTENDED RELEASE 10 MEQ	3	
KLOR-CON M10 ORAL TABLET EXTENDED RELEASE 10 MEQ	3	
KLOR-CON M20 ORAL TABLET EXTENDED RELEASE 20 MEQ	3	
KLOR-CON ORAL TABLET EXTENDED RELEASE 8 MEQ	3	
KLOR-CON SPRINKLE ORAL CAPSULE EXTENDED RELEASE 10 MEQ, 8 MEQ	3	
K-TAB ORAL TABLET EXTENDED RELEASE 8 MEQ	3	
<i>magnesium sulfate injection solution 50 %, 50 % (10ml syringe)</i>	2	GC
PLENAMINE INTRAVENOUS SOLUTION 15 %	3	PA B/D
<i>potassium chloride crys er oral tablet extended release 10 meq, 20 meq</i>	2	GC
<i>potassium chloride er oral capsule extended release 10 meq, 8 meq</i>	2	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
<i>potassium chloride er oral tablet extended release 10 meq, 20 meq, 8 meq</i>	2	GC
<i>potassium chloride er tablet extended release 10 meq oral</i>	2	GC
<i>potassium chloride intravenous solution 0.4 meq/ml</i>	2	GC
<i>potassium chloride intravenous solution 10 meq/100ml</i>	2	GC
<i>potassium chloride oral solution 20 meq/15ml (10%), 40 meq/15ml (20%)</i>	4	
<i>sodium chloride injection solution 2.5 meq/ml</i>	2	GC
<i>sodium chloride intravenous solution 0.45 %, 0.9 %, 3 %, 5 %</i>	2	GC
<i>sodium chloride irrigation solution 0.9 %</i>	2	GC
Therapeutic Nutrients/ Minerals/ Electrolytes		
<i>AMINOSYN II INTRAVENOUS SOLUTION 15 %, 7 %</i>	3	PA B/D
<i>AMINOSYN-HBC INTRAVENOUS SOLUTION 7 %</i>	3	PA B/D
<i>AMINOSYN-PF INTRAVENOUS SOLUTION 7 %</i>	3	PA B/D
<i>CLINIMIX E/DEXTROSE (4.25/25) INTRAVENOUS SOLUTION 4.25 %</i>	4	PA B/D
<i>deferasirox oral tablet 180 mg, 360 mg</i>	5	PA; NDS
<i>deferasirox oral tablet 90 mg</i>	4	PA; NDS
<i>dextrose intravenous solution 10 %, 5 %</i>	2	GC
<i>DEXTROSE-NACL INTRAVENOUS SOLUTION 10-0.2 %, 2.5-0.45 %</i>	3	
<i>dextrose-nacl intravenous solution 5-0.2 %, 5-0.45 %, 5-0.9 %</i>	2	GC
<i>dextrose-nacl intravenous solution 5-0.33 %</i>	2	GC
<i>glucose intravenous solution 5 %</i>	2	GC
<i>INTRALIPID INTRAVENOUS EMULSION 20 %</i>	3	PA B/D

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Drug Name	Drug Tier	Requirements/Limits
<i>kcl in dextrose-nacl intravenous solution 20-5-0.45 meq/l-%-%</i>	2	GC
<i>nutrilipid intravenous emulsion 20 %</i>	2	PA B/D; GC
PRENATAL ORAL TABLET 27-1 MG	3	
TPN ELECTROLYTES INTRAVENOUS CONCENTRATE	3	
TPN ELECTROLYTES INTRAVENOUS SOLUTION	3	
<i>trientine hcl oral capsule 250 mg</i>	5	PA; QL (8 EA per 1 day); NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/21/2023

Index

A

abacavir sulfate 51
abacavir sulfate-lamivudine 51
abacavir-lamivudine-zidovudine 51
ABILIFY MYCITE 45
abiraterone acetate 32
abrysvo 104
acamprosate calcium 11
acarbose 55
ACCUTANE 75
acebutolol hcl 66
acetaminophen-codeine 8
acetaminophen-codeine #2 8
acetaminophen-codeine #3 8
acetaminophen-codeine #4 8
acetazolamide 69
acetylcysteine 117
acitretin 75
ACTEMRA 100
ACTEMRA ACTPEN 100
ACTHIB 104
ACTIMMUNE 103
acyclovir 49
acyclovir sodium 49
ADACEL 104
adefovir dipivoxil 48
ADEMPAS 117

ADVAIR HFA 113
AFIRMELLE 86
AIMOVIG 30
ala-cort 82
albendazole 42
albuterol sulfate 115, 116
albuterol sulfate er 115
albuterol sulfate hfa 115, 118
alclometasone dipropionate 82
alcohol prep 109
ALDACTAZIDE 68
ALECENSA 37
alendronate sodium 108
alfuzosin hcl er 81
ALINIA 42
aliskiren fumarate 69
allopurinol 30
almotriptan malate 31
ALOCRIL 111
ALOGLIPTIN BENZOATE 55
ALOGLIPTIN-METFORMIN HCL 55
ALOGLIPTIN-PIOGLITAZONE 55
ALOMIDE 111
ALORA 86
alosetron hcl 79
ALPHAGAN P 111
alprazolam 54
ALREX 112
ALTAVERA 86
ALUNBRIG 37
alyacen 1/35 86
alyq 117
amabelz 86
amantadine hcl 53
AMBISOME 28
ambrisentan 117
AMCINONIDE 82
AMETHIA LO 86
amikacin sulfate 12
amiloride hcl 70
amiloride-hydrochlorothiazide 68
AMINOSYN II 121
AMINOSYN-HBC 121
AMINOSYN-PF 121
amiodarone hcl 65
amitriptyline hcl 27
amlodipine besy-benazepril hcl 68
amlodipine besylate 66
ammonium lactate 75
amoxapine 27
amoxicillin 16
amoxicillin-pot clavulanate 16
amphetamine-dextroamphetamine 72

<i>amphetamine-dextroamphetamine</i>	72	ASMANEX (120 METERED DOSES)	113	AVIANE	87
<i>amphotericin b</i>	28	ASMANEX (30 METERED DOSES)	113	avita	75
<i>amphotericin b liposome</i>	28	ASMANEX (60 METERED DOSES)	114	AVONEX	74
<i>ampicillin</i>	16	ASMANEX HFA	114	AVONEX PEN	74
<i>ampicillin sodium</i>	16, 17	<i>aspirin-dipyridamole er</i>	63	AVONEX PREFILLED	74
<i>ampicillin-sulbactam sodium</i>	17	<i>assure id insulin safety syr</i>	58	AVYCAZ	14
<i>anagrelide hcl</i>	63	<i>atazanavir sulfate</i>	52, 53	AYUNA	87
<i>anastrozole</i>	36	<i>atenolol</i>	66	AYVAKIT	37
ANDRODERM	86	<i>atenolol-chlorthalidone</i>	68	<i>azathioprine</i>	100, 103
ANDROXY	86	<i>atomoxetine hcl</i>	73	<i>azelaic acid</i>	75
ANORO ELLIPTA	117	<i>atorvastatin calcium</i>	71	<i>azelastine hcl</i>	111, 113
APOKYN	43	<i>atovaquone</i>	42	AZELEX	75
<i>apomorphine hcl</i>	43	<i>atovaquone-proguanil hcl</i>	42	<i>azithromycin</i>	17
<i>apraclonidine hcl</i>	111	ATROPINE SULFATE	110	<i>aztreonam</i>	16
<i>aprepitant</i>	28	ATROVENT HFA	115	AZURETTE	87
APRI	86	AUBRA	87	B	
APTIOM	23	AUBRA EQ	97	BACITRACIN	12
APТИВУС	52	AUROVELA 1.5/30	87	<i>bacitracin-polymyxin b</i>	110
ARANELLE	87	AUROVELA 1/20	87	<i>bacitra-neomycin-polymyxin-hc</i>	110
ARCALYST	103	AUROVELA FE 1.5/30	87	<i>baclofen</i>	48
<i>arexvy</i>	104	AUROVELA FE 1/20	87	<i>balsalazide disodium</i>	107
<i>ariPIPrazole</i>	45	AUSTEDO	73, 74	BALVERSA	37, 38
ARISTADA	45	AUSTEDO PATIENT TITRATION KIT	74	BALZIVA	94
ARISTADA INITIO	45	AUSTEDO XR	74	BAQSIMI ONE PACK	57
<i>armodafinil</i>	119	<i>austedo xr patient titration</i>	74	BAQSIMI TWO PACK	57
ARMOUR THYROID	95	AUVELITY	24	BASAGLAR KWIKPEN	58
ARNUITY ELLIPTA	113	AVANDIA	55	BCG VACCINE	104
<i>asenapine maleate</i>	45			BEKYREE	87

BELSOMRA	119	BOOSTRIX	104	CABOMETYX.....	38
<i>benazepril hcl</i>	65	<i>bosentan</i>	117	<i>calcipotriene</i>	75, 76
<i>benazepril-hydrochlorothiazide</i>	68	BOSULIF	38	<i>calcitonin (salmon)</i>	108
BENLYSTA.....	100	BRAFTOVI.....	38	<i>calcitriol</i>	108
<i>benzoyl peroxide-erythromycin</i>	75	<i>briellyn</i>	94	<i>calcium acetate (phos binder)</i> 82	
<i>benztropine mesylate</i>	43	BRILINTA	63	CALQUENCE.....	38
BESREMI.....	103	<i>brimonidine tartrate</i>	111	CAMILA	94
<i>betaine</i>	78	<i>brimonidine tartrate-timolol</i> 110		CAMRESE LO.....	87
<i>betamethasone dipropionate</i> .30, 83		<i>brinzolamide</i>	111	<i>candesartan cilexetil</i>	64
<i>betamethasone dipropionate aug</i>	82, 83	BRIVIACT	20	<i>candesartan cilexetil-hctz</i>	68
<i>betamethasone valerate</i>	83	<i>bromocriptine mesylate</i>	43	<i>capacet</i>	8
<i>betaxolol hcl</i>	66, 111	BRUKINSA.....	38	CAPLYTA.....	45
<i>bethanechol chloride</i>	82	<i>budesonide</i>	79, 114	CAPRELSA.....	38
BETOPTIC-S	111	<i>budesonide er</i>	79	<i>captopril</i>	65
<i>bexarotene</i>	42	<i>bumetanide</i>	69	<i>captopril-hydrochlorothiazide</i> 68	
BEXZERO.....	104	<i>buprenorphine hcl</i>	11	<i>carbamazepine</i>	23
<i>bicalutamide</i>	33	<i>buprenorphine hcl-naloxone hcl</i>	11	<i>carbamazepine er</i>	23, 55
<i>bicillin c-r</i>	17	<i>bupropion hcl</i>	25	<i>carbidopa-levodopa</i>	43
BICILLIN C-R 900/300.....	17	<i>bupropion hcl er (smoking det)</i>	11	<i>carbidopa-levodopa er</i>	43
BIKTARVY	49	<i>bupropion hcl er (sr)</i>	24	CARBIDOPA-LEVODOPA- ENTACAPONE	44
<i>bisoprolol fumarate</i>	66	<i>bupropion hcl er (xl)</i>	24	<i>carglumic acid</i>	120
<i>bisoprolol-hydrochlorothiazide</i>	68	<i>buspirone hcl</i>	54	<i>carteolol hcl</i>	111
BLEPHAMIDE	110	<i>butalbital-apap-caffeine</i>	8	CARTIA XT	66
BLEPHAMIDE S.O.P.....	110	<i>butalbital-aspirin-caffeine</i>	8	<i>carvedilol</i>	66
BLISOVI FE 1.5/30	87	BYDUREON	55	<i>caspofungin acetate</i>	28
BLISOVI FE 1/20	87	BYDUREON BCISE	55	CAYSTON	116
		C		CAZIANT.....	87
		<i>cabergoline</i>	98	<i>cefaclor</i>	14

<i>cefadroxil</i>	14	<i>chlorzoxazone</i>	119	<i>clobetasol propionate</i>	76, 83
<i>cefazolin sodium</i>	14	<i>cholestyramine</i>	71	<i>clobetasol propionate e</i>	83
<i>cedinir</i>	14	<i>cholestyramine light</i>	71	<i>clobetasol propionate emulsion</i>	83
<i>cefepime hcl</i>	14	<i>cyclodan</i>	28	<i>clomipramine hcl</i>	27
<i>cefixime</i>	14, 15	<i>ciclopirox</i>	28	<i>clonazepam</i>	21
<i>cefotaxime sodium</i>	15	<i>ciclopirox olamine</i>	28	<i>clonidine</i>	64
<i>cefoxitin sodium</i>	15	<i>cilostazol</i>	63	<i>clonidine hcl</i>	64
<i>cefpodoxime proxetil</i>	15	<i>CILOXAN</i>	18	<i>clopidogrel bisulfate</i>	64
<i>cefprozil</i>	15	<i>CIMDUO</i>	51	<i>clorazepate dipotassium</i>	54
<i>ceftazidime</i>	15	<i>cimetidine</i>	79	<i>clotrimazole</i>	28
CEFTIN	15	<i>cinacalcet hcl</i>	98	<i>clotrimazole-betamethasone</i>	76
<i>ceftriaxone sodium</i>	15	<i>CINRYZE</i>	99	<i>clozapine</i>	48
<i>cefuroxime axetil</i>	15	<i>ciprofloxacin</i>	18	CLOZAPINE	48
<i>cefuroxime sodium</i>	15	<i>ciprofloxacin hcl</i>	18	COARTEM	42
<i>celecoxib</i>	8	<i>ciprofloxacin in d5w</i>	18	COLCHICINE	30
<i>cephalexin</i>	15	<i>citalopram hydrobromide</i>	25	<i>colchicine-probenecid</i>	30
<i>cetirizine hcl</i>	113	<i>claravis</i>	76	<i>colesevelam hcl</i>	71
<i>cevimeline hcl</i>	75	<i>clarithromycin</i>	18	<i>colestipol hcl</i>	71
CHANTIX	11	<i>clarithromycin er</i>	17	COLISTIMETHATE SODIUM (CBA)	13
CHANTIX CONTINUING MONTH PAK	11	<i>clindamycin hcl</i>	12	COLOCORT	108
CHATEAL	87	<i>clindamycin phos-benzoyl perox</i>	76	COLY-MYCIN S	112
CHATEAL EQ	87	<i>clindamycin phosphate</i>	12, 13	COMBIPATCH	87
<i>chlordiazepoxide hcl</i>	54	<i>clindamycin phosphate in d5w</i>	13	COMBIVENT RESPIMAT ..	118
<i>chlorhexidine gluconate</i>	75	CLINIMIX E/DEXTROSE (4.25/25)	121	COMETRIQ (100 MG DAILY DOSE)	38
<i>chloroquine phosphate</i>	42	CLINISOL SF	120	COMETRIQ (140 MG DAILY DOSE)	38
<i>chlorothiazide</i>	70	<i>clobazam</i>	21	COMETRIQ (60 MG DAILY DOSE)	38
<i>chlorpromazine hcl</i>	44, 45	<i>clobetasol prop emollient base</i>	83		
<i>chlorthalidone</i>	70				

<i>comfort assist insulin syringe</i>	58
COMPLERA	50
COMPROM	27
<i>constulose</i>	79
COPIKTRA	36
CORLANOR	69
CORMAX SCALP APPLICATION	76
CORTISPORIN-TC	113
COSENTYX	76
COSENTYX (300 MG DOSE)	76
COSENTYX SENSOREADY (300 MG)	76
COSENTYX SENSOREADY PEN	76
COSENTYX UNOREADY	76
COTELLIC	38
CREON	78
CRIVAN	53
<i>cromolyn sodium</i>	111, 116
CRYSELLE-28	87
<i>curity gauze</i>	109
<i>cvs gauze sterile</i>	109
CYCLAFEM 1/35	87
CYCLAFEM 7/7/7	88
<i>cyclobenzaprine hcl</i>	119
<i>cyclophosphamide</i>	32
CYCLOSET	55
<i>cyclosporine</i>	100, 110
<i>cyclosporine modified</i>	100
<i>cyproheptadine hcl</i>	113
CYRED	88
CYRED EQ	88
CYSTAGON	78
CYSTARAN	110
D	
<i>dabigatran etexilate mesylate</i>	61
<i>dalfampridine er</i>	74
<i>danazol</i>	86
<i>dapsone</i>	32
DAPTACEL	104
<i>daptomycin</i>	13
DARAPRIM	42
<i>darunavir</i>	53
DASETTA 1/35	88
DASETTA 7/7/7	88
DAURISMO	38
DAYVIGO	119
DEBLITANE	94
<i>deferasirox</i>	119, 121
<i>deferiprone</i>	78, 119
DELSTRIGO	51
<i>deltasone</i>	83
DELYLA	88
DENAVIR	49
DESCOVY	51
<i>desipramine hcl</i>	27
<i>desmopressin ace rhinal tube</i>	.85
<i>desmopressin ace spray refrig</i>	85
<i>desmopressin acetate</i>	85
<i>desogestrel-ethinyl estradiol</i>	.88, 94
<i>desoximetasone</i>	83
DESVENLAFAXINE ER	25
<i>desvenlafaxine succinate er</i>	25
<i>dexamethasone</i>	30, 83, 96
DEXAMETHASONE INTENSOL	83
<i>dexedrine</i>	72
<i>dextroamphetamine hcl</i>	73
<i>dextroamphetamine hcl er</i>	73
<i>dextroamphetamine sulfate</i>	73
<i>dextroamphetamine sulfate er</i>	72, 73
<i>dextrose</i>	121
<i>dextrose-nacl</i>	121
DEXTROSE-NACL	121
DIACOMIT	20
DIASTAT ACUDIAL	20
DIASTAT PEDIATRIC	20
<i>diazepam</i>	20, 21, 54
<i>diazepam intensol</i>	54
<i>diazoxide</i>	57
<i>diclofenac potassium</i>	30
<i>diclofenac sodium</i>	8, 76, 112
<i>diclofenac sodium er</i>	8
<i>dicloxacillin sodium</i>	17
<i>dicyclomine hcl</i>	78
<i>didanosine</i>	51

DIFICID	18	doxercalciferol.....	98, 108	EMCYT	33
DIGITEK.....	69	doxy 100	19	EMEND	28
<i>digox</i>	69	<i>doxycycline hyclate</i>	19	EMGALITY	31
<i>digoxin</i>	69	<i>doxycycline monohydrate</i>	19	EMOQUETTE.....	88
DIGOXIN.....	69	DRIZALMA SPRINKLE.....	25	EMSAM	25
DIHYDROERGOTAMINE MESYLATE.....	31	dronabinol	28	<i>emtricitabine</i>	51
DILANTIN.....	23	DROSPIREN-ETH ESTRAD- LEVOMEFOL.....	88	<i>emtricitabine-tenofovir df</i>	51
<i>diltiazem cd</i>	66	<i>drospirenone-ethinyl estradiol</i> 88		EMTRIVA.....	51
<i>diltiazem hcl</i>	67	<i>droxidopa</i>	64	<i>enalapril maleate</i>	65
<i>diltiazem hcl er</i>	67	<i>duloxetine hcl</i>	25, 54	<i>enalapril-hydrochlorothiazide</i> 68	
<i>diltiazem hcl er beads</i>	66, 67	DUPIXENT	103	ENBREL.....	100, 104
<i>diltiazem hcl er coated beads</i> .67		DURAMORPH	10	ENBREL MINI	100
<i>dilt-xr</i>	67	dutasteride	81	ENBREL SURECLICK	100
DIPENTUM	107	E		<i>endocet</i>	10
<i>diphenoxylate-atropine</i>	79	econazole nitrate	28	ENDOCET	8
DIPHThERIA-TETANUS TOXOIDS DT	104	EDURANT	50	ENGERIX-B.....	104, 105
<i>dipyridamole</i>	64	efavirenz	50	<i>enoxaparin sodium</i>	62
<i>disulfiram</i>	11	<i>efavirenz-emtricitab-tenofo df</i> 51		ENPRESSE-28	88
<i>divalproex sodium</i>	21	<i>efavirenz-emtricitab-tenofov ir</i> 51		ENSKYCE.....	88
<i>divalproex sodium er</i>	21	<i>efavirenz-lamivudine-tenofov ir</i>	51	<i>entacapone</i>	43
<i>dofetilide</i>	65	ELIGARD	98	<i>entecavir</i>	48
<i>donepezil hcl</i>	24	ELINEST.....	88	ENTRESTO.....	64
<i>dorzolamide hcl</i>	111	ELIQUIS	61	<i>enulose</i>	80
<i>dorzolamide hcl-timolol mal</i> 111		ELIQUIS DVT/PE STARTER PACK	61	EPIDIOLEX	22
<i>dotti</i>	88	ELLA.....	94	<i>epinastine hcl</i>	111
DOVATO	51	ELMIRON.....	82	<i>epinephrine</i>	116, 118
<i>doxazosin mesylate</i>	64, 81	<i>eluryng</i>	88	EPITOL	23
<i>doxepin hcl</i>	27, 76			EPIVIR HBV	48
				<i>plererenone</i>	70

EPRONTIA	20	<i>etidronate disodium</i>	108	<i>fenofibrate</i>	70
ERAXIS	29	<i>etodolac</i>	9	<i>fenofibrate micronized</i>	70
<i>ergoloid mesylates</i>	24	<i>etonogestrel-ethinyl estradiol</i> .89		<i>fenoprofen calcium</i>	9
<i>ergotamine-caffeine</i>	31	<i>etravirine</i>	50	FENSOLVI.....	98
ERIVEDGE.....	38	EUCRISA.....	76	FENSOLVI (6 MONTH)	98
ERLEADA	33	EUTHYROX	95	<i>fentanyl</i>	9
<i>erlotinib hcl</i>	38	EVAMIST	89	<i>fentanyl citrate</i>	10
ERRIN	94	<i>everolimus</i>	38, 100	FETZIMA	26
<i>ertapenem sodium</i>	16	EVOTAZ.....	53	FIASP	58
ERY-TAB.....	18	<i>exel comfort point pen needle</i>	109	FIASP FLEXTOUCH	58
ERYTHROCIN		<i>exemestane</i>	36	FINACEA	76
LACTOBIONATE	18	EXKIVITY	38	<i>finasteride</i>	81
<i>erythromycin</i>	18	EXTAVIA	74	FINTEPLA	20
<i>erythromycin base</i>	18	<i>ezetimibe</i>	71	FINZALA	97
ERYTHROMYCIN		F		FIRDAPSE	74
ETHYLSUCCINATE	18	FALMINA.....	97	FIRMAGON	98
<i>erythromycin lactobionate</i>	18	<i>famciclovir</i>	49	FIRMAGON (240 MG DOSE)	98
<i>escitalopram oxalate</i>	25	<i>famotidine</i>	79	FIRVANQ	13
<i>esgc</i>	8	FANAPT	45	<i>flac</i>	113
<i>esomeprazole magnesium</i>	80	FARXIGA	55	<i>flavoxate hcl</i>	81
ESTARYLLA.....	88	FARYDAK.....	36	FLEBOGAMMA DIF	102
<i>estradiol</i>	88	FASENRA	117	<i>flecainide acetate</i>	65
<i>estradiol-norethindrone acet</i> ..89		FASENRA PEN	118	FLOVENT DISKUS	114
ESTRING	89	<i>febuxostat</i>	30	FLOVENT HFA	114
<i>estropipate</i>	89	<i>felbamate</i>	22	<i>fluconazole</i>	29
<i>eszopiclone</i>	119	<i>felodipine er</i>	67	<i>fluconazole in dextrose</i>	29
<i>ethacrylic acid</i>	69	FEMRING	89	<i>fluconazole in sodium chloride</i>	29
<i>ethambutol hcl</i>	32	FEMYNOR	89	<i>flucytosine</i>	29
<i>ethosuximide</i>	21				
<i>ethynodiol diac-eth estradiol</i> ..94					

<i>fludrocortisone acetate</i>	83	FOTIVDA	38	GLATOPA	74
<i>flunisolide</i>	114	FRAGMIN	62	GLEOSTINE	34
<i>fluocinolone acetonide</i>	83	<i>frovatriptan succinate</i>	31	<i>glimepiride</i>	55
<i>fluocinolone acetonide body</i>	83	<i>furosemide</i>	70	<i>glipizide</i>	55, 56
<i>fluocinolone acetonide scalp</i>	83	FUZEON	52	<i>glipizide er</i>	55
<i>fluocinonide</i>	84	<i>fyavolv</i>	89	<i>glipizide-metformin hcl</i>	57
<i>fluocinonide emulsified base</i>	84	FYCOMPA	23	<i>global alcohol prep ease</i>	109
<i>fluocinonide-e</i>	84	G		GLUCAGON EMERGENCY	57
<i>fluorometholone</i>	112	<i>gabapentin</i>	22	<i>glucose</i>	121
<i>fluorouracil</i>	76	<i>galantamine hydrobromide</i>	24	<i>glycopyrrolate</i>	78
<i>fluoxetine hcl</i>	26	<i>galantamine hydrobromide er</i>	24	<i>glydo</i>	10
<i>fluphenazine decanoate</i>	44	GAMUNEX-C	102	GOLYTELY	80
<i>fluphenazine hcl</i>	44	GARDASIL 9	105	<i>granisetron hcl</i>	28
<i>flurazepam hcl</i>	119	<i>gatifloxacin</i>	18	<i>griseofulvin microsize</i>	29
<i>flurbiprofen</i>	9	GATTEX	79	<i>guanfacine hcl</i>	64
<i>flurbiprofen sodium</i>	112	GAVILYTE-C	80	<i>guanfacine hcl er</i>	73
<i>flutamide</i>	33	GAVILYTE-G	80	<i>guanidine hcl</i>	32
<i>fluticasone propionate</i>	84, 114	GAVILYTE-N WITH FLAVOR PACK	80	GVOKE HYPOPEN 1-PACK	58
FLUTICASONE- SALMETEROL	114	GAVRETO	34	GVOKE HYPOPEN 2-PACK	58
<i>fluvoxamine maleate</i>	26	gefitinib	38	GVOKE KIT	58
FML	112	<i>gemfibrozil</i>	70	GVOKE PFS	58
FML FORTE	112	<i>generlac</i>	80	H	
<i>fondaparinux sodium</i>	62	GENGRAF	100	HAILEY 1.5/30	89
FORTEO	109	GENTAK	12	HAILEY FE 1.5/30	89
<i>fosamprenavir calcium</i>	53	<i>gentamicin sulfate</i>	12	HAILEY FE 1/20	89
<i>fosfomycin tromethamine</i>	13	GENVOYA	49	<i>halobetasol propionate</i>	84
<i>fosinopril sodium</i>	65	GIANVI	89	HALOETTE	89
<i>fosinopril sodium-hctz</i>	68	GILOTrif	38	<i>haloperidol</i>	44
				<i>haloperidol decanoate</i>	44, 45

<i>haloperidol lactate</i>	44	<i>icosapent ethyl</i>	71
HAVRIX	105	IDHIFA	36
HEATHER	94	<i>imatinib mesylate</i>	39
<i>heparin sodium (porcine)</i>	62	IMBRUVICA	39
HEPLISAV-B	105	<i>imipenem-cilastatin</i>	16
HEXALEN	32	<i>imipramine hcl</i>	27
HIBERIX	105	<i>imiquimod</i>	76
HUMALOG JUNIOR KWIKPEN	58	IMOVAX RABIES	105
HUMALOG MIX 50/50	58	<i>incassia</i>	94
HUMALOG MIX 50/50 KWIKPEN	58	INCRELEX	85
HUMALOG MIX 75/25	58	<i>indapamide</i>	70
HUMALOG MIX 75/25 KWIKPEN	58	INFANRIX	105
HUMIRA	101	INLYTA	39
HUMIRA PEDIATRIC CROHNS START	100	INQOVI	33
HUMIRA PEN	101	INREBIC	39
HUMIRA PEN-CD/UC/HS STARTER	101	INSULIN LISPRO	59
HUMIRA PEN-PEDIATRIC UC START	104	INSULIN LISPRO (1 UNIT DIAL)	59
HUMIRA PEN-PS/UV/ADOL HS START	101	INSULIN LISPRO JUNIOR KWIKPEN	59
HUMIRA PEN-PSOR/UVEIT STARTER	101	INSULIN LISPRO PROT & LISPRO	59
HUMULIN 70/30	59	INTELENCE	50
HUMULIN 70/30 KWIKPEN	59	INTRALIPID	121
HUMULIN N	59	INTRON A	48, 49
HUMULIN N KWIKPEN	59	INTROVALE	89
HUMULIN R	59	INVEGA HAFYERA	48
		INVEGA SUSTENNA	45, 46
		INVEGA TRINZA	46
		INVIRASE	53

INVOKAMET	56	JAYPIRCA	39	KISQALI (200 MG DOSE)	36
INVOKAMET XR	56	JENCYCLA	94	KISQALI (400 MG DOSE)	36
INVOKANA	56	<i>jevantique lo</i>	89	KISQALI (600 MG DOSE)	36
IPOP	105	<i>jinteli</i>	89	KISQALI 200 DOSE	36
<i>ipratropium bromide</i>	115	JOLESSA	89	KISQALI 400 DOSE	36
<i>ipratropium-albuterol</i>	118	JOLIVETTE	94	KISQALI 600 DOSE	37
<i>irbesartan</i>	64	JULEBER	89	KISQALI FEMARA (200 MG DOSE)	37
<i>irbesartan-hydrochlorothiazide</i>	70	JULUCA	51	KISQALI FEMARA (400 MG DOSE)	37
ISENTRESS	50	JUNEL 1.5/30	89	KISQALI FEMARA (600 MG DOSE)	37
ISENTRESS HD	50	JUNEL 1/20	89	KLARITY-A	18
<i>isibloom</i>	94	JUNEL FE 1.5/30	89	<i>klor-con</i>	120
<i>isoniazid</i>	32	JUNEL FE 1/20	89	KLOR-CON	120
<i>isosorbide dinitrate</i>	72	JUXTAPID	71	KLOR-CON 10	120
<i>isosorbide dinitrate er</i>	72	JYNNEOS	105	KLOR-CON M10	120
<i>isosorbide mononitrate</i>	72	K		KLOR-CON M20	120
<i>isosorbide mononitrate er</i>	72	KALLIGA	90	KLOR-CON SPRINKLE	120
<i>isotretinoin</i>	77	KALYDECO	116	KORLYM	58
<i>isradipine</i>	67	KARIVA	90	KOSELUGO	39
<i>itraconazole</i>	29	<i>kcl in d5w lactated ringers</i>	120	KRAZATI	35
<i>ivermectin</i>	42, 77	<i>kcl in dextrose-nacl</i>	122	<i>kristalose</i>	80
IXIARO	105	KELNOR 1/35	90	K-TAB	120
J		KERENDIA	70	KURVELO	90
JAKAFI	39	<i>ketoconazole</i>	29	L	
JANTOVEN	62	<i>ketoprofen</i>	9	<i>labetalol hcl</i>	66
JANUMET	57	<i>ketorolac tromethamine</i>	112	<i>lacosamide</i>	23
JANUMET XR	57	KIMIDESS	90	LACRISERT	110
JANUVIA	56	KINERET	101	<i>lactulose</i>	80
JASMIEL	89	KINRIX	105		
		<i>kionex</i>	119		

<i>lactulose encephalopathy</i>	80	LESSINA	90	<i>lidocaine viscous hcl</i>	10
<i>lamivudine</i>	51	<i>letrozole</i>	36	<i>lidocaine-prilocaine</i>	10
<i>lamivudine-zidovudine</i>	51	<i>leucovorin calcium</i>	35	<i>lillow</i>	90
<i>lamotrigine</i>	23	LEUKERAN	32	<i>lindane</i>	42
<i>lansoprazole</i>	80	LEUKINE	63	<i>linezolid</i>	13
<i>lanthanum carbonate</i>	82	<i>leuprolide acetate</i>	98	LINZESS	79
<i>lapatinib ditosylate</i>	39	LEVALBUTEROL		<i>liothyronine sodium</i>	96
LARIN 1.5/30	90	TARTRATE	116	<i>lisdexamfetamine dimesylate</i>	73
LARIN 1/20	90	LEVEMIR	59	<i>lisinopril</i>	65
LARIN FE 1.5/30	90	LEVEMIR FLEXPEN	59	<i>lisinopril-hydrochlorothiazide</i>	68
LARIN FE 1/20	90	LEVEMIR FLEXTOUCH	59	LITHIUM	55
LARISSIA	90	<i>levetiracetam</i>	20	<i>lithium carbonate</i>	55
<i>latanoprost</i>	112	<i>levobunolol hcl</i>	111	<i>lithium carbonate er</i>	55
LEENA	90	<i>levocetirizine dihydrochloride</i>		LOJAIMIESS	90
<i>leflunomide</i>	103	113	LONSURF	34
<i>lenalidomide</i>	33, 35	<i>levofloxacin</i>	19	<i>loperamide hcl</i>	79
LENVIMA (10 MG DAILY DOSE)	39	<i>levofloxacin in d5w</i>	19	<i>lopinavir-ritonavir</i>	53
LENVIMA (12 MG DAILY DOSE)	39	LEVONEST	97	<i>lopreeza</i>	94
LENVIMA (14 MG DAILY DOSE)	39	<i>levonorgest-eth estrad 91-day</i>	90	<i>lorazepam</i>	54
LENVIMA (18 MG DAILY DOSE)	39	<i>levonorgestrel-ethinyl estrad.</i>	90	LORBRENA	40
LENVIMA (20 MG DAILY DOSE)	39	<i>levonorg-eth estrad triphasic</i>	.90	LORCET	8
LENVIMA (24 MG DAILY DOSE)	39	LEVORA 0.15/30 (28)	90	LORCET HD	10
LENVIMA (4 MG DAILY DOSE)	40	LEVO-T	95	LORCET PLUS	8
LENVIMA (8 MG DAILY DOSE)	40	<i>levothyroxine sodium</i>	96	LORTAB	8, 10
		LEVOHYROXINE-LIOTHYRONINE	96	LORYNA	90
		LEVOXYL	96	<i>losartan potassium</i>	64
		LEXIVA	53	<i>losartan potassium-hctz</i>	68
		<i>lidocaine</i>	10	<i>loteprednol etabonate</i>	112
		<i>lidocaine hcl</i>	10	<i>lovastatin</i>	71

LOW-OGESTREL	90	LYZA	94	<i>metformin hcl</i>	56
<i>loxapine succinate</i>	44	M		<i>metformin hcl er</i>	56
LO-ZUMANDIMINE	90	<i>magnesium sulfate</i>	120	<i>methadone hcl</i>	9
<i>lubiprostone</i>	79	<i>malathion</i>	43	<i>methazolamide</i>	69
LUMAKRAS	35	<i>maprotiline hcl</i>	25	<i>methimazole</i>	99
LUMIGAN	112	<i>maraviroc</i>	52	<i>methotrexate</i>	101
LUPRON DEPOT (1-MONTH)	98	MARLISSA	91	<i>methotrexate sodium</i>	101, 104
LUPRON DEPOT (3-MONTH)	98	MARPLAN	25	<i>methotrexate sodium (pf)</i>	101
LUPRON DEPOT (4-MONTH)	98	MATULANE	32	<i>methoxsalen rapid</i>	77
LUPRON DEPOT (6-MONTH)	98	MAVYRET	49	<i>methsuximide</i>	21
LUPRON DEPOT-PED (1-MONTH)	98	<i>meclizine hcl</i>	27	<i>methyclothiazide</i>	70
LUPRON DEPOT-PED (3-MONTH)	98	<i>medroxyprogesterone acetate</i>	94	<i>methylphenidate hcl</i>	73
LUPRON DEPOT-PED (6-MONTH)	99	<i>mefloquine hcl</i>	42	<i>methylphenidate hcl er</i>	73
<i>lurasidone hcl</i>	46	<i>megestrol acetate</i>	94	<i>methylphenidate hcl er (cd)</i>	73
LUTERA	90	MEKINIST	40	<i>methylphenidate hcl er (osm)</i>	73
LYBALVI	55	MEKTOVI	40	<i>methylprednisolone</i>	84
LYLEQ	97	<i>meloxicam</i>	9	<i>metipranolol</i>	111
LYLLANA	97	<i>memantine hcl</i>	24	<i>metoclopramide hcl</i>	79
LYNPARZA	34	MENACTRA	105	<i>metolazone</i>	70
LYSODREN	97	MENEST	91	<i>metoprolol succinate er</i>	66
LYTGOBI (12 MG DAILY DOSE)	40	MENOMUNE	105	<i>metoprolol tartrate</i>	66
LYTGOBI (16 MG DAILY DOSE)	40	MENQUADFI	105	<i>metoprolol-hydrochlorothiazide</i>	68
LYTGOBI (20 MG DAILY DOSE)	40	MENVEO	106	<i>metronidazole</i>	13
		<i>mercaptopurine</i>	101	<i>metronidazole in nacl</i>	13
		<i>meropenem</i>	16	<i>metyrosine</i>	68
		<i>mesalamine</i>	108	<i>mexiletine hcl</i>	65
		<i>mesalamine er</i>	108	MIBELAS 24 FE	97
		MESNEX	34	MICROGESTIN 1.5/30	91
		<i>metaproterenol sulfate</i>	116		

MICROGESTIN 1/20	91	MOVANTIK	79	<i>neomycin-bacitracin zn-polymyx</i>	
<i>microgestin 24 fe</i>	91	<i>moxifloxacin hcl</i>	19	110
MICROGESTIN FE 1.5/30....	91	MULTAQ	65	<i>neomycin-polymyxin-dexameth</i>	
MICROGESTIN FE 1/20.....	91	<i>mupirocin</i>	13	110
<i>midodrine hcl</i>	64	<i>mycophenolate mofetil</i>	101	<i>neomycin-polymyxin-gramicidin</i>	
<i> miglustat</i>	78	<i>mycophenolate sodium</i>	101	110
MILI	91	<i>myorisan</i>	77	<i>neomycin-polymyxin-hc</i> 110, 113	
<i>mimvey</i>	91	MYRBETRIQ	81	<i>neo-polycin</i>	110
<i>mimvey lo</i>	91	N		<i>neo-polycin hc</i>	110
MINITRAN	72	<i>nabumetone</i>	9	NERLYNX	40
<i>minocycline hcl</i>	19, 20	<i>nadolol</i>	66	NEUPRO	43
<i> minoxidil</i>	72	<i>nafcillin sodium</i>	17	<i>nevirapine</i>	50
<i> mirtazapine</i>	25	<i>naloxone hcl</i>	11	<i>nevirapine er</i>	50
<i> misoprostol</i>	80	<i>naltrexone hcl</i>	11	<i>niacin er (antihyperlipidemic)</i> 71	
M-M-R II.....	106	<i>naproxen</i>	9	<i>nicardipine hcl</i>	67
MODERIBA.....	49	<i>naproxen dr</i>	9	NICOTROL	11
<i> moexipril hcl</i>	65	<i>naproxen sodium</i>	9	NICOTROL NS	11
<i> moexipril-hydrochlorothiazide</i>	68	<i>naratriptan hcl</i>	31	<i>nifedipine er</i>	67
<i> molindone hcl</i>	44	NATACYN	29	<i>nifedipine er osmotic release</i> ..67	
<i> molnupiravir</i>	54	<i>nateglinide</i>	56	NIKKI.....	91
<i> mometasone furoate</i>	84, 114	NATPARA	109	<i>nilutamide</i>	33
<i> mondoxyne nl</i>	20	NAYZILAM.....	22	<i>nimodipine</i>	67
MONO-LINYAH.....	91	<i>nebivolol hcl</i>	66	NINLARO	34
<i> montelukast sodium</i>	115	NECON 0.5/35 (28)	94	NISOLDIPINE ER	67
<i> morgidox</i>	20	NECON 1/50 (28)	91	<i>nitazoxanide</i>	42
MORPHINE SULFATE	9, 10	NECON 7/7/7	91	<i>nitisinone</i>	78
<i> morphine sulfate (pf)</i>	10	<i> nefazodone hcl</i>	25	NITRO-BID.....	72
<i> morphine sulfate er</i>	9	<i> neomycin sulfate</i>	12	<i> nitrofurantoin</i>	13

<i>nitroglycerin</i>	72	NOVOLIN N	60	NYAMYC	29
<i>nizatidine</i>	79	NOVOLIN N FLEXPEN	60	NYATA	29
NORA-BE	94	NOVOLIN N FLEXPEN RELION	60	NYLIA 1/35	92
<i>norethin ace-eth estrad-fe</i>	91, 97	NOVOLIN N RELION	60	NYLIA 7/7/7	97
<i>norethindrone</i>	95	NOVOLIN R	60	NYMYO	97
<i>norethindrone acetate</i>	95	NOVOLIN R FLEXPEN	60	<i>nystatin</i>	29
<i>norethindrone acet-ethinyl est</i>	91	NOVOLIN R FLEXPEN RELION	60	<i>nystatin-triamcinolone</i>	77
<i>norethindrone-eth estradiol</i>	91	NOVOLIN R RELION	60	NYSTOP	29
<i>norethindron-ethinyl estrad-fe</i>	97	NOVOLOG	60	O	
<i>norgestimate-eth estradiol</i>	91	NOVOLOG 70/30 FLEXPEN RELION	60	OCELLA	92
<i>norgestim-eth estrad triphasic</i>	91	NOVOLOG FLEXPEN	60	OCREVUS	74
NORLYDA	95	NOVOLOG FLEXPEN RELION	60	<i>octreotide acetate</i>	99
NORLYROC	95	NOVOLOG MIX 70/30	61	ODEFSEY	51
NORTREL 0.5/35 (28)	95	NOVOLOG MIX 70/30 FLEXPEN	61	ODOMZO	40
NORTREL 1/35 (21)	91	NOVOLOG MIX 70/30 RELION	61	OFEV	118
NORTREL 1/35 (28)	92	NOVOLOG PENFILL	61	<i>ofloxacin</i>	19
NORTREL 7/7/7	92	NOVOLOG RELION	61	OJJAARA	35
<i>nortriptyline hcl</i>	27	<i>novotwist</i>	61	<i>okebo</i>	20
NORTRIPTYLINE HCL	27	<i>novotwist pen needle</i>	61	<i>olanzapine</i>	46
NORVIR	53	NOXAFIL	29	<i>olmesartan medoxomil</i>	64
<i>novofine</i>	59	NP THYROID	96	<i>olmesartan medoxomil-hctz</i>	64
<i>novofine pen needle</i>	59	NUBEQA	33	<i>olopatadine hcl</i>	111
<i>novofine plus</i>	59	NUEDEXTA	74	<i>omega-3-acid ethyl esters</i>	71
<i>novofine plus pen needle</i>	59	NUPLAZID	46	<i>omeprazole</i>	81
NOVOLIN 70/30	60	<i>nutrilipid</i>	122	<i>omeprazole magnesium</i>	80
NOVOLIN 70/30 FLEXPEN	60			OMNIPOD 5 G6 INTRO (GEN 5)	109
NOVOLIN 70/30 FLEXPEN RELION	60			OMNIPOD 5 G6 POD (GEN 5)	
NOVOLIN 70/30 RELION	60				109

OMNIPOD DASH PODS (GEN 4).....	109
OMNITROPE.....	85
<i>ondansetron</i>	28
<i>ondansetron hcl</i>	28
ONUREG	34
OPSUMIT	117
<i>oralone</i>	75
ORENCIA	102
ORENCIA CLICKJECT	101
ORGOVYX	35
ORKAMBI.....	116
<i>orphenadrine citrate er</i>	119
ORSERDU	33
ORSYTHIA.....	92
<i>oseltamivir phosphate</i>	53
OSPHENA	95
OTEZLA	102
<i>oxandrolone</i>	86
<i>oxaprozin</i>	9
<i>oxcarbazepine</i>	23
<i>oxybutynin chloride</i>	81
<i>oxybutynin chloride er</i>	81
<i>oxycodone hcl</i>	10
<i>oxycodone-acetaminophen</i> .8, 10	
<i>oxymorphone hcl er</i>	9
OZEMPIC (0.25 OR 0.5 MG/DOSE).....	56
OZEMPIC (1 MG/DOSE).....	56
OZEMPIC (2 MG/DOSE).....	56

P	
PACERONE.....	65
<i>paliperidone er</i>	46
PANCREAZE	78
PANRETIN	42
<i>pantoprazole sodium</i>	81
<i>paricalcitol</i>	109
<i>paroex</i>	75
<i>paromomycin sulfate</i>	12
<i>paroxetine hcl</i>	26, 54
<i>paroxetine hcl er</i>	26
PASER.....	32
PAXIL	26
PAXLOVID (150/100).....	54
PAXLOVID (300/100).....	54
PEDIARIX	106
PEDVAX HIB	106
<i>peg 3350/electrolytes</i>	80
<i>peg 3350-kcl-na bicarb-nacl</i> ..	80
<i>peg-3350/electrolytes</i>	80
PEGANONE	23
PEGASYS	49
PEGASYS PROCLICK	49
PEMAZYRE	40
<i>penciclovir</i>	49
<i>penicillamine</i>	82
<i>penicillin g potassium</i>	17
<i>penicillin v potassium</i>	17
PENTACEL.....	106
<i>pentamidine isethionate</i>	42
PENTASA	108
<i>pentoxifylline er</i>	69
PERIOGARD	75
<i>permethrin</i>	43
<i>perphenazine</i>	44
PERSERIS	46
PHENADOZ.....	27
<i>phenelzine sulfate</i>	25
PHENERGAN	27
<i>phenobarbital</i>	22
<i>phenytoin</i>	23
<i>phenytoin sodium extended</i>	23
PHILITH.....	95
PHOSPHOLINE IODIDE	111
PIFELTRO	50
<i>pilocarpine hcl</i>	75, 112
<i>pimozide</i>	44
PIMTREA.....	92
<i>pindolol</i>	66
<i>pioglitazone hcl</i>	56
<i>pioglitazone hcl-glimepiride</i> ..	57
<i>pioglitazone hcl-metformin hcl</i>	57
<i>piperacillin sod-tazobactam so</i>	17
PIQRAY (200 MG DAILY DOSE)	37
PIQRAY (250 MG DAILY DOSE)	37

PIQRAY (300 MG DAILY DOSE)	37
pirfenidone	118
PIRMELLA 1/35.....	92
PIRMELLA 7/7/7.....	92
piroxicam.....	9
PLENAMINE.....	120
podofilox.....	77
polycin	111
polymyxin b sulfate	14
polymyxin b-trimethoprim ...	110
POMALYST	33
PORTIA-28	92
posaconazole	29
potassium chloride	120, 121
potassium chloride crys er ...	120
potassium chloride er...	120, 121
potassium citrate er.....	82
PRADAXA.....	62
pramipexole dihydrochloride .	43
prasugrel hcl	64
pravastatin sodium	71
praziquantel.....	42
prazosin hcl	64
prednisolone	84
PREDNISOLONE ACETATE	112
prednisolone sodium phosphate	84, 85, 112
prednisone	85, 108
PREDNISONE INTENSOL...85 <i>preferred plus insulin syringe</i>	109
PREFEST	92
pregabalin	21
pregabalin er	21
prehevbrio	106
PREMARIN	92
PREMPHASE	92
PREMPRO	92
PRENATAL	122
PREVALITE	71
PREVIFEM	92
PREVYMIS	48
PREZCOBIX.....	53
PREZISTA	53
PRIFTIN	32
PRIMAQUINE PHOSPHATE	42
primidone.....	22
PRIORIX	106
PROAIR RESPICLICK	116
probencid	30
prochlorperazine	27
prochlorperazine maleate.....	44
PROCTOFOAM HC	85
procto-med hc	30, 108
PROCTO-PAK.....	30, 85
PROCTOSOL HC	108
PROCTOZONE-HC.....	108
PROFENO	9
progesterone	95
progesterone micronized	95
PROGRAF	102
PROLASTIN-C	117
PROLIA.....	109
PROMACTA	63
promethazine hcl	27, 113
PROMETHEGAN	27
propafenone hcl	65
propranolol hcl.....	66
propranolol hcl er.....	66
propranolol-hctz.....	68
propylthiouracil	99
PROQUAD.....	106
protriptyline hcl	27
PRUDOXIN	77
PULMICORT FLEXHALER	114
PULMOZYME.....	116, 118
PURIXAN	34
pyrazinamide	32
pyridostigmine bromide.....	32
pyrimethamine	42
Q	
QINLOCK	40
QUADRACEL	106
quetiapine fumarate.....	46, 47
quinapril hcl	65

<i>quinapril-hydrochlorothiazide</i>	68	<i>repaglinide-metformin hcl</i>	57	<i>rivastigmine</i>	24
<i>quinidine gluconate er</i>	65	REPATHA	71	<i>rivastigmine tartrate</i>	24
<i>quinidine sulfate</i>	65	REPATHA PUSHTRONEX SYSTEM	69	<i>rizatriptan benzoate</i>	31
<i>quinine sulfate</i>	42	REPATHA SURECLICK	71	<i>roflumilast</i>	117
QVAR	114	RESCRIPTOR	50	<i>ropinirole hcl</i>	43
QVAR REDIHALER	114	RESTASIS MULTIDOSE	111	<i>rosadan</i>	14
R		RETACRIT	61, 63	<i>rosuvastatin calcium</i>	71
RABAVERT	106	RETEVMO	35	ROTARIX	106
<i>rabeprazole sodium</i>	81	REVLIMID	33, 35	ROTATEQ	106
<i>raloxifene hcl</i>	95	REXULTI	47	ROWEEPRA	20
<i>ramelteon</i>	119	REYATAZ	53	ROZLYTREK	40
<i>ramipril</i>	65	REYVOW	31	RUBRACA	35
<i>ranolazine er</i>	69	REZLIDHIA	37	<i>rufinamide</i>	23, 24
<i>rasagiline mesylate</i>	44	RHOPRESSA	111	RUKOBIA	52
RAVICTI	78	RIBASPHERE	49	RYBELSUS	56
REBIF	75	<i>ribavirin</i>	49, 117	RYDAPT	40
REBIF REBIDOSE	74	RIDAURA	103	S	
REBIF REBIDOSE TITRATION PACK	75	<i>rifabutin</i>	32	SAJAZIR	99
REBIF TITRATION PACK	75	<i>rifampin</i>	32	SANDIMMUNE	102
RECLIPSEN	92	RIFATER	32	SANTYL	77
RECOMBIVAX HB	106	<i>riluzole</i>	74	<i>sapropterin dihydrochloride</i>	78
RECTIV	72	<i>rimantadine hcl</i>	53	SCEMBLIX	40
REGRANEX	77	RINVOQ	103	<i>scopolamine</i>	28
RELENZA DISKHALER	53	<i>risedronate sodium</i>	109	SECUADO	47
<i>reli-on insulin syringe</i>	109	RISPERDAL CONSTA	47	<i>selegiline hcl</i>	44
RELISTOR	79	<i>risperidone</i>	47	<i>selenium sulfide</i>	77
RENFLEXIS	102	<i>risperidone m-tab</i>	47	SELZENTRY	52
<i>repaglinide</i>	56	<i>ritonavir</i>	53	SEREVENT DISKUS	116
				<i>sertraline hcl</i>	26

SETLAKIN	92	SPIRIVA RESPIMAT.....	115	SYLATRON.....	35
<i>sevelamer carbonate</i>	82	<i>spironolactone</i>	70	SYMBICORT.....	118
SHAROBEL.....	95	<i>spironolactone-hctz</i>	68	SYMDEKO	116
SHINGRIX.....	107	SPRINTEC 28	92	SYMJEPI.....	116
SIGNIFOR	99	SPRITAM.....	20	SYMLINPEN 120	56
SIKLOS.....	34	SPRYCEL	40	SYMLINPEN 60	56
<i>sildenafil citrate</i>	117	SPS	120	SYMPAZAN	22
<i>silver sulfadiazine</i>	19	SRONYX.....	92	SYMTUZA	50
SIMBRINZA	111	SSD.....	19	SYNAREL.....	99
SIMLIYA	82	STELARA	77	SYNRIBO.....	35
<i>simvastatin</i>	71	STIOLTO RESPIMAT.....	117	SYNTROID	96
<i>sirolimus</i>	102	STIVARGA.....	40	T	
SIRTURO	32	STRENSIQ.....	78	TABLOID.....	34
SKLICE	43	<i>streptomycin sulfate</i>	12	TABRECTA	41
SKYRIZI	103	STRIBILD	50	<i>tacrolimus</i>	77, 102
SKYRIZI (150 MG DOSE)..	103	<i>sucralfate</i>	80	<i>tadalafil (pah)</i>	117
SKYRIZI PEN.....	103	<i>sulfacetamide sodium</i>	19	TAFINLAR	41
<i>sodium chloride</i>	121	<i>sulfadiazine</i>	19	TAGRISSO.....	41
<i>sodium phenylbutyrate</i>	78, 82	<i>sulfamethoxazole-trimethoprim</i>	19	TAKHZYRO	99, 100
<i>sodium polystyrene sulfonate</i>	120	<i>sulfasalazine</i>	108	TALZENNA	34
<i>sofosbuvir-velpatasvir</i>	49	<i>sulfatrim pediatric</i>	19	<i>tamoxifen citrate</i>	33
<i>solifenacin succinate</i>	81	<i>sulindac</i>	9	<i>tamsulosin hcl</i>	81
SOLTAMOX.....	33	<i>sumatriptan</i>	31	TARINA 24 FE	92
SOMAVERT	99	<i>sumatriptan succinate</i>	31	TARINA FE 1/20	92
<i>sorafenib tosylate</i>	40	<i>sumatriptan succinate refill</i>	31	TARINA FE 1/20 EQ	92
SORINE	65	<i>sunitinib malate</i>	41	TASIGNA.....	41
<i>sotalol hcl</i>	65	SUNLENCA.....	52	<i>tasimelteon</i>	119
<i>sotalol hcl (af)</i>	65	SYEDA.....	92	<i>tazarotene</i>	77
SPIRIVA HANDIHALER ...	115			TAZICEF.....	16

TAZORAC	77	<i>tiagabine hcl</i>	22	<i>tranylcypromine sulfate</i>	25
<i>taztia xt</i>	67	TIBSOVO	37	<i>travoprost (bak free)</i>	112
TAZVERIK	41	TICOVAC	107	<i>trazodone hcl</i>	25
TDVAX	107	<i>tigecycline</i>	14	TRECATOR	32
TEFLARO	16	TIGLUTIK	74	TRELEGY ELLIPTA	117
<i>temazepam</i>	119	TILIA FE	97	TRESIBA	61
TEMIXYS	51	<i>timolol maleate</i>	66, 112	TRESIBA FLEXTOUCH	61
TENIVAC	107	<i>timolol maleate (once-daily)</i>	111	<i>tretinoin</i>	42, 77
<i>tenofovir disoproxil fumarate</i>	51	<i>tiopronin</i>	82	<i>triamcinolone acetonide</i>	75, 85
TEPMETKO	41	TIVICAY	50	<i>triamterene</i>	70
<i>terazosin hcl</i>	81	TIVICAY PD	50	<i>triamterene-hctz</i>	69
<i>terbinafine hcl</i>	29	<i>tizanidine hcl</i>	48	<i>triazolam</i>	54
<i>terbutaline sulfate</i>	116	TOBRADEX	12	<i>triderm</i>	85
<i>terconazole</i>	30	<i>tobramycin</i>	12	TRIDERM	85
<i>teriflunomide</i>	75	<i>tobramycin sulfate</i>	12	<i>trientine hcl</i>	122
<i>teriparatide (recombinant)</i>	109	<i>tobramycin-dexamethasone</i>	110	TRI-ESTARYLLA	93
<i>testosterone</i>	86, 97	<i>tolbutamide</i>	56	<i>trifluoperazine hcl</i>	45
<i>testosterone cypionate</i>	86, 97	<i>tolcapone</i>	43	<i>trifluridine</i>	49
<i>testosterone enanthate</i>	86	<i>tolterodine tartrate</i>	81	<i>trihexyphenidyl hcl</i>	43
TETANUS-DIPHTHERIA TOXOIDS TD	107	<i>tolterodine tartrate er</i>	81	<i>triklo</i>	71
<i>tetrabenazine</i>	74	<i>topiramate</i>	23	TRI-LEGEST FE	93
<i>tetracycline hcl</i>	20	<i>toremifene citrate</i>	33	TRI-LINYAH	93
THALOMID	33	<i>torsemide</i>	70	TRILYTE	80
<i>theophylline er</i>	117	<i>tovet</i>	85	<i>trimethoprim</i>	14
<i>thioridazine hcl</i>	45	TPN ELECTROLYTES	122	TRI-MILI	93
<i>thiothixene</i>	45	TRADJENTA	57	<i>trimipramine maleate</i>	27
<i>thyroid</i>	94, 96	<i>tramadol hcl</i>	10	TRINTELLIX	26
<i>tiadylt er</i>	67	<i>tramadol hcl er</i>	10	TRI-NYMYO	97
		<i>tranexamic acid</i>	63	TRI-PREVIFEM	93

TRI-SPRINTEC	93
TRIUMEQ.....	52
TRIUMEQ PD.....	52
TRIVORA (28)	93
TRI-VYLIBRA	93
TRIZIVIR.....	51
<i>trospium chloride</i>	81
<i>trospium chloride er</i>	81
TRULICITY.....	57
TRUMENBA	107
TRUSELTIQ (100MG DAILY DOSE).....	41
TRUSELTIQ (125MG DAILY DOSE).....	41
TRUSELTIQ (50MG DAILY DOSE).....	41
TRUSELTIQ (75MG DAILY DOSE).....	41
TUDORZA PRESSAIR	115
TUKYSA.....	35
TULANA	95
TURALIO	41
TWINRIX.....	107
TYBLUME.....	93
TYBOST	52
TYMLOS	109
TYPHIM VI	107
U	
UDENYCA	63
UKONIQ.....	41
UNITROID.....	96
UPTRAVI.....	69
<i>ursodiol</i>	79
UVADEX	77
V	
<i>valacyclovir hcl</i>	49
VALCHLOR	32
<i>valganciclovir hcl</i>	48
<i>valproate sodium</i>	22
<i>valproic acid</i>	22
<i>valsartan</i>	64
<i>valsartan-hydrochlorothiazide</i>	69
VALTOCO 10 MG DOSE....	22
VALTOCO 15 MG DOSE....	22
VALTOCO 20 MG DOSE....	22
VALTOCO 5 MG DOSE....	22
<i>vancomycin hcl</i>	14
VANDAZOLE	14
VANFLYTA	41
VAQTA	107
<i>varenicline tartrate</i>	11, 12
<i>varenicline tartrate (starter)</i> ..	12
VARIVAX.....	107
VELIVET	93
VENCLEXTA	34
VENCLEXTA STARTING PACK	34
<i>venlafaxine hcl</i>	26
<i>venlafaxine hcl er</i>	26
VENTAVIS	117
VENTOLIN HFA.....	116
<i>verapamil hcl</i>	67
<i>verapamil hcl er</i>	67
VERSACLOZ.....	48
VERZENIO	37
VESTURA.....	93
VICTOZA.....	57
VIDEX.....	52
VIDEX EC.....	52
VIENVA.....	93
<i>vigabatrin</i>	22
<i>vigadrone</i>	22
VIIBRYD STARTER PACK.	26
<i>vilazodone hcl</i>	26
VIRACEPT.....	53
VIREAD	52
VITRAKVI.....	37
VIZIMPRO.....	41
VOLNEA.....	93
VONJO	41
<i>voriconazole</i>	30
VOTRIENT	41
VRAYLAR	47
VYFEMLA.....	95
VYLIBRA	93
VYNDAQEL.....	86
VYVANSE	73
W	
<i>warfarin sodium</i>	63

WELIREG	35	ZEJULA	34
WERA	95	ZELBORAF	41
<i>wixela inh</i>	115, 118	<i>zenatane</i>	77
X		ZENCHENT	95
XALKORI.....	41	ZERIT	52
XARELTO	63	<i>zidovudine</i>	52
XARELTO STARTER PACK	63	<i>zileuton er</i>	115
XATMEP	102	<i>ziprasidone hcl</i>	47
XCOPRI	20, 21	<i>ziprasidone mesylate</i>	47
XCOPRI (250 MG DAILY DOSE).....	20	ZIRGAN	48
XCOPRI (350 MG DAILY DOSE).....	20	ZOLINZA	37
XELJANZ	102	<i>zolmitriptan</i>	31
XELJANZ XR	102	<i>zolpidem tartrate</i>	119
XERMELO.....	79	<i>zolpidem tartrate er</i>	119
XGEVA.....	109	ZONISADE	21
XIFAXAN.....	14	<i>zonisamide</i>	21
XIGDUO XR.....	57	ZOSTAVAX.....	107
XiIDRA.....	112	ZOVIA 1/35E (28)	93
XOLAIR.....	118	ZTALMY	22
XOSPATA	37	ZUMANDIMINE	93
XPOVIO (100 MG ONCE WEEKLY).....	35	ZYDELIG	37
		ZYKADIA	42
		ZYPREXA RELPREVV	47

Notice of Nondiscrimination and Accessibility

Discrimination is Against the Law

Presbyterian Healthcare Services is committed to equitable healthcare and exists to improve the health of patients, members and the communities we serve. We value diversity and inclusion and strive to treat all individuals with respect. We do not discriminate on the basis of race; color; ancestry; national origin (including limited English proficiency); citizenship; religion; sex (including pregnancy, childbirth or related medical conditions); marital status; sexual orientation; gender identity or expression; veteran status; military status; family care or medical leave status; age; physical or mental disability; medical condition; genetic information; ability to pay; or any other protected status. Presbyterian will provide reasonable accommodations and language access services for our patients, members, and workforce.

Presbyterian Healthcare Services:

- Provides free aids and services to people with disabilities to communicate effectively with use, such as:
 - Qualified sign language interpreters
 - Written information in other formats (large print, audio, accessible electronic formats, other formats)
- Provides free language services to people whose primary language is not English, such as:
 - Qualified interpreters
 - Information written in other languages

If you need these services, contact the Presbyterian Customer Service Center at (505) 923-5420, 1-855-592-7737, TTY 711.

If you believe that Presbyterian Healthcare Services has failed to provide these services or discriminated against you in another way, you can file a grievance with Presbyterian by calling 1-866-977-3021, TTY 711, fax (505) 923-5124, or
<https://ds.phs.org/ewcm/frmExample.do?m=complaintentry&complainttype=customer>.

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights, electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, or by mail or phone at:

Address: U.S. Department of Health and Human Services
200 Independence Avenue SW, Room 509F, HHH Building
Washington, D.C. 20201

Phone: 1-800-368-1019, 1-800-537-7697 (TDD)

Complaint forms are available at <http://www.hhs.gov/ocr/office/file/index.html>.

Aviso de no discriminación y accesibilidad

La ley prohíbe la discriminación

Presbyterian Healthcare Services se compromete a prestar servicios de atención médica equitativos y existe con el fin de mejorar la salud de los pacientes, de los asegurados y de las comunidades que servimos. Valoramos la diversidad y la inclusión y nos esforzamos por tratar a todos con respeto. No discriminamos por motivos de raza; color; linaje; origen nacional (incluso por dominio limitado del inglés); ciudadanía; religión; sexo (incluso por embarazos, partos o problemas médicos conexos); estado civil; orientación sexual; expresión o identidad de género; estado de veterano; estado militar; estado de ausencia familiar o médica; edad; discapacidad física o mental; estado médico; datos genéticos; capacidad de pago; o cualquier otro estado protegido. Presbyterian proporcionará adaptaciones razonables y servicios de acceso al idioma a nuestros pacientes, asegurados y fuerza laboral.

Presbyterian Healthcare Services:

- Presta servicios y ayuda a las personas con discapacidades para que se puedan comunicar efectivamente, por ejemplo:
 - Intérpretes calificados de lengua de señas
 - Información escrita en otros formatos (letra grande, grabaciones de audio, formatos electrónicos accesibles y otros formatos)
- Proporciona servicios gratuitos de acceso al idioma a las personas cuyo idioma principal no es inglés, por ejemplo:
 - Intérpretes calificados
 - Información escrita en otros idiomas

Si necesita alguno de esos servicios, llame al Centro de Servicio al Cliente de Presbyterian al (505) 923-5420, 1-855-592-7737, TTY 711.

Si cree que Presbyterian Healthcare Services no le ha proporcionado dichos servicios o si cree que le han discriminado de alguna otra manera, puede presentar una reclamación a Presbyterian si llama al 1-866-977-3021, TTY 711, fax (505) 923-5124, o <https://ds.phs.org/ewcm/frmExample.do?m=complaintentry&complainttype=customer>.

Además puede presentar una queja formal referente a los derechos civiles a la Oficina de Derechos Civiles del Departamento de Salud y Servicios Humanos de los EE. UU. electrónicamente en el portal de quejas de la Oficina de Derechos Civiles, que está a su disposición en <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, o por correo o por teléfono al:

Dirección: U.S. Department of Health and Human Services
200 Independence Avenue SW, Room 509F, HHH Building
Washington, D.C. 20201

Número de teléfono (gratuito): 1-800-368-1019, 800-537-7697 (TDD)

Los formularios de quejas están a su disposición en <http://www.hhs.gov/ocr/office/file/index.html>.

Multi-Language Insert

Multi-language Interpreter Services

English: We have free interpreter services to answer any questions you may have about our health or drug plan. To get an interpreter, just call us at 1-855-592-7737 (TTY: 711). Someone who speaks English/Language can help you. This is a free service.

Spanish: Tenemos servicios de intérprete sin costo alguno para responder cualquier pregunta que pueda tener sobre nuestro plan de salud o medicamentos. Para hablar con un intérprete, por favor llame al 1-855-592-7737 (TTY: 711). Alguien que hable español le podrá ayudar. Este es un servicio gratuito.

Navajo/Diné: Díí ats’íís dóó azee’ bínda’í dílkidgo, Dinék’ehjí yadałti’iigi ḥa’ bich’í hadíidzih. Béésh bee hane’é t’áá jíik’e be’ hódíílnih 1-855-592-7737 (TTY: 711).

Chinese Mandarin: 我们提供免费的翻译服务，帮助您解答关于健康或药物保险的任何疑问。如果您需要此翻译服务，请致电 1-855-592-7737 (TTY: 711)。我们的中文工作人员很乐意帮助您。这是一项免费服务。

Chinese Cantonese: 您對我們的健康或藥物保險可能存有疑問，為此我們提供免費的翻譯服務。如需翻譯服務，請致電 1-855-592-7737 (TTY: 711)。我們講中文的人員將樂意為您提供幫助。這是一項免費服務。

Tagalog: Mayroon kaming libreng serbisyo sa pagsasaling-wika upang masagot ang anumang mga katanungan ninyo hinggil sa aming planong pangkalusugan o panggamot. Upang makakuha ng tagasaling-wika, tawagan lamang kami sa 1-855-592-7737 (TTY: 711). Maaari kayong tulungan ng isang nakakapagsalita ng Tagalog. Ito ay libreng serbisyo.

French: Nous proposons des services gratuits d'interprétation pour répondre à toutes vos questions relatives à notre régime de santé ou d'assurance-médicaments. Pour accéder au service d'interprétation, il vous suffit de nous appeler au 1-855-592-7737 (TTY: 711). Un interlocuteur parlant Français pourra vous aider. Ce service est gratuit.

Vietnamese: Chúng tôi có dịch vụ thông dịch miễn phí để trả lời các câu hỏi về chương sức khỏe và chương trình thuốc men. Nếu quý vị cần thông dịch viên xin gọi 1-855-592-7737 (TTY: 711) sẽ có nhân viên nói tiếng Việt giúp đỡ quý vị. Đây là dịch vụ miễn phí.

German: Unser kostenloser Dolmetscherservice beantwortet Ihren Fragen zu unserem Gesundheits- und Arzneimittelplan. Unsere Dolmetscher erreichen Sie unter 1-855-592-7737 (TTY: 711). Man wird Ihnen dort auf Deutsch weiterhelfen. Dieser Service ist kostenlos.

Korean: 당사는 의료 보험 또는 약품 보험에 관한 질문에 답해 드리고자 무료 통역 서비스를 제공하고 있습니다. 통역 서비스를 이용하려면 전화 1-855-592-7737 (TTY: 711) 번으로 문의해 주십시오. 한국어를 하는 담당자가 도와 드릴 것입니다. 이 서비스는 무료로 운영됩니다.

Russian: Если у вас возникнут вопросы относительно страхового или медикаментного плана, вы можете воспользоваться нашими бесплатными услугами переводчиков. Чтобы воспользоваться услугами переводчика, позвоните нам по телефону 1-855-592-7737 (TTY: 711). Вам окажет помощь сотрудник, который говорит по-русски. Данная услуга бесплатная.

Arabic: إننا نقدم خدمات المترجم الفوري المجانية للإجابة عن أي سؤال تتعلق بالصحة أو جدول الأدوية لدينا. للحصول على مترجم فوري، ليس عليك سوى الاتصال بنا على (11) 1-855-592-7737 (TTY: 711). سيقوم شخص ما يتحدث العربية بمساعدتك. هذه خدمة مجانية.

Hindi: हमारे स्वास्थ्य या दवा की योजना के बारे में आपके किसी भी प्रश्न के जवाब देने के लिए हमारे पास मुफ्त दुभाषिया सेवाएँ उपलब्ध हैं। एक दुभाषिया प्राप्त करने के लिए, बस हमें 1-855-592-7737 (TTY: 711) पर फोन करें। कोई व्यक्ति जो हिन्दी बोलता है आपकी मदद कर सकता है। यह एक मुफ्त सेवा है।

Italian: È disponibile un servizio di interpretariato gratuito per rispondere a eventuali domande sul nostro piano sanitario e farmaceutico. Per un interprete, contattare il numero 1-855-592-7737 (TTY: 711). Un nostro incaricato che parla Italiano fornirà l'assistenza necessaria. È un servizio gratuito.

Portuguese: Dispomos de serviços de interpretação gratuitos para responder a qualquer questão que tenha acerca do nosso plano de saúde ou de medicação. Para obter um intérprete, contacte-nos através do número 1-855-592-7737 (TTY: 711). Irá encontrar alguém que fale o idioma Português para o ajudar. Este serviço é gratuito.

French Creole: Nou genyen sèvis entèprèt gratis pou reponn tout kesyon ou ta genyen konsènan plan medikal oswa dwòg nou an. Pou jwenn yon entèprèt, jis rele nou nan 1-855-592-7737 (TTY: 711). Yon moun ki pale Kreyòl kapab ede w. Sa a se yon sèvis ki gratis.

Polish: Umożliwiamy bezpłatne skorzystanie z usług tłumacza ustnego, który pomoże w uzyskaniu odpowiedzi na temat planu zdrowotnego lub dawkowania leków. Aby skorzystać z pomocy tłumacza znającego język polski, należy zadzwonić pod numer 1-855-592-7737 (TTY: 711). Ta usługa jest bezpłatna.

Japanese: 当社の健康 健康保険と薬品 処方薬プランに関するご質問にお答えするため に、無料の通訳サービスがありますございます。通訳をご用命になるには、1-855-592-7737 (TTY: 711) にお電話ください。日本語を話す人者が支援いたします。これは無料の サービスです。



Presbyterian Senior Care (HMO)

Presbyterian Senior Care (HMO-POS)

Presbyterian UltraFlex (HMO-POS)

Presbyterian MediCare PPO

This formulary was updated on November 21, 2023. This information is available for free in other languages. For more recent information or other questions, please call our Presbyterian Customer Service Center at (505) 923-6060 or 1-800-797-5343, (TTY: 711).

October 1 to March 31, we are available from 8 a.m. to 8 p.m., seven days a week. April 1 to September 30, we are available from 8 a.m. to 8 p.m., Monday to Friday. We are closed on holidays.

You may also visit our website at www.phs.org/Medicare.

Presbyterian exists to improve the health of the patients, members and communities we serve.

Y0055_MPC092238_NSR_C_09272022