

2024 Formulary (List of Covered Drugs)



Please Read: THIS DOCUMENT CONTAINS INFORMATION ABOUT THE DRUGS WE COVER IN THIS PLAN.

HPMS Approved Formulary File Submission ID 00024541, Version Number 27.

This formulary was updated on November 19, 2024. For more recent information or other questions, please call customer service at (505) 923-7675 or 1-855-465-7737. TTY users should call 711. Our hours are 8 a.m. to 8 p.m., seven days a week (except holidays) from **October 1 through March 31**, and Monday to Friday (except holidays) from **April 1 through September 30** or visit www.phs.org/Medicare.

Based on a Model of Care review, Presbyterian Dual Plus (HMO D-SNP) has been approved by the National Committee for Quality Assurance (NCQA) to operate a Special Needs Plan (SNP) through 2025.

Note to existing members: This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us,” or “our,” it means Presbyterian Health Plan, Inc. and Presbyterian Insurance Company, Inc. When it refers to “plan” or “our plan,” it means Presbyterian Dual Plus (HMO D-SNP).

This document includes a list of the drugs (formulary) for our plan which is current as of November 19, 2024. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2024, and from time to time during the year.

What is the Presbyterian Dual Plus (HMO D-SNP) Formulary?

A formulary is a list of covered drugs selected by our plan in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Our plan will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a Presbyterian Dual Plus (HMO D-SNP) network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

Can the Formulary (drug list) change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow Medicare rules in making these changes.

Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
 - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the Presbyterian Dual Plus (HMO D-SNP) Formulary?”
- **Drugs removed from the market.** If the Food and Drug Administration (FDA) deems a drug on our formulary to be unsafe or the drug’s manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.

- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a generic drug that is not new to market to replace a brand name drug currently on the formulary or add new restrictions to the brand name drug or move it to a different cost-sharing tier or both. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.
 - If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the Presbyterian Dual Plus (HMO D-SNP) Formulary?”

Changes that will not affect you if you are currently taking the drug. Generally, if you are taking a drug on our 2024 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2024 coverage year except as described above. This means these drugs will remain available at the same cost-sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Drug List for the new benefit year for any changes to drugs.

The enclosed formulary is current as of November 19, 2024. To get updated information about the drugs covered by our plan, please contact us. Our contact information appears on the front and back cover pages. If there are formulary updates that affect you, such as formulary additions, removals, addition of prior authorization, quantity limits and/or step therapy restrictions, you will be notified in writing of the change. All changes to our 2024 formulary are posted to www.phs.org/medicare.

How do I use the Formulary?

There are two ways to find your drug within the formulary:

Medical Condition

The formulary begins on page 8. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, Cardiovascular Agents. If you know what your drug is used for, look for the category name in the list that begins on page number 8. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page 114. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

What are generic drugs?

Our plan covers both brand name drugs and generic drugs. A generic drug is approved by the Food and Drug Administration (FDA) as having the same active ingredient as the brand name drug. Generally, generic drugs cost less than brand name drugs.

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Our plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from us before you fill your prescriptions. If you don't get approval, we may not cover the drug.
- **Quantity Limits:** For certain drugs, our plan limits the amount of the drug that we will cover. For example, our plan provides 30 tablets per prescription for aripiprazole. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, our plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover Drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 8. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask our plan to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to the Presbyterian Dual Plus (HMO D-SNP) Formulary?" below for information about how to request an exception.

What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact our Presbyterian Customer Service Center and ask if your drug is covered.

If you learn that our plan does not cover your drug, you have two options:

- You can ask our Presbyterian Customer Service Center for a list of similar drugs that are covered by our plan. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by our plan.
- You can ask our plan to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to the Presbyterian Dual Plus(HMO D-SNP) Formulary?

You can ask our plan to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at a lower cost-sharing level unless the drug is on the specialty tier. If approved this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, our plan limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, our plan will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, tier, or utilization restriction exception. **When you request a formulary, tier, or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

What do I do before I can talk to my doctor about changing my drugs or requesting an exception?

As a new or continuing member in our plan, you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30- day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan for less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

If you experience a change in your level of care, such as a move from a long-term care facility to a home setting or from the hospital to a home setting, and you need a drug that is not on our formulary or if your ability to get your drugs is limited, we will cover a one-time temporary supply for you. The temporary supply is up to a 31-day supply, unless the prescription is written for less than 31 days. During this period, you should use the plan's exception process if you wish to have continued coverage of the drug after the temporary supply is finished.

For more information

For more detailed information about your Presbyterian Dual Plus (HMO D-SNP) prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about our plan, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <https://www.medicare.gov/>.

Presbyterian Dual Plus (HMO D-SNP) Formulary

The formulary below provides coverage information about the drugs covered by our plan. If you have trouble finding your drug in the list, turn to the Index that begins on page 114.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., LYRICA CR) and generic drugs are listed in lower-case italics (e.g., *lisinopril*).

The information in the Requirements/Limits column tells you if our plan has any special requirements for coverage of your drug.

Explanation of Drug Tiers

Prescription drugs are grouped into one of five (5) tiers - Tier 1, Tier 2, Tier 3, Tier 4, or Tier 5. A generic drug is approved by the FDA as having the same active ingredients as the brand-name drug. Generally, generic drugs cost less than brand-name drugs. For your copayment or coinsurance amounts in each drug tier, refer to your Evidence of Coverage.

- **Tier 1 - Preferred Generic:** Generic or brand drugs that are available at the lowest cost share for this plan.
- **Tier 2 - Generic:** Generic or brand drugs that the plan offers at a higher cost to you than Tier 1 Preferred Generic drugs.
- **Tier 3 - Preferred Brand:** Generic or brand drugs that the plan offers at a lower cost to you than Tier 4 Non-Preferred Drug drugs.
- **Tier 4 - Non-Preferred Drug:** Generic or brand drugs that the plan offers at a higher cost to you than Tier 3 Preferred Brand drugs.
- **Tier 5 - Specialty Tier:** Some injectables and other high-cost drugs.

Example of what you will pay during the Initial Coverage Stage

Your cost-sharing amount for generic/preferred multi-source drugs is no more than*	\$0 \$1.55 -OR- \$4.50
Your cost-sharing amount for all other drugs is no more than*	\$0 \$4.60 -OR- \$11.20

* Your cost-sharing is based on your level of "Extra Help." Please review your "LIS Rider" for information about your specific cost-share.

If you qualified for extra help with your drug costs, your costs may be different. Please refer to your Evidence of Coverage (EOC), LIS Rider, or call customer service to find out what your costs are.

Explanation of Abbreviations

Abbreviation	Meaning
PA B/D	This drug may be covered under Medicare Part B or Medicare Part D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination.
GC	Gap Coverage. We provide coverage of this prescription drug in the coverage gap. Please refer to your Evidence of Coverage for more information about this coverage.
LA	Limited Access. This prescription may be available only at certain pharmacies. For more information, consult your Pharmacy Directory or call the Presbyterian Customer Service Center at (505) 923-7675 or 1-800-797- 5343 (TTY 711). October 1 to March 31, we are available from 8 a.m. to 8 p.m., seven days a week. April 1 to September 30, we are available from 8 a.m. to 8 p.m., Monday through Friday. We are closed on holidays.
NDS	Non Extended Day Supply This drug is limited to a one-month supply.
PA	Prior Authorization. You or your physician, are required to get prior authorization before you fill your prescription for this drug. Without prior approval, we may not cover this drug.
QL	Quantity Limit. There is a limit on the amount of this drug that is covered per prescription, or within a specific time frame.
ST	Step Therapy. In some cases, you may be required to first try certain drugs to treat your medical condition before we will cover another drug for that condition.

Drug Name	Drug Tier	Requirements/Limits
Analgesics		
Analgesics		
<i>acetaminophen-codeine #2 oral tablet 300-15 mg</i>	2	GC; QL (6 EA per 1 day); NDS
<i>acetaminophen-codeine #3 oral tablet 300-30 mg</i>	2	QL (6 EA per 1 day); NDS
<i>acetaminophen-codeine #4 oral tablet 300-60 mg</i>	2	GC; QL (6 EA per 1 day); NDS
<i>acetaminophen-codeine oral solution 120-12 mg/5ml</i>	2	GC; NDS
<i>acetaminophen-codeine oral solution 300-30 mg/12.5ml</i>	2	NDS
<i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg, 300-60 mg</i>	2	GC; QL (6 EA per 1 day); NDS
<i>butalbital-apap-caffeine oral capsule 50-325-40 mg</i>	4	QL (6 EA per 1 day)
<i>butalbital-apap-caffeine oral tablet 50-325-40 mg</i>	4	QL (6 EA per 1 day)
<i>butalbital-aspirin-caffeine oral capsule 50-325-40 mg</i>	4	QL (6 EA per 1 day)
<i>capacet oral capsule 50-325-40 mg</i>	4	
<i>ENDOCET ORAL TABLET 10-325 MG, 5-325 MG, 7.5-325 MG</i>	3	QL (6 EA per 1 day); NDS
<i>esgc oral capsule 50-325-40 mg</i>	4	QL (6 EA per 1 day)
<i>hydrocodone-acetaminophen oral tablet 5-325 mg, 7.5-325 mg</i>	2	GC; QL (6 EA per 1 day); NDS
<i>hydrocodone-ibuprofen oral tablet 7.5-200 mg</i>	2	GC; QL (6 EA per 1 day); NDS
<i>LORCET ORAL TABLET 5-325 MG</i>	3	QL (6 EA per 1 day); NDS
<i>LORCET PLUS ORAL TABLET 7.5-325 MG</i>	3	QL (6 EA per 1 day); NDS
<i>LORTAB ORAL TABLET 5-325 MG, 7.5-325 MG</i>	3	QL (6 EA per 1 day); NDS
<i>oxycodone-acetaminophen oral tablet 10-325 mg, 5-325 mg, 7.5-325 mg</i>	2	GC; QL (6 EA per 1 day); NDS
<i>zebutal oral capsule 50-325-40 mg</i>	4	QL (6 EA per 1 day)
Nonsteroidal Anti-Inflammatory Drugs		
<i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i>	2	QL (2 EA per 1 day)
<i>diclofenac sodium er oral tablet extended release 24 hour 100 mg</i>	1	GC
<i>diclofenac sodium oral tablet delayed release 25 mg, 50 mg, 75 mg</i>	1	GC
<i>ec-naproxen oral tablet delayed release 500 mg</i>	1	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
<i>etodolac oral capsule 200 mg, 300 mg</i>	2	GC
<i>etodolac oral tablet 400 mg, 500 mg</i>	2	GC
<i>fenoprofen calcium oral tablet 600 mg</i>	3	
<i>flurbiprofen oral tablet 100 mg</i>	2	GC
<i>flurbiprofen oral tablet 50 mg</i>	2	GC
<i>ketoprofen oral capsule 50 mg, 75 mg</i>	2	GC
<i>meloxicam oral tablet 15 mg, 7.5 mg</i>	1	GC
<i>nabumetone oral tablet 500 mg, 750 mg</i>	2	GC
<i>naproxen dr oral tablet delayed release 500 mg</i>	1	GC
<i>naproxen oral suspension 125 mg/5ml</i>	2	GC
<i>naproxen oral tablet 250 mg, 375 mg, 500 mg</i>	1	GC
<i>naproxen oral tablet delayed release 375 mg</i>	1	GC
<i>naproxen oral tablet delayed release 500 mg</i>	1	
<i>naproxen sodium oral tablet 275 mg, 550 mg</i>	1	GC
<i>oxaprozin oral tablet 600 mg</i>	2	GC
<i>piroxicam oral capsule 10 mg, 20 mg</i>	2	GC
PROFENO ORAL TABLET 600 MG	3	
<i>sulindac oral tablet 150 mg, 200 mg</i>	2	GC
Opioid Analgesics, Long-Acting		
<i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i>	2	GC; QL (10 EA per 30 days); NDS
<i>methadone hcl oral tablet 10 mg</i>	2	GC; QL (4 EA per 1 day); NDS
<i>methadone hcl oral tablet 5 mg</i>	2	GC; QL (6 EA per 1 day); NDS
<i>morphine sulfate er oral tablet extended release 100 mg, 200 mg, 60 mg</i>	2	GC; QL (2 EA per 1 day); NDS
<i>morphine sulfate er oral tablet extended release 15 mg, 30 mg</i>	2	GC; QL (3 EA per 1 day); NDS
MORPHINE SULFATE ORAL SOLUTION 20 MG/5ML	3	QL (30 ML per 1 day); NDS
MORPHINE SULFATE ORAL TABLET 15 MG	3	QL (6 EA per 1 day); NDS
MORPHINE SULFATE ORAL TABLET 30 MG	3	QL (4 EA per 1 day); NDS
<i>tramadol hcl er oral tablet extended release 24 hour 100 mg</i>	2	GC; QL (3 EA per 1 day); NDS
<i>tramadol hcl er oral tablet extended release 24 hour 200 mg</i>	2	GC; QL (1 EA per 1 day); NDS
Opioid Analgesics, Short-Acting		

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
DURAMORPH INJECTION SOLUTION 1 MG/ML	4	QL (120 ML per 1 day); NDS
<i>endocet oral tablet 2.5-325 mg</i>	2	GC; QL (6 EA per 1 day); NDS
<i>fentanyl citrate buccal lozenge on a handle 1200 mcg, 1600 mcg, 400 mcg, 600 mcg, 800 mcg</i>	5	PA; QL (4 EA per 1 day); NDS
<i>hydrocodone-acetaminophen oral tablet 10-325 mg</i>	2	GC; QL (6 EA per 1 day); NDS
<i>hydromorphone hcl oral tablet 2 mg, 4 mg</i>	2	GC; QL (6 EA per 1 day); NDS
<i>hydromorphone hcl oral tablet 8 mg</i>	2	GC; QL (3 EA per 1 day); NDS
LORCET HD ORAL TABLET 10-325 MG	3	QL (6 EA per 1 day); NDS
LORTAB ORAL TABLET 10-325 MG	3	QL (6 EA per 1 day); NDS
<i>morphine sulfate (pf) injection solution 1 mg/ml</i>	4	QL (120 ML per 1 day); NDS
MORPHINE SULFATE INTRAVENOUS SOLUTION 150 MG/30ML	3	NDS
<i>oxycodone hcl oral tablet 10 mg, 5 mg</i>	2	GC; QL (6 EA per 1 day); NDS
<i>oxycodone hcl oral tablet 15 mg</i>	2	GC; QL (5 EA per 1 day); NDS
<i>oxycodone hcl oral tablet 20 mg</i>	2	GC; QL (4 EA per 1 day); NDS
<i>oxycodone hcl oral tablet 30 mg</i>	2	GC; QL (2 EA per 1 day); NDS
<i>oxycodone hcl oral tablet abuse-deterrant 15 mg</i>	2	QL (5 EA per 1 day); NDS
<i>oxycodone-acetaminophen oral tablet 2.5-325 mg</i>	2	GC; QL (6 EA per 1 day); NDS
<i>tramadol hcl oral tablet 100 mg</i>	2	GC; QL (4 EA per 1 day); NDS
<i>tramadol hcl oral tablet 50 mg</i>	2	GC; QL (8 EA per 1 day); NDS

Anesthetics

Local Anesthetics

<i>glydo external gel 2 %</i>	2	GC
<i>lidocaine external patch 5 %</i>	4	PA; QL (3 EA per 1 day)
<i>lidocaine hcl external gel 2 %</i>	2	GC
<i>lidocaine hcl external solution 4 %</i>	2	GC; QL (50 ML per 30 days)
<i>lidocaine viscous hcl mouth/throat solution 2 %</i>	2	GC
<i>lidocaine-prilocaine external cream 2.5-2.5 %</i>	2	GC; QL (30 GM per 30 days)

Anti-Addiction/ Substance Abuse

Treatment Agents

Alcohol Deterrents/ Anti-Craving

<i>acamprosate calcium oral tablet delayed release 333 mg</i>	4	
<i>disulfiram oral tablet 250 mg, 500 mg</i>	2	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
Opioid Dependence Treatments		
buprenorphine hcl sublingual tablet sublingual 2 mg	2	GC; QL (3 EA per 1 day)
buprenorphine hcl sublingual tablet sublingual 8 mg	2	GC; QL (4 EA per 1 day)
buprenorphine hcl-naloxone hcl sublingual film 12-3 mg	4	QL (2 EA per 1 day); NDS
buprenorphine hcl-naloxone hcl sublingual film 2-0.5 mg, 4-1 mg, 8-2 mg	4	QL (3 EA per 1 day)
buprenorphine hcl-naloxone hcl sublingual tablet sublingual 2-0.5 mg	2	GC; QL (3 EA per 1 day)
buprenorphine hcl-naloxone hcl sublingual tablet sublingual 8-2 mg	2	GC; QL (4 EA per 1 day)
naltrexone hcl oral tablet 50 mg	2	GC
Opioid Reversal Agents		
naloxone hcl injection solution prefilled syringe 2 mg/2ml	2	GC
naloxone hcl nasal liquid 4 mg/0.1ml	3	
Smoking Cessation Agents		
bupropion hcl er (smoking det) oral tablet extended release 12 hour 150 mg	2	GC
CHANTIX CONTINUING MONTH PAK ORAL TABLET 1 MG	4	QL (360 EA per 365 days)
CHANTIX ORAL TABLET 0.5 MG, 1 MG	4	QL (360 EA per 365 days)
NICOTROL INHALATION INHALER 10 MG	4	
NICOTROL NS NASAL SOLUTION 10 MG/ML	3	QL (720 ML per 365 days)
varenicline tartrate oral tablet 0.5 mg, 1 mg	4	QL (360 EA per 365 days)
Anti-Addiction/Substance Abuse Treatment Agents		
Smoking Cessation Agents		
varenicline tartrate (starter) oral tablet therapy pack 0.5 mg x 11 & 1 mg x 42	4	
varenicline tartrate oral 0.5 mg x 11 & 1 mg x 42	4	
varenicline tartrate oral tablet therapy pack 0.5 mg x 11 & 1 mg x 42	4	
Antibacterials		
Aminoglycosides		

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
<i>amikacin sulfate injection solution 500 mg/2ml</i>	2	GC
GENTAK OPHTHALMIC OINTMENT 0.3 %	3	
<i>gentamicin sulfate external cream 0.1 %</i>	3	
<i>gentamicin sulfate external ointment 0.1 %</i>	3	
<i>gentamicin sulfate injection solution 10 mg/ml</i>	2	GC
<i>gentamicin sulfate injection solution 40 mg/ml</i>	2	GC
<i>gentamicin sulfate intravenous solution 10 mg/ml</i>	2	GC
<i>gentamicin sulfate ophthalmic solution 0.3 %</i>	2	GC
<i>neomycin sulfate oral tablet 500 mg</i>	2	GC
<i>paromomycin sulfate oral capsule 250 mg</i>	2	
<i>streptomycin sulfate intramuscular solution reconstituted 1 gm</i>	3	
TOBRADEX OPHTHALMIC OINTMENT 0.3-0.1 %	3	
<i>tobramycin inhalation nebulization solution 300 mg/5ml</i>	5	PA B/D; NDS
<i>tobramycin ophthalmic solution 0.3 %</i>	2	GC
<i>tobramycin sulfate injection solution 10 mg/ml, 80 mg/2ml</i>	2	GC
Antibacterials, Other		
BACITRACIN OPHTHALMIC OINTMENT 500 UNIT/GM	3	
<i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i>	2	GC
<i>clindamycin phosphate external gel 1 %</i>	2	GC
<i>clindamycin phosphate external gel 1 % (twice daily)</i>	2	
<i>clindamycin phosphate external solution 1 %</i>	2	GC
<i>clindamycin phosphate in d5w intravenous solution 300 mg/50ml, 600 mg/50ml, 900 mg/50ml</i>	4	
<i>clindamycin phosphate vaginal cream 2 %</i>	2	GC
COLISTIMETHATE SODIUM (CBA) INJECTION SOLUTION RECONSTITUTED 150 MG	5	NDS
<i>daptomycin intravenous solution reconstituted 500 mg</i>	5	NDS
FIRVANQ ORAL SOLUTION RECONSTITUTED 25 MG/ML, 50 MG/ML	3	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
<i>fosfomycin tromethamine oral packet 3 gm</i>	4	
<i>linezolid intravenous solution 600 mg/300ml</i>	4	NDS
<i>linezolid oral suspension reconstituted 100 mg/5ml</i>	5	PA; NDS
<i>linezolid oral tablet 600 mg</i>	4	PA; QL (2 EA per 1 day)
<i>metronidazole external cream 0.75 %</i>	2	GC
<i>metronidazole external gel 0.75 %</i>	2	GC
<i>metronidazole external lotion 0.75 %</i>	2	GC
<i>metronidazole in nacl intravenous solution 5-0.79 mg/ml-%</i>	2	
<i>metronidazole in nacl intravenous solution 500-0.79 mg/100ml-%</i>	2	GC
<i>metronidazole intravenous solution 5 mg/ml</i>	2	GC
<i>metronidazole intravenous solution 500 mg/100ml</i>	2	GC
<i>metronidazole oral capsule 375 mg</i>	4	
<i>metronidazole oral tablet 250 mg, 500 mg</i>	2	GC
<i>metronidazole vaginal gel 0.75 %</i>	2	GC
<i>mupirocin external ointment 2 %</i>	2	GC
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 50 mg</i>	2	GC
<i>nitrofurantoin monohyd macro oral capsule 100 mg</i>	2	GC
<i>nitrofurantoin oral suspension 25 mg/5ml</i>	4	
<i>polymyxin b sulfate injection solution reconstituted 500000 unit</i>	4	
<i>rosadan external cream 0.75 %</i>	2	GC
<i>rosadan external gel 0.75 %</i>	2	GC
<i>tigecycline intravenous solution reconstituted 50 mg</i>	4	NDS
<i>trimethoprim oral tablet 100 mg</i>	2	GC
<i>vancomycin hcl intravenous solution reconstituted 1 gm, 500 mg, 750 mg</i>	2	GC
<i>vancomycin hcl intravenous solution reconstituted 1000 mg, 5 gm</i>	2	GC
<i>vancomycin hcl oral capsule 125 mg, 250 mg</i>	4	
<i>vancomycin hcl oral solution reconstituted 25 mg/ml, 250 mg/5ml, 50 mg/ml</i>	3	
VANDAZOLE VAGINAL GEL 0.75 %	3	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
XIFAXAN ORAL TABLET 200 MG	4	PA; QL (3 EA per 1 day); NDS
XIFAXAN ORAL TABLET 550 MG	5	PA; QL (3 EA per 1 day); NDS
Beta-Lactam, Cephalosporins		
<i>cefaclor oral capsule 250 mg, 500 mg</i>	2	GC
<i>cefadroxil oral capsule 500 mg</i>	2	GC
<i>cefadroxil oral suspension reconstituted 250 mg/5ml, 500 mg/5ml</i>	2	GC
<i>cefadroxil oral tablet 1 gm</i>	2	GC
<i>cefazolin sodium injection solution reconstituted 1 gm, 10 gm, 500 mg</i>	2	GC
<i>cefdinir oral capsule 300 mg</i>	2	GC
<i>cefdinir oral suspension reconstituted 125 mg/5ml, 250 mg/5ml</i>	2	GC
<i>cefepime hcl injection solution reconstituted 1 gm</i>	2	GC
<i>cefepime hcl injection solution reconstituted 2 gm</i>	2	
<i>cefepime hcl intravenous solution 2 gm/100ml</i>	2	
<i>cefepime hcl intravenous solution reconstituted 2 gm</i>	2	
<i>cefepime-dextrose intravenous solution reconstituted 2-5 gm-%(50ml)</i>	2	
<i>cefixime oral capsule 400 mg</i>	3	
<i>cefixime oral suspension reconstituted 100 mg/5ml, 200 mg/5ml</i>	4	
<i>cefotaxime sodium injection solution reconstituted 1 gm, 2 gm</i>	2	GC
<i>cefoxitin sodium intravenous solution reconstituted 1 gm, 2 gm</i>	2	GC
<i>cefpodoxime proxetil oral suspension reconstituted 100 mg/5ml, 50 mg/5ml</i>	4	
<i>cefpodoxime proxetil oral tablet 100 mg, 200 mg</i>	4	
<i>cefprozil oral suspension reconstituted 125 mg/5ml, 250 mg/5ml</i>	2	GC
<i>cefprozil oral tablet 250 mg, 500 mg</i>	2	GC
<i>ceftazidime injection solution reconstituted 2 gm</i>	2	
<i>ceftazidime intravenous solution reconstituted 2 gm</i>	2	GC
CEFTIN ORAL SUSPENSION RECONSTITUTED 250 MG/5ML	3	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
<i>ceftriaxone sodium injection solution reconstituted 100 gm</i>	2	GC
<i>ceftriaxone sodium injection solution reconstituted 250 mg, 500 mg</i>	2	GC
<i>ceftriaxone sodium intravenous solution reconstituted 10 gm</i>	2	GC
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	2	GC
<i>cefuroxime sodium injection solution reconstituted 1.5 gm</i>	2	GC
<i>cefuroxime sodium injection solution reconstituted 7.5 gm</i>	2	
<i>cefuroxime sodium injection solution reconstituted 750 mg</i>	2	GC
<i>cefuroxime sodium intravenous solution reconstituted 1.5 gm</i>	2	GC
<i>cephalexin oral capsule 250 mg, 500 mg</i>	2	GC
<i>cephalexin oral suspension reconstituted 125 mg/5ml, 250 mg/5ml</i>	2	GC
TAZICEF INJECTION SOLUTION RECONSTITUTED 2 GM	3	
TAZICEF INTRAVENOUS SOLUTION RECONSTITUTED 2 GM	3	
TEFLARO INTRAVENOUS SOLUTION RECONSTITUTED 400 MG, 600 MG	5	NDS
Beta-Lactam, Other		
<i>aztreonam injection solution reconstituted 1 gm</i>	4	
<i>aztreonam injection solution reconstituted 2 gm</i>	5	NDS
<i>ertapenem sodium injection solution reconstituted 1 gm</i>	4	
<i>imipenem-cilastatin intravenous solution reconstituted 250 mg</i>	2	GC
<i>imipenem-cilastatin intravenous solution reconstituted 500 mg</i>	2	GC
<i>meropenem intravenous solution reconstituted 1 gm</i>	2	GC
<i>meropenem intravenous solution reconstituted 500 mg</i>	2	GC
Beta-Lactam, Penicillins		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	2	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
<i>amoxicillin oral suspension reconstituted 125 mg/5ml, 200 mg/5ml, 250 mg/5ml, 400 mg/5ml</i>	2	GC
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	2	GC
<i>amoxicillin oral tablet chewable 125 mg, 250 mg</i>	2	GC
<i>amoxicillin-pot clavulanate oral suspension reconstituted 200-28.5 mg/5ml, 250-62.5 mg/5ml, 400-57 mg/5ml, 600-42.9 mg/5ml</i>	2	GC
<i>amoxicillin-pot clavulanate oral tablet 250-125 mg, 500-125 mg, 875-125 mg</i>	2	GC
<i>amoxicillin-pot clavulanate oral tablet chewable 200-28.5 mg</i>	2	
<i>amoxicillin-pot clavulanate oral tablet chewable 400-57 mg</i>	2	GC
<i>ampicillin oral capsule 250 mg</i>	2	GC
<i>ampicillin oral capsule 500 mg</i>	2	GC
<i>ampicillin oral suspension reconstituted 125 mg/5ml, 250 mg/5ml</i>	3	
<i>ampicillin sodium injection solution reconstituted 1 gm</i>	2	GC
<i>ampicillin sodium injection solution reconstituted 10 gm</i>	2	GC
<i>ampicillin sodium intravenous solution reconstituted 10 gm</i>	2	GC
<i>ampicillin-sulbactam sodium injection solution reconstituted 1.5 (1-0.5) gm, 3 (2-1) gm</i>	2	GC
<i>ampicillin-sulbactam sodium injection solution reconstituted 15 (10-5) gm</i>	2	GC
<i>ampicillin-sulbactam sodium intravenous solution reconstituted 1.5 (1-0.5) gm, 3 (2-1) gm</i>	2	GC
<i>ampicillin-sulbactam sodium intravenous solution reconstituted 15 (10-5) gm</i>	2	GC
BICILLIN C-R 900/300 INTRAMUSCULAR SUSPENSION 900000-300000 UNIT/2ML	3	
<i>bicillin c-r intramuscular suspension 1200000 unit/2ml</i>	4	
<i>dicloxacillin sodium oral capsule 250 mg, 500 mg</i>	2	GC
<i>nafcillin sodium injection solution reconstituted 1 gm, 2 gm</i>	4	
<i>nafcillin sodium intravenous solution reconstituted 2 gm</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
<i>penicillin g potassium injection solution reconstituted 20000000 unit, 5000000 unit</i>	4	
<i>penicillin v potassium oral solution reconstituted 125 mg/5ml, 250 mg/5ml</i>	2	GC
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	2	GC
<i>piperacillin sod-tazobactam so intravenous solution reconstituted 2.25 (2-0.25) gm, 3.375 (3-0.375) gm, 4.5 (4-0.5) gm</i>	4	
Macrolides		
<i>azithromycin intravenous solution reconstituted 500 mg</i>	2	GC
<i>azithromycin oral tablet 250 mg, 250 mg (6 pack), 500 mg, 500 mg (3 pack), 600 mg</i>	2	GC
<i>clarithromycin er oral tablet extended release 24 hour 500 mg</i>	2	GC
<i>clarithromycin oral suspension reconstituted 125 mg/5ml, 250 mg/5ml</i>	2	GC
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	2	GC
DIFICID ORAL SUSPENSION RECONSTITUTED 40 MG/ML	5	QL (136 ML per 30 days); NDS
DIFICID ORAL TABLET 200 MG	5	PA; QL (20 EA per 30 days); NDS
ERY-TAB ORAL TABLET DELAYED RELEASE 250 MG, 333 MG, 500 MG	4	
ERYTHROCIN LACTOBIONATE INTRAVENOUS SOLUTION RECONSTITUTED 500 MG	3	
<i>erythromycin base oral tablet 250 mg, 500 mg</i>	4	
<i>erythromycin base oral tablet delayed release 250 mg, 333 mg, 500 mg</i>	4	
ERYTHROMYCIN ETHYLSUCCINATE ORAL SUSPENSION RECONSTITUTED 200 MG/5ML	3	
<i>erythromycin external solution 2 %</i>	2	GC
<i>erythromycin lactobionate intravenous solution reconstituted 500 mg</i>	3	
<i>erythromycin ophthalmic ointment 5 mg/gm</i>	2	GC
<i>erythromycin oral tablet delayed release 250 mg, 333 mg, 500 mg</i>	4	
KLARITY-A OPHTHALMIC SOLUTION 1 %	4	
Quinolones		

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
CILOXAN OPHTHALMIC OINTMENT 0.3 %	3	
ciprofloxacin hcl ophthalmic solution 0.3 %	2	GC
ciprofloxacin hcl oral tablet 250 mg, 500 mg, 750 mg	2	GC
ciprofloxacin in d5w intravenous solution 200 mg/100ml	2	GC
ciprofloxacin intravenous solution 400 mg/40ml	2	GC
ciprofloxacin oral suspension reconstituted 250 mg/5ml (5%), 500 mg/5ml (10%)	2	GC
gatifloxacin ophthalmic solution 0.5 %	4	
levofloxacin in d5w intravenous solution 750 mg/150ml	4	
levofloxacin oral solution 25 mg/ml	2	GC
levofloxacin oral tablet 250 mg, 500 mg, 750 mg	2	GC
moxifloxacin hcl in nacl intravenous solution 400 mg/250ml	4	
moxifloxacin hcl ophthalmic solution 0.5 %	4	
moxifloxacin hcl oral tablet 400 mg	4	
ofloxacin ophthalmic solution 0.3 %	2	GC
ofloxacin oral tablet 300 mg, 400 mg	2	GC
ofloxacin otic solution 0.3 %	2	GC
Sulfonamides		
silver sulfadiazine external cream 1 %	2	GC
SSD EXTERNAL CREAM 1 %	3	
sulfacetamide sodium ophthalmic ointment 10 %	4	
sulfacetamide sodium ophthalmic solution 10 %	2	GC
sulfadiazine oral tablet 500 mg	3	
sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5ml	2	GC
sulfamethoxazole-trimethoprim oral tablet 400-80 mg, 800-160 mg	2	GC
sulfatrim pediatric oral suspension 200-40 mg/5ml	2	
Tetracyclines		
doxy 100 intravenous solution reconstituted 100 mg	4	
doxycycline hyclate intravenous solution reconstituted 100 mg	4	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
<i>doxycycline hyclate oral capsule 100 mg, 50 mg</i>	4	
<i>doxycycline hyclate oral tablet 100 mg</i>	4	
<i>doxycycline hyclate oral tablet 20 mg</i>	2	GC
<i>doxycycline monohydrate oral capsule 100 mg, 50 mg</i>	2	GC
<i>minocycline hcl oral capsule 100 mg, 50 mg, 75 mg</i>	2	GC
<i>minocycline hcl oral tablet 100 mg, 50 mg, 75 mg</i>	2	GC
<i>monodoxine nl oral capsule 100 mg</i>	2	
<i>monodoxine nl oral capsule 50 mg</i>	2	GC
<i>morgidox oral capsule 100 mg, 50 mg</i>	4	
<i>okebo oral capsule 100 mg</i>	2	GC
<i>tetracycline hcl oral capsule 500 mg</i>	4	
Anticonvulsants		
Anticonvulsants, Other		
<i>BRIVIACT ORAL SOLUTION 10 MG/ML</i>	5	ST; QL (20 ML per 1 day); NDS
<i>BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG</i>	5	ST; QL (2 EA per 1 day); NDS
<i>DIACOMIT ORAL CAPSULE 250 MG, 500 MG</i>	5	ST; NDS
<i>DIACOMIT ORAL PACKET 250 MG, 500 MG</i>	5	ST; NDS
<i>DIASTAT ACUDIAL RECTAL GEL 10 MG, 20 MG</i>	4	NDS
<i>diazepam rectal gel 10 mg, 2.5 mg, 20 mg</i>	4	NDS
<i>EPRONTIA ORAL SOLUTION 25 MG/ML</i>	4	ST; QL (16 ML per 1 day)
<i>FINTEPLA ORAL SOLUTION 2.2 MG/ML</i>	5	ST; QL (12 ML per 1 day); NDS
<i>levetiracetam oral solution 100 mg/ml</i>	2	GC
<i>levetiracetam oral solution 500 mg/5ml</i>	2	
<i>levetiracetam oral tablet 1000 mg, 250 mg, 500 mg, 750 mg</i>	2	GC
<i>ROWEPPRA ORAL TABLET 1000 MG, 500 MG, 750 MG</i>	3	
<i>SPRITAM ORAL TABLET DISINTEGRATING SOLUBLE 1000 MG, 250 MG, 500 MG</i>	4	QL (2 EA per 1 day)
<i>SPRITAM ORAL TABLET DISINTEGRATING SOLUBLE 750 MG</i>	4	QL (4 EA per 1 day)
<i>XCOPRI (250 MG DAILY DOSE) ORAL TABLET THERAPY PACK 100 & 150 MG, 50 & 200 MG</i>	5	ST; QL (56 EA per 28 days); NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
XCOPRI (350 MG DAILY DOSE) ORAL TABLET THERAPY PACK 150 & 200 MG	5	ST; QL (56 EA per 28 days); NDS
XCOPRI ORAL TABLET 100 MG, 25 MG, 50 MG	5	ST; QL (1 EA per 1 day); NDS
XCOPRI ORAL TABLET 150 MG, 200 MG	5	ST; QL (2 EA per 1 day); NDS
XCOPRI ORAL TABLET THERAPY PACK 14 X 12.5 MG & 14 X 25 MG	4	ST; QL (28 EA per 28 days)
XCOPRI ORAL TABLET THERAPY PACK 14 X 150 MG & 14 X 200 MG, 14 X 50 MG & 14 X100 MG	5	ST; QL (28 EA per 28 days); NDS
Calcium Channel Modifying Agents		
<i>ethosuximide oral capsule 250 mg</i>	2	GC
<i>ethosuximide oral solution 250 mg/5ml</i>	2	GC
<i>methsuximide oral capsule 300 mg</i>	4	
<i>pregabalin er oral tablet extended release 24 hour 165 mg, 330 mg, 82.5 mg</i>	4	PA; QL (1 EA per 1 day)
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i>	2	GC; QL (3 EA per 1 day); NDS
<i>pregabalin oral capsule 225 mg, 300 mg</i>	2	GC; QL (2 EA per 1 day); NDS
<i>pregabalin oral solution 20 mg/ml</i>	2	GC; NDS
ZONISADE ORAL SUSPENSION 100 MG/5ML	5	PA; QL (30 ML per 1 day); NDS
<i>zonisamide oral capsule 100 mg, 25 mg, 50 mg</i>	2	GC
Gamma-Aminobutyric Acid (Gaba) Augmenting Agents		
<i>clobazam oral suspension 2.5 mg/ml</i>	4	ST
<i>clobazam oral tablet 10 mg, 20 mg</i>	4	ST; QL (2 EA per 1 day); NDS
<i>clonazepam oral tablet 0.5 mg, 1 mg</i>	2	GC; QL (3 EA per 1 day); NDS
<i>clonazepam oral tablet 2 mg</i>	2	GC; NDS
<i>clonazepam oral tablet dispersible 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	4	QL (3 EA per 1 day); NDS
<i>clonazepam oral tablet dispersible 2 mg</i>	4	NDS
<i>diazepam oral tablet 10 mg</i>	2	GC; QL (4 EA per 1 day); NDS
<i>divalproex sodium er oral tablet extended release 24 hour 250 mg, 500 mg</i>	2	GC
<i>divalproex sodium oral capsule delayed release sprinkle 125 mg</i>	2	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
<i>divalproex sodium oral tablet delayed release 125 mg, 250 mg, 500 mg</i>	2	GC
EPIDIOLEX ORAL SOLUTION 100 MG/ML	5	PA; NDS
<i>gabapentin oral capsule 100 mg, 300 mg, 400 mg</i>	2	GC; NDS
<i>gabapentin oral solution 250 mg/5ml</i>	2	GC; NDS
<i>gabapentin oral tablet 600 mg, 800 mg</i>	2	GC; NDS
LIBERVANT BUCCAL FILM 10 MG, 12.5 MG, 15 MG, 5 MG, 7.5 MG	5	QL (10 EA per 30 days); NDS
NAYZILAM NASAL SOLUTION 5 MG/0.1ML	5	QL (10 EA per 30 days); NDS
<i>phenobarbital oral elixir 20 mg/5ml</i>	2	GC
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	2	GC
<i>primidone oral tablet 125 mg</i>	2	
<i>primidone oral tablet 250 mg, 50 mg</i>	2	GC
SYMPAZAN ORAL FILM 10 MG, 20 MG, 5 MG	5	ST; QL (2 EA per 1 day); NDS
<i>tiagabine hcl oral tablet 12 mg, 16 mg</i>	4	
<i>tiagabine hcl oral tablet 2 mg, 4 mg</i>	2	GC
<i>valproate sodium intravenous solution 100 mg/ml</i>	2	GC
<i>valproate sodium oral solution 250 mg/5ml</i>	2	GC
<i>valproic acid oral capsule 250 mg</i>	2	GC
<i>valproic acid oral solution 250 mg/5ml</i>	2	GC
VALTOCO 10 MG DOSE NASAL LIQUID 10 MG/0.1ML	5	QL (10 EA per 30 days); NDS
VALTOCO 15 MG DOSE NASAL LIQUID THERAPY PACK 7.5 MG/0.1ML	5	QL (10 EA per 30 days); NDS
VALTOCO 20 MG DOSE NASAL LIQUID THERAPY PACK 10 MG/0.1ML	5	QL (10 EA per 30 days); NDS
VALTOCO 5 MG DOSE NASAL LIQUID 5 MG/0.1ML	5	QL (10 EA per 30 days); NDS
<i>vigabatrin oral packet 500 mg</i>	5	NDS
<i>vigabatrin oral tablet 500 mg</i>	5	NDS
<i>vigadrone oral packet 500 mg</i>	5	NDS
VIGADRONE ORAL TABLET 500 MG	5	NDS
VIGAFYDE ORAL SOLUTION 100 MG/ML	5	
VIGPODER ORAL PACKET 500 MG	5	NDS
ZTALMY ORAL SUSPENSION 50 MG/ML	5	PA; NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
Glutamate Reducing Agents		
<i>felbamate oral suspension 600 mg/5ml</i>	3	NDS
<i>felbamate oral tablet 400 mg</i>	4	
<i>felbamate oral tablet 600 mg</i>	2	GC
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	5	ST; NDS
FYCOMPA ORAL TABLET 10 MG, 12 MG, 4 MG, 6 MG, 8 MG	5	ST; QL (1 EA per 1 day); NDS
FYCOMPA ORAL TABLET 2 MG	4	ST; QL (1 EA per 1 day)
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>	2	GC
<i>lamotrigine oral tablet chewable 25 mg, 5 mg</i>	2	GC
<i>topiramate oral capsule sprinkle 15 mg, 25 mg</i>	2	GC
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i>	2	GC
Sodium Channel Agents		
APTIOM ORAL TABLET 200 MG, 400 MG, 600 MG	5	ST; NDS
APTIOM ORAL TABLET 800 MG	5	ST; QL (2 EA per 1 day); NDS
<i>carbamazepine er oral tablet extended release 12 hour 100 mg, 200 mg, 400 mg</i>	3	
<i>carbamazepine oral suspension 100 mg/5ml</i>	2	GC
<i>carbamazepine oral tablet 200 mg</i>	2	GC
<i>carbamazepine oral tablet chewable 100 mg</i>	2	GC
DILANTIN ORAL CAPSULE 30 MG	4	
EPITOL ORAL TABLET 200 MG	3	
<i>lacosamide oral solution 10 mg/ml</i>	4	ST
<i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i>	4	ST; QL (2 EA per 1 day); NDS
<i>oxcarbazepine oral suspension 300 mg/5ml</i>	2	GC
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i>	2	GC
PEGANONE ORAL TABLET 250 MG	4	
<i>phenytoin oral suspension 125 mg/5ml</i>	2	GC
<i>phenytoin oral tablet chewable 50 mg</i>	2	GC
<i>phenytoin sodium extended oral capsule 100 mg, 200 mg, 300 mg</i>	2	GC
<i>rufinamide oral suspension 40 mg/ml</i>	5	ST; NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
rufinamide oral tablet 200 mg	4	ST; NDS
rufinamide oral tablet 400 mg	5	ST; NDS
Antidementia Agents		
Antidementia Agents, Other		
ergoloid mesylates oral tablet 1 mg	2	GC
Cholinesterase Inhibitors		
donepezil hcl oral tablet 10 mg	2	GC; QL (2 EA per 1 day)
donepezil hcl oral tablet 5 mg	2	GC; QL (1 EA per 1 day)
donepezil hcl oral tablet dispersible 10 mg	2	GC; QL (2 EA per 1 day)
donepezil hcl oral tablet dispersible 5 mg	2	GC; QL (1 EA per 1 day)
galantamine hydrobromide er oral capsule extended release 24 hour 16 mg, 24 mg	3	QL (1 EA per 1 day)
galantamine hydrobromide er oral capsule extended release 24 hour 8 mg	3	QL (2 EA per 1 day)
galantamine hydrobromide oral solution 4 mg/ml	3	
galantamine hydrobromide oral tablet 12 mg, 4 mg, 8 mg	3	
rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg	2	GC; QL (2 EA per 1 day)
rivastigmine transdermal patch 24 hour 13.3 mg/24hr, 4.6 mg/24hr, 9.5 mg/24hr	4	ST; QL (1 EA per 1 day)
N-Methyl-D-Aspartate (Nmda) Receptor Antagonist		
memantine hcl oral tablet 10 mg, 28 x 5 mg & 21 x 10 mg, 5 mg	2	GC
Antidepressants		
Antidepressants, Other		
AUVELITY ORAL TABLET EXTENDED RELEASE 45-105 MG	4	PA; QL (2 EA per 1 day)
bupropion hcl er (sr) oral tablet extended release 12 hour 100 mg, 150 mg, 200 mg	2	GC
bupropion hcl er (xl) oral tablet extended release 24 hour 150 mg, 300 mg	2	GC
bupropion hcl er (xl) oral tablet extended release 24 hour 450 mg	4	QL (1 EA per 1 day)
bupropion hcl oral tablet 100 mg, 75 mg	2	GC
maprotiline hcl oral tablet 25 mg, 50 mg, 75 mg	3	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
<i>mirtazapine oral tablet 15 mg, 30 mg, 45 mg, 7.5 mg</i>	2	GC
<i>mirtazapine oral tablet dispersible 15 mg, 30 mg, 45 mg</i>	2	GC
<i>nefazodone hcl oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	3	
<i>trazodone hcl oral tablet 100 mg, 150 mg, 300 mg, 50 mg</i>	1	GC
ZURZUVAE ORAL CAPSULE 20 MG, 25 MG	5	PA; QL (28 EA per 365 days); NDS
ZURZUVAE ORAL CAPSULE 30 MG	5	PA; QL (14 EA per 365 days); NDS
Monoamine Oxidase Inhibitors		
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24HR, 6 MG/24HR, 9 MG/24HR	5	NDS
MARPLAN ORAL TABLET 10 MG	4	
<i>phenelzine sulfate oral tablet 15 mg</i>	2	GC
<i>tranylcypromine sulfate oral tablet 10 mg</i>	2	GC
Ssrts/ Snris		
<i>citalopram hydrobromide oral solution 10 mg/5ml</i>	2	GC
<i>citalopram hydrobromide oral tablet 10 mg, 20 mg, 40 mg</i>	1	GC
DESVENLAFAKINE ER ORAL TABLET EXTENDED RELEASE 24 HOUR 100 MG, 50 MG	4	QL (1 EA per 1 day)
<i>desvenlafaxine succinate er oral tablet extended release 24 hour 100 mg, 25 mg, 50 mg</i>	4	QL (1 EA per 1 day)
DRIZALMA SPRINKLE ORAL CAPSULE DELAYED RELEASE SPRINKLE 20 MG, 30 MG, 40 MG, 60 MG	4	PA; QL (2 EA per 1 day)
<i>duloxetine hcl oral capsule delayed release particles 20 mg, 30 mg, 60 mg</i>	4	QL (2 EA per 1 day)
<i>escitalopram oxalate oral solution 5 mg/5ml</i>	2	GC
<i>escitalopram oxalate oral tablet 10 mg</i>	2	GC; QL (1.5 EA per 1 day)
<i>escitalopram oxalate oral tablet 20 mg, 5 mg</i>	2	GC; QL (1 EA per 1 day)
FETZIMA ORAL CAPSULE EXTENDED RELEASE 24 HOUR 120 MG, 20 MG, 40 MG, 80 MG	4	ST; QL (1 EA per 1 day)
<i>fluoxetine hcl oral capsule 10 mg, 20 mg, 40 mg</i>	1	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
fluoxetine hcl oral solution 20 mg/5ml	2	GC
fluoxetine hcl oral tablet 10 mg, 20 mg	2	GC
fluvoxamine maleate oral tablet 100 mg, 25 mg, 50 mg	2	GC
paroxetin hcl er oral tablet extended release 24 hour 12.5 mg, 25 mg, 37.5 mg	2	PA; GC
paroxetin hcl oral suspension 10 mg/5ml	3	PA
paroxetin hcl oral tablet 10 mg, 30 mg, 40 mg	2	PA; GC
PAXIL ORAL SUSPENSION 10 MG/5ML	3	PA
sertraline hcl oral capsule 150 mg, 200 mg	4	
sertraline hcl oral concentrate 20 mg/ml	2	GC
sertraline hcl oral tablet 100 mg, 25 mg, 50 mg	1	GC
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	4	ST; QL (1 EA per 1 day)
venlafaxine hcl er oral capsule extended release 24 hour 150 mg, 37.5 mg	2	GC; QL (2 EA per 1 day)
venlafaxine hcl er oral capsule extended release 24 hour 75 mg	2	GC; QL (3 EA per 1 day)
venlafaxine hcl er oral tablet extended release 24 hour 150 mg, 37.5 mg	4	QL (2 EA per 1 day)
venlafaxine hcl er oral tablet extended release 24 hour 225 mg	4	QL (1 EA per 1 day)
venlafaxine hcl er oral tablet extended release 24 hour 75 mg	4	QL (3 EA per 1 day)
venlafaxine hcl oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg	2	GC
vilazodone hcl oral tablet 10 mg, 20 mg, 40 mg	4	ST; QL (1 EA per 1 day)
Tricyclics		
amitriptyline hcl oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg	4	PA
amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg	3	PA
clomipramine hcl oral capsule 25 mg, 50 mg, 75 mg	2	PA; GC
desipramine hcl oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg	2	PA; GC
doxepin hcl oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg	4	PA
doxepin hcl oral concentrate 10 mg/ml	1	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	4	PA
<i>nortriptyline hcl oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i>	1	PA; GC
NORTRIPTYLINE HCL ORAL SOLUTION 10 MG/5ML	3	PA
<i>protriptyline hcl oral tablet 10 mg, 5 mg</i>	2	PA; GC
<i>trimipramine maleate oral capsule 100 mg, 25 mg, 50 mg</i>	4	PA
Antiemetics		
Antiemetics, Other		
COMPRO RECTAL SUPPOSITORY 25 MG	3	
<i>meclizine hcl oral tablet 25 mg</i>	2	GC
PHENADOZ RECTAL SUPPOSITORY 12.5 MG	3	
PHENERGAN RECTAL SUPPOSITORY 12.5 MG, 25 MG	3	
<i>prochlorperazine rectal suppository 25 mg</i>	2	GC
<i>promethazine hcl rectal suppository 12.5 mg, 25 mg</i>	4	
PROMETHEGAN RECTAL SUPPOSITORY 12.5 MG	3	GC
PROMETHEGAN RECTAL SUPPOSITORY 25 MG	3	
<i>scopolamine transdermal patch 72 hour 1 mg/3days</i>	4	PA; QL (10 EA per 30 days)
Emetogenic Therapy Adjuncts		
<i>aprepitant oral capsule 125 mg, 40 mg, 80 mg</i>	3	PA
<i>aprepitant oral capsule 80 & 125 mg</i>	3	PA; QL (12 EA per 30 days)
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i>	4	PA; QL (2 EA per 1 day)
EMEND ORAL SUSPENSION RECONSTITUTED 125 MG/5ML	3	PA
<i>gransetron hcl oral tablet 1 mg</i>	2	PA B/D; GC; QL (2 EA per 1 day)
<i>ondansetron hcl oral tablet 4 mg, 8 mg</i>	2	PA B/D; GC
<i>ondansetron oral tablet dispersible 4 mg, 8 mg</i>	2	PA B/D; GC
Antifungals		
Antifungals		
AMBISOME INTRAVENOUS SUSPENSION RECONSTITUTED 50 MG	5	PA B/D; NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
<i>amphotericin b injection solution reconstituted 50 mg</i>	3	PA B/D
<i>amphotericin b intravenous solution reconstituted 50 mg</i>	3	PA B/D
<i>amphotericin b liposome intravenous suspension reconstituted 50 mg</i>	5	PA B/D; NDS
<i>caspofungin acetate intravenous solution reconstituted 50 mg, 70 mg</i>	4	
<i>ciclodan external cream 0.77 %</i>	2	GC
<i>ciclodan external solution 8 %</i>	2	GC
<i>ciclopirox external gel 0.77 %</i>	2	GC
<i>ciclopirox external shampoo 1 %</i>	2	GC
<i>ciclopirox external solution 8 %</i>	2	GC
<i>ciclopirox olamine external cream 0.77 %</i>	2	GC
<i>ciclopirox olamine external suspension 0.77 %</i>	2	GC
<i>clotrimazole external cream 1 %</i>	2	GC
<i>clotrimazole mouth/throat lozenge 10 mg</i>	2	GC
<i>clotrimazole mouth/throat troche 10 mg</i>	2	GC
<i>econazole nitrate external cream 1 %</i>	2	GC
ERAXIS INTRAVENOUS SOLUTION RECONSTITUTED 100 MG, 50 MG	5	NDS
<i>fluconazole in dextrose intravenous solution 200 mg/100ml, 400 mg/200ml</i>	2	GC
<i>fluconazole in sodium chloride intravenous solution 200-0.9 mg/100ml-%, 400-0.9 mg/200ml-%</i>	2	GC
<i>fluconazole oral suspension reconstituted 10 mg/ml, 40 mg/ml</i>	2	GC
<i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i>	1	GC
<i>flucytosine oral capsule 250 mg, 500 mg</i>	5	NDS
<i>griseofulvin microsize oral suspension 125 mg/5ml</i>	2	GC
<i>itraconazole oral capsule 100 mg</i>	2	GC; QL (4 EA per 1 day)
<i>itraconazole oral solution 10 mg/ml</i>	5	NDS
<i>ketoconazole external cream 2 %</i>	2	GC
<i>ketoconazole external shampoo 2 %</i>	2	GC
<i>ketoconazole oral tablet 200 mg</i>	2	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
NATACYN OPHTHALMIC SUSPENSION 5 %	4	
NYAMYC EXTERNAL POWDER 100000 UNIT/GM	3	
NYATA EXTERNAL POWDER 100000 UNIT/GM	3	
<i>nystatin external cream 100000 unit/gm</i>	1	GC
<i>nystatin external ointment 100000 unit/gm</i>	1	GC
<i>nystatin external powder 100000 unit/gm</i>	1	GC
<i>nystatin mouth/throat suspension 100000 unit/ml</i>	2	GC
<i>nystatin oral tablet 500000 unit</i>	2	GC
NYSTOP EXTERNAL POWDER 100000 UNIT/GM	3	
<i>posaconazole oral suspension 40 mg/ml</i>	5	PA; QL (20 ML per 1 day); NDS
<i>posaconazole oral tablet delayed release 100 mg</i>	5	PA; QL (3 EA per 1 day); NDS
<i>terbinafine hcl oral tablet 250 mg</i>	2	GC; QL (90 EA per 365 days)
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	2	GC
<i>terconazole vaginal suppository 80 mg</i>	2	GC
<i>voriconazole intravenous solution reconstituted 200 mg</i>	5	PA; NDS
<i>voriconazole oral suspension reconstituted 40 mg/ml</i>	5	PA; NDS
<i>voriconazole oral tablet 200 mg</i>	4	PA; QL (2 EA per 1 day)
Antigout Agents		
Antigout Agents		
<i>allopurinol oral tablet 100 mg, 300 mg</i>	1	GC
COLCHICINE ORAL TABLET 0.6 MG	3	
<i>colchicine-probenecid oral tablet 0.5-500 mg</i>	2	GC
<i>febuxostat oral tablet 40 mg, 80 mg</i>	3	QL (1 EA per 1 day)
<i>probenecid oral tablet 500 mg</i>	2	GC
Anti-Inflammatory Agents		
Glucocorticoids		
<i>betamethasone dipropionate external lotion 0.05 %</i>	2	GC
<i>dexamethasone oral tablet 0.75 mg</i>	2	GC
<i>hydrocortisone ace-pramoxine external cream 1-1 %</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
<i>hydrocortisone ace-pramoxine rectal cream 1-1 %</i>	4	
<i>procto-med hc external cream 2.5 %</i>	2	GC
<i>PROCTO-PAK EXTERNAL CREAM 1 %</i>	3	
Nonsteroidal Anti-Inflammatory Drugs		
<i>diclofenac potassium oral tablet 50 mg</i>	1	GC
<i>ibu oral tablet 600 mg, 800 mg</i>	1	GC
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i>	1	GC
Antimigraine Agents		
Central Nervous System, Other		
<i>AIMOVIG SUBCUTANEOUS SOLUTION AUTO-INJECTOR 140 MG/ML, 70 MG/ML</i>	3	PA; QL (1 ML per 30 days)
<i>EMGALITY SUBCUTANEOUS SOLUTION AUTO-INJECTOR 120 MG/ML</i>	4	PA
<i>EMGALITY SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 120 MG/ML</i>	4	PA
Ergot Alkaloids		
<i>DIHYDROERGOTAMINE MESYLATE NASAL SOLUTION 4 MG/ML</i>	5	ST; QL (8 ML per 28 days); NDS
<i>ergotamine-caffeine oral tablet 1-100 mg</i>	3	QL (40 EA per 30 days)
Serotonin (5-HT) 1B/1D Receptor Agonists		
<i>almotriptan malate oral tablet 12.5 mg, 6.25 mg</i>	4	ST; QL (18 EA per 30 days)
<i>frrovatriptan succinate oral tablet 2.5 mg</i>	4	ST; QL (18 EA per 30 days)
<i>naratriptan hcl oral tablet 1 mg, 2.5 mg</i>	2	GC; QL (18 EA per 30 days)
<i>rizatriptan benzoate oral tablet 10 mg, 5 mg</i>	2	GC; QL (18 EA per 30 days)
<i>rizatriptan benzoate oral tablet dispersible 10 mg, 5 mg</i>	2	GC; QL (18 EA per 30 days)
<i>sumatriptan nasal solution 20 mg/act</i>	4	QL (12 EA per 30 days)
<i>sumatriptan succinate oral tablet 100 mg, 25 mg, 50 mg</i>	2	GC; QL (18 EA per 30 days)
<i>sumatriptan succinate refill subcutaneous solution cartridge 4 mg/0.5ml</i>	4	QL (4 ML per 30 days)
<i>sumatriptan succinate refill subcutaneous solution cartridge 6 mg/0.5ml</i>	4	QL (5 ML per 30 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5ml</i>	4	QL (5 ML per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
<i>sumatriptan succinate subcutaneous solution auto-injector 4 mg/0.5ml</i>	4	QL (4 ML per 30 days)
<i>sumatriptan succinate subcutaneous solution auto-injector 6 mg/0.5ml</i>	4	QL (5 ML per 30 days)
<i>sumatriptan succinate subcutaneous solution prefilled syringe 6 mg/0.5ml</i>	4	QL (5 ML per 30 days)
<i>zolmitriptan oral tablet 2.5 mg, 5 mg</i>	3	ST; QL (18 EA per 30 days)
Serotonin (5-HT) Receptor Agonist		
REYVOW ORAL TABLET 100 MG, 50 MG	4	ST; QL (8 EA per 30 days); NDS
Antimyasthenic Agents		
Parasympathomimetics		
<i>guanidine hcl oral tablet 125 mg</i>	4	
<i>pyridostigmine bromide oral solution 60 mg/5ml</i>	5	NDS
<i>pyridostigmine bromide oral tablet 60 mg</i>	2	GC
Antimycobacterials		
Antimycobacterials, Other		
<i>dapsone oral tablet 100 mg, 25 mg</i>	3	
PRIFTIN ORAL TABLET 150 MG	3	
<i>rifabutin oral capsule 150 mg</i>	4	
Antituberculars		
<i>ethambutol hcl oral tablet 100 mg, 400 mg</i>	2	GC
<i>isoniazid oral syrup 50 mg/5ml</i>	3	
<i>isoniazid oral tablet 100 mg, 300 mg</i>	2	GC
PASER ORAL PACKET 4 GM	4	
<i>pyrazinamide oral tablet 500 mg</i>	2	GC
<i>rifampin intravenous solution reconstituted 600 mg</i>	2	GC
<i>rifampin oral capsule 150 mg, 300 mg</i>	2	GC
RIFATER ORAL TABLET 50-120-300 MG	4	
SIRTURO ORAL TABLET 100 MG	5	PA; NDS
TRECATOR ORAL TABLET 250 MG	4	
Antineoplastics		
Alkylating Agents		
<i>cyclophosphamide oral capsule 25 mg, 50 mg</i>	2	PA B/D; GC
<i>cyclophosphamide oral tablet 25 mg, 50 mg</i>	2	PA B/D; GC
HEXALEN ORAL CAPSULE 50 MG	5	PA; NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
LEUKERAN ORAL TABLET 2 MG	5	NDS
MATULANE ORAL CAPSULE 50 MG	5	PA; LA; NDS
VALCHLOR EXTERNAL GEL 0.016 %	5	PA; NDS
Antiandrogens		
<i>abiraterone acetate oral tablet 250 mg</i>	5	QL (4 EA per 1 day); NDS
<i>abiraterone acetate oral tablet 500 mg</i>	5	QL (2 EA per 1 day); NDS
<i>bicalutamide oral tablet 50 mg</i>	2	GC
ERLEADA ORAL TABLET 240 MG	5	PA; QL (1 EA per 1 day); NDS
ERLEADA ORAL TABLET 60 MG	5	PA; QL (4 EA per 1 day); NDS
<i>flutamide oral capsule 125 mg</i>	2	
<i>nilutamide oral tablet 150 mg</i>	5	NDS
NUBEQA ORAL TABLET 300 MG	5	PA; LA; QL (4 EA per 1 day); NDS
XTANDI ORAL CAPSULE 40 MG	5	PA; LA; QL (4 EA per 1 day); NDS
XTANDI ORAL TABLET 40 MG	5	PA; LA; QL (4 EA per 1 day); NDS
XTANDI ORAL TABLET 80 MG	5	PA; LA; QL (2 EA per 1 day); NDS
YONSA ORAL TABLET 125 MG	5	PA; LA; QL (4 EA per 1 day); NDS
Antiangiogenic Agents		
<i>lenalidomide oral capsule 10 mg, 15 mg, 25 mg, 5 mg</i>	5	PA; QL (1 EA per 1 day); NDS
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	5	PA; LA; QL (21 EA per 28 days); NDS
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	5	PA; QL (2 EA per 1 day); NDS
Antiestrogens/Modifiers		
EMCYT ORAL CAPSULE 140 MG	5	NDS
ORSERDU ORAL TABLET 345 MG	5	PA; QL (1 EA per 1 day); NDS
ORSERDU ORAL TABLET 86 MG	5	PA; QL (3 EA per 1 day); NDS
SOLTAMOX ORAL SOLUTION 10 MG/5ML	5	NDS
<i>tamoxifen citrate oral tablet 10 mg, 20 mg</i>	2	GC
<i>toremifene citrate oral tablet 60 mg</i>	5	QL (1 EA per 1 day); NDS
Antimetabolites		
<i>hydroxyurea oral capsule 500 mg</i>	2	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
INQOVI ORAL TABLET 35-100 MG	5	PA; QL (5 EA per 28 days); NDS
LONSURF ORAL TABLET 15-6.14 MG	5	PA; QL (100 EA per 28 days); NDS
LONSURF ORAL TABLET 20-8.19 MG	5	PA; QL (80 EA per 28 days); NDS
ONUREG ORAL TABLET 200 MG, 300 MG	5	PA; LA; QL (14 EA per 28 days); NDS
PURIXAN ORAL SUSPENSION 2000 MG/100ML	5	PA; NDS
SIKLOS ORAL TABLET 100 MG	4	PA
SIKLOS ORAL TABLET 1000 MG	5	PA; NDS
TABLOID ORAL TABLET 40 MG	4	PA
Antineoplastics		
GLEOSTINE ORAL CAPSULE 10 MG, 100 MG, 40 MG, 5 MG	4	
LYNPARZA ORAL CAPSULE 50 MG	5	PA; QL (16 EA per 1 day); NDS
LYNPARZA ORAL TABLET 100 MG, 150 MG	5	PA; QL (4 EA per 1 day); NDS
MESNEX ORAL TABLET 400 MG	5	NDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	5	PA; QL (3 EA per 28 days); NDS
TALZENNA ORAL CAPSULE 0.1 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG	5	PA; QL (1 EA per 1 day); NDS
TALZENNA ORAL CAPSULE 0.25 MG	5	PA; QL (3 EA per 1 day); NDS
VENCLEXTA ORAL TABLET 10 MG	4	PA; LA; QL (2 EA per 1 day)
VENCLEXTA ORAL TABLET 100 MG	5	PA; LA; QL (4 EA per 1 day); NDS
VENCLEXTA ORAL TABLET 50 MG	5	PA; LA; QL (1 EA per 1 day); NDS
VENCLEXTA STARTING PACK ORAL TABLET THERAPY PACK 10 & 50 & 100 MG	5	PA; LA; QL (84 EA per 365 days); NDS
ZEJULA ORAL CAPSULE 100 MG	5	PA; LA; QL (3 EA per 1 day); NDS
ZEJULA ORAL TABLET 100 MG, 200 MG, 300 MG	5	PA; LA; QL (1 EA per 1 day); NDS
Antineoplastics, Other		
GAVRETO ORAL CAPSULE 100 MG	5	PA; LA; QL (4 EA per 1 day); NDS
IWLFIN ORAL TABLET 192 MG	5	PA; QL (8 EA per 1 day); NDS
JYLAMVO ORAL SOLUTION 2 MG/ML	5	PA; QL (180 ML per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
KRAZATI ORAL TABLET 200 MG	5	PA; QL (6 EA per 1 day); NDS
<i>lenalidomide oral capsule 2.5 mg, 20 mg</i>	5	PA; QL (1 EA per 1 day); NDS
<i>leucovorin calcium oral tablet 15 mg, 25 mg, 5 mg</i>	2	GC
LUMAKRAS ORAL TABLET 120 MG	5	PA; LA; QL (8 EA per 1 day); NDS
LUMAKRAS ORAL TABLET 320 MG	5	PA; QL (3 EA per 1 day); NDS
ORGOVYX ORAL TABLET 120 MG	5	PA; LA; NDS
RETEVMO ORAL CAPSULE 40 MG	5	PA; LA; QL (6 EA per 1 day); NDS
RETEVMO ORAL CAPSULE 80 MG	5	PA; LA; QL (4 EA per 1 day); NDS
RETEVMO ORAL TABLET 120 MG, 160 MG, 40 MG, 80 MG	5	PA; LA; QL (2 EA per 1 day); NDS
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	5	PA; QL (4 EA per 1 day); NDS
SYLATRON SUBCUTANEOUS KIT 200 MCG, 300 MCG, 600 MCG	5	PA; NDS
TUKYSA ORAL TABLET 150 MG, 50 MG	5	PA; LA; QL (4 EA per 1 day); NDS
VORANIGO ORAL TABLET 10 MG	5	PA; LA; QL (2 EA per 1 day); NDS
VORANIGO ORAL TABLET 40 MG	5	PA; LA; QL (1 EA per 1 day); NDS
WELIREG ORAL TABLET 40 MG	5	PA; LA; QL (3 EA per 1 day); NDS
XPOVIO (100 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 20 MG	5	PA; LA; QL (20 EA per 28 days); NDS
XPOVIO (100 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 50 MG	5	PA; QL (8 EA per 28 days); NDS
XPOVIO (40 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 20 MG	5	PA; LA; QL (8 EA per 28 days); NDS
XPOVIO (40 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 40 MG	5	PA; QL (4 EA per 28 days); NDS
XPOVIO (40 MG TWICE WEEKLY) ORAL TABLET THERAPY PACK 20 MG	5	PA; LA; QL (16 EA per 28 days); NDS
XPOVIO (40 MG TWICE WEEKLY) ORAL TABLET THERAPY PACK 40 MG	5	PA; QL (8 EA per 28 days); NDS
XPOVIO (60 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 20 MG	5	PA; LA; QL (12 EA per 28 days); NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
XPOVIO (60 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 60 MG	5	PA; QL (4 EA per 28 days); NDS
XPOVIO (60 MG TWICE WEEKLY) ORAL TABLET THERAPY PACK 20 MG	5	PA; LA; QL (24 EA per 28 days); NDS
XPOVIO (80 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 20 MG	5	PA; LA; QL (16 EA per 28 days); NDS
XPOVIO (80 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 40 MG	5	PA; QL (8 EA per 28 days); NDS
XPOVIO (80 MG TWICE WEEKLY) ORAL TABLET THERAPY PACK 20 MG	5	PA; LA; QL (32 EA per 28 days); NDS
Aromatase Inhibitors, 3Rd Generation		
<i>anastrozole oral tablet 1 mg</i>	2	GC
<i>exemestane oral tablet 25 mg</i>	4	
<i>letrozole oral tablet 2.5 mg</i>	2	GC
Enzyme Inhibitors		
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	5	PA; QL (2 EA per 1 day); NDS
FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG	5	PA; QL (12 EA per 42 days); NDS
FRUZAQLA ORAL CAPSULE 1 MG	5	PA; LA; QL (84 EA per 28 days); NDS
FRUZAQLA ORAL CAPSULE 5 MG	5	PA; LA; QL (21 EA per 28 days); NDS
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	5	PA; QL (21 EA per 28 days); NDS
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	5	PA; QL (21 EA per 28 days); NDS
IDHIFA ORAL TABLET 100 MG, 50 MG	5	PA; QL (1 EA per 1 day); NDS
KISQALI (200 MG DOSE) ORAL TABLET THERAPY PACK 200 MG	5	PA; QL (21 EA per 28 days); NDS
KISQALI (400 MG DOSE) ORAL TABLET THERAPY PACK 200 MG	5	PA; QL (42 EA per 28 days); NDS
KISQALI (600 MG DOSE) ORAL TABLET THERAPY PACK 200 MG	5	PA; QL (63 EA per 28 days); NDS
KISQALI 200 DOSE ORAL TABLET 200 MG	5	PA; QL (21 EA per 28 days); NDS
KISQALI 400 DOSE ORAL TABLET 200 MG	5	PA; QL (42 EA per 28 days); NDS
KISQALI 600 DOSE ORAL TABLET 200 MG	5	PA; QL (63 EA per 28 days); NDS
KISQALI FEMARA (200 MG DOSE) ORAL TABLET THERAPY PACK 200 & 2.5 MG	5	PA; QL (49 EA per 28 days); NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
KISQALI FEMARA (400 MG DOSE) ORAL TABLET THERAPY PACK 200 & 2.5 MG	5	PA; QL (70 EA per 28 days); NDS
KISQALI FEMARA (600 MG DOSE) ORAL TABLET THERAPY PACK 200 & 2.5 MG	5	PA; QL (91 EA per 28 days); NDS
OGSIVEO ORAL TABLET 100 MG, 150 MG	5	PA; QL (2 EA per 1 day); NDS
OGSIVEO ORAL TABLET 50 MG	5	PA; LA; QL (6 EA per 1 day); NDS
PIQRAY (200 MG DAILY DOSE) ORAL TABLET THERAPY PACK 200 MG	5	PA; LA; QL (1 EA per 1 day); NDS
PIQRAY (250 MG DAILY DOSE) ORAL TABLET THERAPY PACK 200 & 50 MG	5	PA; LA; QL (2 EA per 1 day); NDS
PIQRAY (300 MG DAILY DOSE) ORAL TABLET THERAPY PACK 2 X 150 MG	5	PA; LA; QL (2 EA per 1 day); NDS
REZLIDHIA ORAL CAPSULE 150 MG	5	PA; QL (2 EA per 1 day); NDS
TIBSOVO ORAL TABLET 250 MG	5	PA; QL (2 EA per 1 day); NDS
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	5	PA; QL (2 EA per 1 day); NDS
VITRAKVI ORAL CAPSULE 100 MG, 25 MG	5	PA; QL (2 EA per 1 day); NDS
VITRAKVI ORAL SOLUTION 20 MG/ML	5	PA; NDS
XOSPATA ORAL TABLET 40 MG	5	PA; QL (3 EA per 1 day); NDS
ZOLINZA ORAL CAPSULE 100 MG	5	PA; QL (4 EA per 1 day); NDS
ZYDELIG ORAL TABLET 100 MG, 150 MG	5	PA; QL (2 EA per 1 day); NDS
Molecular Target Inhibitors		
AKEEGA ORAL TABLET 100-500 MG, 50-500 MG	5	PA; LA; QL (2 EA per 1 day); NDS
ALECensa ORAL CAPSULE 150 MG	5	PA; LA; QL (8 EA per 1 day); NDS
ALUNBRIG ORAL TABLET 180 MG, 90 MG	5	PA; LA; QL (1 EA per 1 day); NDS
ALUNBRIG ORAL TABLET 30 MG	5	PA; LA; QL (2 EA per 1 day); NDS
ALUNBRIG ORAL TABLET THERAPY PACK 90 & 180 MG	5	PA; LA; QL (1 EA per 1 day); NDS
AUGTYRO ORAL CAPSULE 40 MG	5	PA; LA; QL (8 EA per 1 day); NDS
AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG	5	PA; LA; QL (1 EA per 1 day); NDS
BALVERSA ORAL TABLET 3 MG	5	PA; QL (3 EA per 1 day); NDS
BALVERSA ORAL TABLET 4 MG	5	PA; QL (2 EA per 1 day); NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
BALVERSA ORAL TABLET 5 MG	5	PA; QL (1 EA per 1 day); NDS
BOSULIF ORAL CAPSULE 100 MG	5	PA; QL (3 EA per 1 day); NDS
BOSULIF ORAL CAPSULE 50 MG	5	PA; QL (1 EA per 1 day); NDS
BOSULIF ORAL TABLET 100 MG	5	PA; QL (3 EA per 1 day); NDS
BOSULIF ORAL TABLET 400 MG, 500 MG	5	PA; QL (1 EA per 1 day); NDS
BRAFTOVI ORAL CAPSULE 50 MG	5	PA; LA; QL (4 EA per 1 day); NDS
BRAFTOVI ORAL CAPSULE 75 MG	5	PA; QL (6 EA per 1 day); NDS
BRUKINSA ORAL CAPSULE 80 MG	5	PA; QL (4 EA per 1 day); NDS
CABOMETYX ORAL TABLET 20 MG, 40 MG, 60 MG	5	PA; LA; QL (1 EA per 1 day); NDS
CALQUENCE ORAL CAPSULE 100 MG	5	PA; QL (2 EA per 1 day); NDS
CALQUENCE ORAL TABLET 100 MG	5	PA; QL (2 EA per 1 day); NDS
CAPRELSA ORAL TABLET 100 MG, 300 MG	5	PA; LA; NDS
COMETRIQ (100 MG DAILY DOSE) ORAL KIT 1 X 80 & 1 X 20 MG, 80 & 20 MG	5	PA; NDS
COMETRIQ (140 MG DAILY DOSE) ORAL KIT 1 X 80 & 3 X 20 MG, 3 X 20 MG & 80 MG	5	PA; NDS
COMETRIQ (60 MG DAILY DOSE) ORAL KIT 20 MG	5	PA; NDS
COTELLIC ORAL TABLET 20 MG	5	PA; LA; QL (63 EA per 28 days); NDS
<i>dasatinib oral tablet 100 mg, 140 mg, 20 mg, 50 mg, 70 mg, 80 mg</i>	5	PA; QL (1 EA per 1 day); NDS
DAURISMO ORAL TABLET 100 MG	5	PA; QL (1 EA per 1 day); NDS
DAURISMO ORAL TABLET 25 MG	5	PA; QL (3 EA per 1 day); NDS
ERIVEDGE ORAL CAPSULE 150 MG	5	PA; LA; QL (1 EA per 1 day); NDS
<i>erlotinib hcl oral tablet 100 mg, 25 mg</i>	5	PA; QL (2 EA per 1 day); NDS
<i>erlotinib hcl oral tablet 150 mg</i>	5	PA; QL (3 EA per 1 day); NDS
<i>everolimus oral tablet 10 mg, 2.5 mg, 5 mg, 7.5 mg</i>	5	PA; NDS
<i>everolimus oral tablet soluble 2 mg, 3 mg</i>	5	PA; NDS
EXKIVITY ORAL CAPSULE 40 MG	5	PA; QL (4 EA per 1 day); NDS
FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG	5	PA; LA; QL (21 EA per 28 days); NDS
<i>gefitinib oral tablet 250 mg</i>	5	PA; QL (1 EA per 1 day); NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	5	PA; QL (1 EA per 1 day); NDS
ICLUSIG ORAL TABLET 10 MG, 30 MG, 45 MG	5	PA; QL (1 EA per 1 day); NDS
ICLUSIG ORAL TABLET 15 MG	5	PA; QL (2 EA per 1 day); NDS
<i>imatinib mesylate oral tablet 100 mg, 400 mg</i>	5	PA; QL (2 EA per 1 day); NDS
IMBRUWICA ORAL CAPSULE 140 MG	5	PA; QL (4 EA per 1 day); NDS
IMBRUWICA ORAL CAPSULE 70 MG	5	PA; QL (1 EA per 1 day); NDS
IMBRUWICA ORAL SUSPENSION 70 MG/ML	5	PA; QL (7.2 ML per 1 day); NDS
IMBRUWICA ORAL TABLET 140 MG, 280 MG, 420 MG	5	PA; QL (1 EA per 1 day); NDS
INLYTA ORAL TABLET 1 MG	5	PA; LA; QL (6 EA per 1 day); NDS
INLYTA ORAL TABLET 5 MG	5	PA; LA; QL (4 EA per 1 day); NDS
INREBIC ORAL CAPSULE 100 MG	5	PA; LA; QL (4 EA per 1 day); NDS
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	5	PA; LA; QL (2 EA per 1 day); NDS
JAYPIRCA ORAL TABLET 100 MG	5	PA; QL (2 EA per 1 day); NDS
JAYPIRCA ORAL TABLET 50 MG	5	PA; QL (1 EA per 1 day); NDS
KOSELUGO ORAL CAPSULE 10 MG, 25 MG	5	PA; NDS
<i>lapatinib ditosylate oral tablet 250 mg</i>	5	PA; LA; QL (6 EA per 1 day); NDS
LAZCLUZE ORAL TABLET 240 MG	5	PA; LA; QL (1 EA per 1 day); NDS
LAZCLUZE ORAL TABLET 80 MG	5	PA; LA; QL (2 EA per 1 day); NDS
LENVIMA (10 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 10 MG	5	PA; QL (1 EA per 1 day); NDS
LENVIMA (12 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 3 X 4 MG	5	PA; QL (3 EA per 1 day); NDS
LENVIMA (14 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 10 & 4 MG	5	PA; QL (2 EA per 1 day); NDS
LENVIMA (18 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 10 MG & 2 X 4 MG	5	PA; QL (3 EA per 1 day); NDS
LENVIMA (20 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 2 X 10 MG	5	PA; QL (2 EA per 1 day); NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
LENVIMA (24 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 2 X 10 MG & 4 MG	5	PA; QL (3 EA per 1 day); NDS
LENVIMA (4 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 4 MG	5	PA; QL (1 EA per 1 day); NDS
LENVIMA (8 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 2 X 4 MG	5	PA; QL (2 EA per 1 day); NDS
LORBRENA ORAL TABLET 100 MG	5	PA; QL (1 EA per 1 day); NDS
LORBRENA ORAL TABLET 25 MG	5	PA; QL (3 EA per 1 day); NDS
LYTGOBI (12 MG DAILY DOSE) ORAL TABLET THERAPY PACK 4 MG	5	PA; QL (5 EA per 1 day); NDS
LYTGOBI (16 MG DAILY DOSE) ORAL TABLET THERAPY PACK 4 MG	5	PA; QL (5 EA per 1 day); NDS
LYTGOBI (20 MG DAILY DOSE) ORAL TABLET THERAPY PACK 4 MG	5	PA; QL (5 EA per 1 day); NDS
MEKINIST ORAL SOLUTION RECONSTITUTED 0.05 MG/ML	5	PA; LA; NDS
MEKINIST ORAL TABLET 0.5 MG	5	PA; LA; QL (3 EA per 1 day); NDS
MEKINIST ORAL TABLET 2 MG	5	PA; LA; QL (1 EA per 1 day); NDS
MEKTOVI ORAL TABLET 15 MG	5	PA; QL (6 EA per 1 day); NDS
NERLYNX ORAL TABLET 40 MG	5	PA; QL (6 EA per 1 day); NDS
ODOMZO ORAL CAPSULE 200 MG	5	PA; LA; QL (1 EA per 1 day); NDS
OJEMDA ORAL SUSPENSION RECONSTITUTED 25 MG/ML	5	PA; LA; QL (96 ML per 28 days); NDS
OJEMDA ORAL TABLET 100 MG, 100 MG (16 PACK), 100 MG (24 PACK)	5	PA; LA; QL (24 EA per 28 days); NDS
OJJAARA ORAL TABLET 100 MG, 150 MG, 200 MG	5	PA; LA; QL (1 EA per 1 day); NDS
<i>pazopanib hcl oral tablet 200 mg</i>	5	PA; QL (5 EA per 1 day); NDS
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	5	PA; QL (14 EA per 21 days); NDS
QINLOCK ORAL TABLET 50 MG	5	PA; LA; QL (3 EA per 1 day); NDS
ROZLYTREK ORAL CAPSULE 100 MG	5	PA; QL (6 EA per 1 day); NDS
ROZLYTREK ORAL CAPSULE 200 MG	5	PA; QL (3 EA per 1 day); NDS
ROZLYTREK ORAL PACKET 50 MG	5	PA; QL (12 EA per 1 day); NDS
RYDAPT ORAL CAPSULE 25 MG	5	PA; QL (8 EA per 1 day); NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
SCEMBLIX ORAL TABLET 100 MG	5	PA; QL (4 EA per 1 day); NDS
SCEMBLIX ORAL TABLET 20 MG	5	PA; QL (2 EA per 1 day); NDS
SCEMBLIX ORAL TABLET 40 MG	5	PA; QL (10 EA per 1 day); NDS
<i>sorafenib tosylate oral tablet 200 mg</i>	5	PA; QL (4 EA per 1 day); NDS
STIVARGA ORAL TABLET 40 MG	5	PA; LA; QL (4 EA per 1 day); NDS
<i>sunitinib malate oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i>	5	PA; QL (1 EA per 1 day); NDS
TABRECTA ORAL TABLET 150 MG, 200 MG	5	PA; LA; QL (4 EA per 1 day); NDS
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	5	PA; LA; QL (4 EA per 1 day); NDS
TAFINLAR ORAL TABLET SOLUBLE 10 MG	5	PA; LA; NDS
TAGRISSO ORAL TABLET 40 MG, 80 MG	5	PA; LA; QL (1 EA per 1 day); NDS
TASIGNA ORAL CAPSULE 150 MG, 200 MG	5	PA; QL (4 EA per 1 day); NDS
TASIGNA ORAL CAPSULE 50 MG	5	PA; QL (2 EA per 1 day); NDS
TAZVERIK ORAL TABLET 200 MG	5	PA; QL (8 EA per 1 day); NDS
TEPMETKO ORAL TABLET 225 MG	5	PA; QL (2 EA per 1 day); NDS
TRUQAP ORAL TABLET 160 MG, 200 MG	5	PA; LA; QL (64 EA per 28 days); NDS
TRUSELTIQ (100MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 100 MG	5	PA; LA; QL (1 EA per 1 day); NDS
TRUSELTIQ (125MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 100 & 25 MG	5	PA; LA; QL (2 EA per 1 day); NDS
TRUSELTIQ (50MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 25 MG	5	PA; LA; QL (2 EA per 1 day); NDS
TRUSELTIQ (75MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 25 MG	5	PA; LA; QL (3 EA per 1 day); NDS
TURALIO ORAL CAPSULE 125 MG	5	PA; LA; QL (4 EA per 1 day); NDS
UKONIQ ORAL TABLET 200 MG	5	PA; LA; QL (4 EA per 1 day); NDS
VANFLYTA ORAL TABLET 17.7 MG, 26.5 MG	5	PA; LA; QL (2 EA per 1 day); NDS
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	5	PA; QL (1 EA per 1 day); NDS
VONJO ORAL CAPSULE 100 MG	5	PA; QL (4 EA per 1 day); NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
XALKORI ORAL CAPSULE 200 MG, 250 MG	5	PA; LA; QL (2 EA per 1 day); NDS
XALKORI ORAL CAPSULE SPRINKLE 150 MG	5	PA; LA; QL (3 EA per 1 day); NDS
XALKORI ORAL CAPSULE SPRINKLE 20 MG, 50 MG	5	PA; LA; QL (2 EA per 1 day); NDS
ZELBORAFA ORAL TABLET 240 MG	5	PA; LA; QL (8 EA per 1 day); NDS
ZYKADIA ORAL TABLET 150 MG	5	PA; LA; QL (3 EA per 1 day); NDS
Retinoids		
<i>bexarotene external gel 1 %</i>	5	PA; NDS
<i>bexarotene oral capsule 75 mg</i>	5	PA; NDS
PANRETIN EXTERNAL GEL 0.1 %	5	NDS
<i>tretinoin oral capsule 10 mg</i>	5	NDS
Antiparasitics		
Anthelmintics		
<i>albendazole oral tablet 200 mg</i>	5	NDS
<i>ivermectin oral tablet 3 mg</i>	2	PA; GC
<i>praziquantel oral tablet 600 mg</i>	3	
Antiprotozoals		
ALINIA ORAL TABLET 500 MG	5	NDS
<i>atovaquone oral suspension 750 mg/5ml</i>	4	
<i>atovaquone-proguanil hcl oral tablet 250-100 mg</i>	4	
<i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>	2	GC
COARTEM ORAL TABLET 20-120 MG	4	QL (24 EA per 30 days)
<i>hydroxychloroquine sulfate oral tablet 200 mg</i>	2	GC
<i>mefloquine hcl oral tablet 250 mg</i>	2	GC
<i>nitazoxanide oral tablet 500 mg</i>	5	NDS
<i>pentamidine isethionate inhalation solution reconstituted 300 mg</i>	4	PA B/D
<i>pentamidine isethionate injection solution reconstituted 300 mg</i>	4	
PRIMAQUINE PHOSPHATE ORAL TABLET 26.3 (15 BASE) MG, 26.3 MG	3	
<i>pyrimethamine oral tablet 25 mg</i>	5	PA; NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
<i>quinine sulfate oral capsule 324 mg</i>	4	PA; QL (42 EA per 30 days)
Pediculicides/ Scabicides		
<i>lindane external shampoo 1 %</i>	2	
<i>malathion external lotion 0.5 %</i>	2	GC
<i>permethrin external cream 5 %</i>	2	GC
<i>SKLICE EXTERNAL LOTION 0.5 %</i>	4	
Antiparkinson Agents		
Anticholinergics		
<i>benztropine mesylate oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	GC
<i>trihexyphenidyl hcl oral elixir 0.4 mg/ml</i>	2	GC
<i>trihexyphenidyl hcl oral solution 0.4 mg/ml</i>	2	GC
<i>trihexyphenidyl hcl oral tablet 2 mg, 5 mg</i>	2	GC
Antiparkinson Agents, Other		
<i>entacapone oral tablet 200 mg</i>	4	
<i>tolcapone oral tablet 100 mg</i>	5	NDS
Dopamine Agonists		
<i>APOKYN SUBCUTANEOUS SOLUTION CARTRIDGE 30 MG/3ML</i>	5	PA; LA; QL (2 ML per 1 day); NDS
<i>apomorphine hcl subcutaneous solution cartridge 30 mg/3ml</i>	5	PA; QL (2 ML per 1 day); NDS
<i>bromocriptine mesylate oral capsule 5 mg</i>	3	
<i>bromocriptine mesylate oral tablet 2.5 mg</i>	3	
<i>NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24HR, 2 MG/24HR, 3 MG/24HR, 4 MG/24HR, 6 MG/24HR, 8 MG/24HR</i>	4	QL (1 EA per 1 day)
<i>pramipexole dihydrochloride oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>	2	GC
<i>ropinirole hcl oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>	2	GC
Dopamine Precursors/ L-Amino Acid Decarboxylase Inhibitors		
<i>carbidopa-levodopa er oral tablet extended release 25-100 mg, 50-200 mg</i>	2	GC
<i>carbidopa-levodopa oral tablet 10-100 mg, 25-100 mg, 25-250 mg</i>	1	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
CARBIDOPA-LEVODOPA-ENTACAPONE ORAL TABLET 12.5-50-200 MG, 18.75-75-200 MG, 25-100-200 MG, 31.25-125-200 MG, 37.5-150-200 MG, 50-200-200 MG	3	
Monoamine Oxidase B (Mao-B) Inhibitors		
<i>rasagiline mesylate oral tablet 0.5 mg, 1 mg</i>	4	QL (1 EA per 1 day)
<i>selegiline hcl oral capsule 5 mg</i>	2	GC
<i>selegiline hcl oral tablet 5 mg</i>	2	GC
Antipsychotics		
1St Generation/ Typical		
<i>chlorpromazine hcl oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>	4	PA
<i>fluphenazine decanoate injection solution 25 mg/ml</i>	4	
<i>fluphenazine hcl injection solution 2.5 mg/ml</i>	4	
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>	4	
<i>fluphenazine hcl oral elixir 2.5 mg/5ml</i>	4	
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	4	
<i>haloperidol decanoate intramuscular solution 50 mg/ml</i>	2	GC
<i>haloperidol lactate injection solution 5 mg/ml</i>	2	GC
<i>haloperidol lactate injection solution 5 mg/ml(1 ml prefilled syringe)</i>	2	GC
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	2	GC
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	2	GC
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	2	GC
<i>molindone hcl oral tablet 10 mg, 25 mg, 5 mg</i>	4	
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	3	
<i>pimozide oral tablet 1 mg, 2 mg</i>	2	GC
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i>	2	GC
<i>thioridazine hcl oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	GC
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	2	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
<i>trifluoperazine hcl oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	2	GC
1St Generation/Typical		
<i>chlorpromazine hcl oral concentrate 30 mg/ml</i>	4	
<i>haloperidol decanoate intramuscular solution 100 mg/ml, 100 mg/ml 1 ml, 50 mg/ml(1ml)</i>	2	GC
2Nd Generation/ Atypical		
ABILITY MYCITE MAINTENANCE KIT ORAL TABLET THERAPY PACK 15 MG, 2 MG, 20 MG, 5 MG	5	PA; QL (1 EA per 1 day); NDS
ABILITY MYCITE ORAL TABLET 10 MG, 15 MG, 2 MG, 20 MG, 30 MG, 5 MG	5	PA; QL (1 EA per 1 day); NDS
ABILITY MYCITE STARTER KIT ORAL TABLET THERAPY PACK 10 MG	5	PA; QL (1 EA per 1 day); NDS
<i>aripiprazole oral solution 1 mg/ml</i>	4	
<i>aripiprazole oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg</i>	4	QL (1 EA per 1 day)
<i>aripiprazole oral tablet dispersible 10 mg, 15 mg</i>	5	PA; QL (2 EA per 1 day); NDS
ARISTADA INITIO INTRAMUSCULAR PREFILLED SYRINGE 675 MG/2.4ML	5	NDS
ARISTADA INTRAMUSCULAR PREFILLED SYRINGE 1064 MG/3.9ML, 441 MG/1.6ML, 662 MG/2.4ML, 882 MG/3.2ML	5	NDS
<i>asenapine maleate sublingual tablet sublingual 10 mg, 2.5 mg, 5 mg</i>	4	ST; QL (2 EA per 1 day)
CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG	5	PA; QL (30 EA per 30 days); NDS
FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 6 MG, 8 MG	5	ST; QL (2 EA per 1 day); NDS
FANAPT ORAL TABLET 4 MG	4	ST; QL (2 EA per 1 day)
INVEGA SUSTENNA INTRAMUSCULAR SUSPENSION 117 MG/0.75ML, 156 MG/ML, 234 MG/1.5ML, 78 MG/0.5ML	5	NDS
INVEGA SUSTENNA INTRAMUSCULAR SUSPENSION 39 MG/0.25ML	4	
INVEGA SUSTENNA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 117 MG/0.75ML, 156 MG/ML, 234 MG/1.5ML, 78 MG/0.5ML	5	NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
INVEGA SUSTENNA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 39 MG/0.25ML	4	
INVEGA TRINZA INTRAMUSCULAR SUSPENSION 273 MG/0.875ML, 410 MG/1.315ML, 546 MG/1.75ML, 819 MG/2.625ML	5	NDS
INVEGA TRINZA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 273 MG/0.875ML, 273 MG/0.88ML, 410 MG/1.315ML, 410 MG/1.32ML, 546 MG/1.75ML, 819 MG/2.625ML, 819 MG/2.63ML	5	NDS
<i>lurasidone hcl oral tablet 120 mg, 20 mg, 40 mg, 60 mg</i>	4	ST; QL (1 EA per 1 day)
<i>lurasidone hcl oral tablet 80 mg</i>	4	ST; QL (2 EA per 1 day)
NUPLAZID ORAL CAPSULE 34 MG	5	PA; LA; QL (1 EA per 1 day); NDS
NUPLAZID ORAL TABLET 10 MG	5	PA; LA; QL (1 EA per 1 day); NDS
<i>olanzapine intramuscular solution reconstituted 10 mg</i>	2	GC
<i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i>	2	GC
<i>olanzapine oral tablet dispersible 10 mg, 15 mg, 20 mg, 5 mg</i>	2	GC; QL (1 EA per 1 day)
<i>paliperidone er oral tablet extended release 24 hour 1.5 mg, 3 mg, 9 mg</i>	4	ST; QL (1 EA per 1 day)
<i>paliperidone er oral tablet extended release 24 hour 6 mg</i>	4	ST; QL (2 EA per 1 day)
PERSERIS SUBCUTANEOUS PREFILLED SYRINGE 120 MG, 90 MG	5	PA; NDS
<i>quetiapine fumarate oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i>	2	GC
<i>quetiapine fumarate oral tablet 150 mg</i>	2	NDS
REXULTI ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG	5	PA; QL (1 EA per 1 day); NDS
<i>risperidone microspheres er intramuscular suspension reconstituted er 12.5 mg</i>	4	
<i>risperidone microspheres er intramuscular suspension reconstituted er 25 mg, 37.5 mg, 50 mg</i>	5	NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
<i>risperidone m-tab oral tablet dispersible 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>	4	
<i>risperidone oral solution 1 mg/ml</i>	2	GC
<i>risperidone oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>	2	GC
<i>risperidone oral tablet dispersible 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>	4	
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24HR, 5.7 MG/24HR, 7.6 MG/24HR	5	PA; QL (1 EA per 1 day); NDS
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	5	PA; QL (1 EA per 1 day); NDS
VRAYLAR ORAL CAPSULE THERAPY PACK 1.5 & 3 MG	4	PA; QL (14 EA per 365 days)
<i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i>	2	GC
<i>ziprasidone mesylate intramuscular solution reconstituted 20 mg</i>	3	
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION RECONSTITUTED 210 MG	4	
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION RECONSTITUTED 300 MG, 405 MG	5	NDS
2Nd Generation/Atypical		
INVEGA HAFYERA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 1092 MG/3.5ML	5	QL (3.5 ML per 180 days); NDS
INVEGA HAFYERA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 1560 MG/5ML	5	QL (5 ML per 180 days); NDS
Treatment-Resistant		
<i>clozapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i>	2	GC
CLOZAPINE ORAL TABLET DISPERSIBLE 100 MG, 12.5 MG, 25 MG	4	ST
<i>clozapine oral tablet dispersible 150 mg</i>	4	ST
<i>clozapine oral tablet dispersible 200 mg</i>	5	ST; NDS
VERSACLOZ ORAL SUSPENSION 50 MG/ML	5	NDS
Antispasticity Agents		
Antispasticity Agents		

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
<i>baclofen oral tablet 10 mg, 20 mg</i>	2	GC
<i>tizanidine hcl oral tablet 2 mg, 4 mg</i>	2	GC
Antivirals		
Anti-Cytomegalovirus (Cmv) Agents		
PREVYMIS ORAL TABLET 240 MG, 480 MG	5	ST; QL (1 EA per 1 day); NDS
<i>valganciclovir hcl oral solution reconstituted 50 mg/ml</i>	5	QL (36 ML per 1 day); NDS
<i>valganciclovir hcl oral tablet 450 mg</i>	3	QL (4 EA per 1 day)
ZIRGAN OPHTHALMIC GEL 0.15 %	4	
Anti-Hepatitis B (Hbv) Agents		
<i>adefovir dipivoxil oral tablet 10 mg</i>	4	
<i>entecavir oral tablet 0.5 mg, 1 mg</i>	4	QL (1 EA per 1 day)
EPIVIR HBV ORAL SOLUTION 5 MG/ML	3	
INTRON A INJECTION SOLUTION 10000000 UNIT/ML, 6000000 UNIT/ML	5	NDS
INTRON A INJECTION SOLUTION RECONSTITUTED 10000000 UNIT	5	NDS
Anti-Hepatitis C (Hcv) Agents		
INTRON A INJECTION SOLUTION RECONSTITUTED 18000000 UNIT, 50000000 UNIT	5	NDS
MAVYRET ORAL PACKET 50-20 MG	5	PA; NDS
MAVYRET ORAL TABLET 100-40 MG	5	PA; QL (3 EA per 1 day); NDS
MODERIBA ORAL TABLET 200 MG	3	
PEGASYS PROCLICK SUBCUTANEOUS SOLUTION 135 MCG/0.5ML, 180 MCG/0.5ML	5	NDS
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/0.5ML	5	NDS
PEGASYS SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 180 MCG/0.5ML	5	NDS
RIBASPHERE ORAL CAPSULE 200 MG	3	
RIBASPHERE ORAL TABLET 200 MG	3	
<i>ribavirin oral capsule 200 mg</i>	2	GC
<i>ribavirin oral tablet 200 mg</i>	2	GC
<i>sofosbuvir-velpatasvir oral tablet 400-100 mg</i>	5	PA; QL (84 EA per 84 days); NDS
Antiherpetic Agents		
<i>acyclovir external ointment 5 %</i>	4	QL (30 GM per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
<i>acyclovir oral capsule 200 mg</i>	2	GC
<i>acyclovir oral suspension 200 mg/5ml</i>	2	GC
<i>acyclovir oral tablet 400 mg, 800 mg</i>	2	GC
<i>acyclovir sodium intravenous solution 50 mg/ml</i>	2	PA B/D; GC
DENAVIR EXTERNAL CREAM 1 %	4	QL (5 GM per 30 days); NDS
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	2	GC
<i>penciclovir external cream 1 %</i>	4	QL (5 GM per 30 days)
<i>trifluridine ophthalmic solution 1 %</i>	2	GC
<i>valacyclovir hcl oral tablet 1 gm, 500 mg</i>	4	
Anti-Hiv Agents, Integrase Inhibitors (Insti)		
BIKTARVY ORAL TABLET 30-120-15 MG, 50-200-25 MG	5	NDS
GENVOYA ORAL TABLET 150-150-200-10 MG	5	QL (1 EA per 1 day); NDS
ISENTRESS HD ORAL TABLET 600 MG	5	QL (2 EA per 1 day); NDS
ISENTRESS ORAL PACKET 100 MG	5	NDS
ISENTRESS ORAL TABLET 400 MG	5	QL (2 EA per 1 day); NDS
ISENTRESS ORAL TABLET CHEWABLE 100 MG	5	QL (6 EA per 1 day); NDS
ISENTRESS ORAL TABLET CHEWABLE 25 MG	3	QL (6 EA per 1 day)
STRIBILD ORAL TABLET 150-150-200-300 MG	5	QL (1 EA per 1 day); NDS
SYMTUZA ORAL TABLET 800-150-200-10 MG	5	QL (1 EA per 1 day); NDS
TIVICAY ORAL TABLET 10 MG	4	
TIVICAY ORAL TABLET 25 MG, 50 MG	5	NDS
TIVICAY PD ORAL TABLET SOLUBLE 5 MG	4	
Anti-Hiv Agents, Non-Nucleoside Reverse Transcriptase Inhibitors (Nnrti)		
COMPLERA ORAL TABLET 200-25-300 MG	5	QL (1 EA per 1 day); NDS
EDURANT ORAL TABLET 25 MG	5	QL (1 EA per 1 day); NDS
<i>efavirenz oral capsule 200 mg</i>	2	GC; NDS
<i>efavirenz oral capsule 50 mg</i>	2	
<i>efavirenz oral tablet 600 mg</i>	2	GC; QL (1 EA per 1 day); NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
<i>etravirine oral tablet 100 mg</i>	4	QL (4 EA per 1 day)
<i>etravirine oral tablet 200 mg</i>	5	QL (2 EA per 1 day); NDS
INTELENCE ORAL TABLET 25 MG	4	
<i>nevirapine er oral tablet extended release 24 hour 400 mg</i>	4	
<i>nevirapine oral suspension 50 mg/5ml</i>	4	
<i>nevirapine oral tablet 200 mg</i>	2	GC
PIFELTRO ORAL TABLET 100 MG	5	QL (1 EA per 1 day); NDS
RESCRIPTOR ORAL TABLET 100 MG, 200 MG	3	
Anti-Hiv Agents, Nucleoside And Nucleotide Reverse Transcriptase Inhibitors (Nrti)		
<i>abacavir sulfate oral solution 20 mg/ml</i>	4	QL (30 ML per 1 day)
<i>abacavir sulfate oral tablet 300 mg</i>	2	GC; QL (2 EA per 1 day)
<i>abacavir sulfate-lamivudine oral tablet 600-300 mg</i>	4	QL (2 EA per 1 day)
<i>abacavir-lamivudine-zidovudine oral tablet 300-150-300 mg</i>	5	NDS
CIMDUO ORAL TABLET 300-300 MG	5	NDS
DELSTRIGO ORAL TABLET 100-300-300 MG	5	NDS
DESCOVY ORAL TABLET 120-15 MG, 200-25 MG	5	QL (1 EA per 1 day); NDS
<i>didanosine oral capsule delayed release 125 mg, 200 mg</i>	2	GC
DOVATO ORAL TABLET 50-300 MG	5	QL (1 EA per 1 day); NDS
<i>efavirenz-emtricitab-tenofo df oral tablet 600-200-300 mg</i>	5	QL (1 EA per 1 day); NDS
<i>efavirenz-emtricitab-tenofovir oral tablet 600-200-300 mg</i>	5	QL (1 EA per 1 day); NDS
<i>efavirenz-lamivudine-tenofovir oral tablet 400-300-300 mg, 600-300-300 mg</i>	5	NDS
<i>emtricitabine oral capsule 200 mg</i>	4	
<i>emtricitabine-tenofovir df oral tablet 100-150 mg, 133-200 mg, 167-250 mg</i>	5	QL (1 EA per 1 day); NDS
<i>emtricitabine-tenofovir df oral tablet 200-300 mg</i>	4	QL (1 EA per 1 day); NDS
EMTRIVA ORAL SOLUTION 10 MG/ML	4	
JULUCA ORAL TABLET 50-25 MG	5	QL (1 EA per 1 day); NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
<i>lamivudine oral solution 10 mg/ml</i>	2	GC
<i>lamivudine oral tablet 100 mg, 150 mg, 300 mg</i>	2	GC
<i>lamivudine-zidovudine oral tablet 150-300 mg</i>	4	
ODEFSEY ORAL TABLET 200-25-25 MG	5	QL (1 EA per 1 day); NDS
TEMIXYS ORAL TABLET 300-300 MG	5	NDS
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i>	4	QL (1 EA per 1 day)
TRIZIVIR ORAL TABLET 300-150-300 MG	5	NDS
VIDEX EC ORAL CAPSULE DELAYED RELEASE 125 MG	3	
VIDEX ORAL SOLUTION RECONSTITUTED 2 GM, 4 GM	3	
VIREAD ORAL POWDER 40 MG/GM	5	QL (225 GM per 30 days); NDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	5	QL (1 EA per 1 day); NDS
ZERIT ORAL SOLUTION RECONSTITUTED 1 MG/ML	3	
<i>zidovudine oral capsule 100 mg</i>	2	GC
<i>zidovudine oral syrup 50 mg/5ml</i>	2	GC
<i>zidovudine oral tablet 300 mg</i>	2	GC
Anti-Hiv Agents, Other		
FUZEON SUBCUTANEOUS SOLUTION RECONSTITUTED 90 MG	5	NDS
<i>maraviroc oral tablet 150 mg</i>	5	QL (2 EA per 1 day); NDS
<i>maraviroc oral tablet 300 mg</i>	5	QL (4 EA per 1 day); NDS
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HOUR 600 MG	5	NDS
SELZENTRY ORAL SOLUTION 20 MG/ML	5	NDS
SELZENTRY ORAL TABLET 25 MG	4	QL (8 EA per 1 day)
SELZENTRY ORAL TABLET 75 MG	5	QL (8 EA per 1 day); NDS
SUNLENCA ORAL TABLET THERAPY PACK 4 X 300 MG	5	QL (4 EA per 180 days); NDS
SUNLENCA ORAL TABLET THERAPY PACK 5 X 300 MG	5	QL (5 EA per 180 days); NDS
TRIUMEQ ORAL TABLET 600-50-300 MG	5	NDS
<i>triumeq pd oral tablet soluble 60-5-30 mg</i>	5	QL (6 EA per 1 day); NDS
TYBOST ORAL TABLET 150 MG	3	
Anti-Hiv Agents, Protease Inhibitors		

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
APTIVUS ORAL CAPSULE 250 MG	5	NDS
APTIVUS ORAL SOLUTION 100 MG/ML	5	NDS
<i>atazanavir sulfate oral capsule 150 mg, 300 mg</i>	4	QL (1 EA per 1 day); NDS
<i>atazanavir sulfate oral capsule 200 mg</i>	4	QL (2 EA per 1 day); NDS
CRIXIVAN ORAL CAPSULE 200 MG, 400 MG	3	
<i>darunavir oral tablet 600 mg</i>	5	QL (2 EA per 1 day); NDS
<i>darunavir oral tablet 800 mg</i>	5	QL (1 EA per 1 day); NDS
EVOTAZ ORAL TABLET 300-150 MG	5	QL (1 EA per 1 day); NDS
<i>fosamprenavir calcium oral tablet 700 mg</i>	5	NDS
INVIRASE ORAL CAPSULE 200 MG	5	NDS
INVIRASE ORAL TABLET 500 MG	5	NDS
LEXIVA ORAL SUSPENSION 50 MG/ML	4	
<i>lopinavir-ritonavir oral solution 400-100 mg/5ml</i>	4	
<i>lopinavir-ritonavir oral tablet 100-25 mg</i>	4	
<i>lopinavir-ritonavir oral tablet 200-50 mg</i>	4	QL (4 EA per 1 day)
NORVIR ORAL CAPSULE 100 MG	4	
NORVIR ORAL PACKET 100 MG	4	
NORVIR ORAL SOLUTION 80 MG/ML	4	
PREZCOBIX ORAL TABLET 800-150 MG	5	QL (2 EA per 1 day); NDS
PREZISTA ORAL SUSPENSION 100 MG/ML	5	QL (12 ML per 1 day); NDS
PREZISTA ORAL TABLET 150 MG	4	QL (6 EA per 1 day)
PREZISTA ORAL TABLET 75 MG	4	QL (10 EA per 1 day)
REYATAZ ORAL PACKET 50 MG	5	NDS
<i>ritonavir oral tablet 100 mg</i>	2	GC; QL (12 EA per 1 day)
VIRACEPT ORAL TABLET 250 MG, 625 MG	5	NDS
Anti-Influenza Agents		
<i>amantadine hcl oral capsule 100 mg</i>	2	GC
<i>amantadine hcl oral tablet 100 mg</i>	2	GC
<i>oseltamivir phosphate oral capsule 30 mg, 45 mg, 75 mg</i>	2	GC; QL (84 EA per 180 days)
<i>oseltamivir phosphate oral suspension reconstituted 6 mg/ml</i>	2	GC
RELENZA DISKHALER INHALATION AEROSOL POWDER BREATH ACTIVATED 5 MG/ACT, 5 MG/BLISTER	3	
<i>rimantadine hcl oral tablet 100 mg</i>	2	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
Antivirals		
LAGEVRIO ORAL CAPSULE 200 MG	4	QL (80 EA per 365 days)
<i>molnupiravir oral capsule 200 mg</i>	4	QL (80 EA per 365 days)
PAXLOVID (150/100) ORAL TABLET THERAPY PACK 10 X 150 MG & 10 X 100MG	3	QL (40 EA per 365 days)
PAXLOVID (300/100) ORAL TABLET THERAPY PACK 20 X 150 MG & 10 X 100MG	3	QL (60 EA per 365 days)
Anxiolytics		
Anxiolytics, Other		
<i>buspirone hcl oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	2	GC
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	4	
<i>hydroxyzine pamoate oral capsule 100 mg, 25 mg, 50 mg</i>	4	
<i>triazolam oral tablet 0.125 mg, 0.25 mg</i>	2	GC; QL (2 EA per 1 day); NDS
Benzodiazepines		
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i>	2	GC; QL (3 EA per 1 day); NDS
<i>alprazolam oral tablet 2 mg</i>	2	GC; QL (5 EA per 1 day); NDS
<i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>	2	PA; GC; QL (4 EA per 1 day); NDS
<i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg</i>	3	QL (6 EA per 1 day); NDS
<i>diazepam intensol oral concentrate 5 mg/ml</i>	4	NDS
<i>diazepam oral concentrate 5 mg/ml</i>	4	NDS
<i>diazepam oral solution 1 mg/ml</i>	4	QL (40 EA per 1 day); NDS
<i>diazepam oral solution 5 mg/5ml</i>	4	QL (40 ML per 1 day); NDS
<i>diazepam oral tablet 2 mg, 5 mg</i>	2	GC; QL (4 EA per 1 day); NDS
<i>lorazepam oral tablet 0.5 mg, 1 mg</i>	2	GC; QL (3 EA per 1 day); NDS
<i>lorazepam oral tablet 2 mg</i>	2	GC; QL (5 EA per 1 day); NDS
Ssrts/ Snris		
<i>duloxetine hcl oral capsule delayed release particles 40 mg</i>	4	QL (3 EA per 1 day)
<i>paroxetine hcl oral tablet 20 mg</i>	2	PA; GC
Bipolar Agents		
Bipolar Agents, Other		
LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG	5	PA; QL (1 EA per 1 day); NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
Mood Stabilizers		
<i>carbamazepine er oral capsule extended release 12 hour 100 mg, 200 mg, 300 mg</i>	3	
<i>lithium carbonate er oral tablet extended release 300 mg, 450 mg</i>	2	GC
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	2	GC
LITHIUM ORAL SOLUTION 8 MEQ/5ML	3	
Blood Glucose Regulators		
Antidiabetic Agents		
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i>	2	GC; DDMP
<i>ALOGLIPTIN BENZOATE ORAL TABLET 12.5 MG, 25 MG, 6.25 MG</i>	3	ST; DDMP; QL (1 EA per 1 day)
<i>ALOGLIPTIN-METFORMIN HCL ORAL TABLET 12.5-1000 MG, 12.5-500 MG</i>	3	ST; DDMP; QL (2 EA per 1 day)
<i>ALOGLIPTIN-PIOGLITAZONE ORAL TABLET 12.5-15 MG, 12.5-30 MG, 12.5-45 MG, 25-15 MG, 25-30 MG, 25-45 MG</i>	3	ST; DDMP; QL (1 EA per 1 day)
<i>AVANDIA ORAL TABLET 2 MG, 4 MG</i>	4	
<i>CYCLOSET ORAL TABLET 0.8 MG</i>	4	
<i>FARXIGA ORAL TABLET 10 MG, 5 MG</i>	3	QL (1 EA per 1 day)
<i>glimepiride oral tablet 1 mg, 2 mg</i>	1	GC; QL (3 EA per 1 day)
<i>glimepiride oral tablet 4 mg</i>	1	GC; QL (2 EA per 1 day)
<i>glipizide er oral tablet extended release 24 hour 10 mg</i>	1	GC; QL (2 EA per 1 day)
<i>glipizide er oral tablet extended release 24 hour 2.5 mg, 5 mg</i>	1	GC; QL (3 EA per 1 day)
<i>glipizide oral tablet 10 mg</i>	1	GC; QL (4 EA per 1 day)
<i>glipizide oral tablet 5 mg</i>	1	GC; QL (3 EA per 1 day)
<i>INVOKAMET ORAL TABLET 150-1000 MG, 150-500 MG, 50-1000 MG, 50-500 MG</i>	4	QL (2 EA per 1 day)
<i>INVOKAMET XR ORAL TABLET EXTENDED RELEASE 24 HOUR 150-1000 MG, 150-500 MG, 50-1000 MG, 50-500 MG</i>	4	QL (2 EA per 1 day)
<i>INVOKANA ORAL TABLET 100 MG, 300 MG</i>	4	QL (1 EA per 1 day)
<i>JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG</i>	3	QL (1 EA per 1 day)
<i>metformin hcl er oral tablet extended release 24 hour 500 mg</i>	1	GC; QL (4 EA per 1 day)

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
<i>metformin hcl er oral tablet extended release 24 hour 750 mg</i>	1	GC; QL (2 EA per 1 day)
<i>metformin hcl oral tablet 1000 mg</i>	1	GC; QL (2.5 EA per 1 day)
<i>metformin hcl oral tablet 500 mg</i>	1	GC; QL (5 EA per 1 day)
<i>metformin hcl oral tablet 850 mg</i>	1	GC; QL (3 EA per 1 day)
MOUNJARO SUBCUTANEOUS SOLUTION AUTO-INJECTOR 10 MG/0.5ML, 12.5 MG/0.5ML, 15 MG/0.5ML, 2.5 MG/0.5ML, 5 MG/0.5ML, 7.5 MG/0.5ML	3	PA; QL (2 ML per 28 days)
MOUNJARO SUBCUTANEOUS SOLUTION PEN-INJECTOR 10 MG/0.5ML, 12.5 MG/0.5ML, 15 MG/0.5ML, 2.5 MG/0.5ML, 5 MG/0.5ML, 7.5 MG/0.5ML	3	PA; QL (2 ML per 28 days)
<i>nateglinide oral tablet 120 mg, 60 mg</i>	2	GC; DDMP
OZEMPIC (0.25 OR 0.5 MG/DOSE) SUBCUTANEOUS SOLUTION PEN-INJECTOR 2 MG/1.5ML	3	PA; QL (1.5 ML per 28 days)
OZEMPIC (0.25 OR 0.5 MG/DOSE) SUBCUTANEOUS SOLUTION PEN-INJECTOR 2 MG/3ML	3	PA; QL (3 ML per 28 days)
OZEMPIC (1 MG/DOSE) SUBCUTANEOUS SOLUTION PEN-INJECTOR 4 MG/3ML	3	PA; QL (3 ML per 28 days)
OZEMPIC (2 MG/DOSE) SUBCUTANEOUS SOLUTION PEN-INJECTOR 8 MG/3ML	3	PA; QL (3 ML per 28 days)
<i>pioglitazone hcl oral tablet 15 mg, 30 mg, 45 mg</i>	2	GC; DDMP; QL (1 EA per 1 day)
<i>repaglinide oral tablet 0.5 mg, 1 mg, 2 mg</i>	4	
RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG	3	PA; QL (1 EA per 1 day)
SYMLINPEN 120 SUBCUTANEOUS SOLUTION PEN-INJECTOR 2700 MCG/2.7ML	5	NDS
SYMLINPEN 60 SUBCUTANEOUS SOLUTION PEN-INJECTOR 1500 MCG/1.5ML	5	NDS
<i>tolbutamide oral tablet 500 mg</i>	3	
TRADJENTA ORAL TABLET 5 MG	4	ST; QL (1 EA per 1 day)
TRULICITY SUBCUTANEOUS SOLUTION AUTO-INJECTOR 0.75 MG/0.5ML, 1.5 MG/0.5ML, 3 MG/0.5ML, 4.5 MG/0.5ML	3	PA; QL (2 ML per 28 days)
TRULICITY SUBCUTANEOUS SOLUTION PEN-INJECTOR 0.75 MG/0.5ML, 1.5 MG/0.5ML, 3 MG/0.5ML, 4.5 MG/0.5ML	3	PA; QL (2 ML per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
VICTOZA SUBCUTANEOUS SOLUTION PEN-INJECTOR 18 MG/3ML	3	PA; QL (9 ML per 30 days)
XIGDUO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 10-1000 MG, 10-500 MG, 5-500 MG	3	QL (1 EA per 1 day)
XIGDUO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 2.5-1000 MG, 5-1000 MG	3	QL (2 EA per 1 day)
Blood Glucose Regulators		
<i>glipizide-metformin hcl oral tablet 2.5-250 mg, 2.5-500 mg, 5-500 mg</i>	1	GC; QL (4 EA per 1 day)
JANUMET ORAL TABLET 50-1000 MG, 50-500 MG	3	QL (2 EA per 1 day)
JANUMET XR ORAL TABLET EXTENDED RELEASE 24 HOUR 100-1000 MG	3	QL (1 EA per 1 day)
JANUMET XR ORAL TABLET EXTENDED RELEASE 24 HOUR 50-1000 MG, 50-500 MG	3	QL (2 EA per 1 day)
<i>pioglitazone hcl-glimepiride oral tablet 30-2 mg, 30-4 mg</i>	4	QL (1 EA per 1 day)
<i>pioglitazone hcl-metformin hcl oral tablet 15-500 mg, 15-850 mg</i>	4	QL (3 EA per 1 day)
<i>repaglinide-metformin hcl oral tablet 1-500 mg, 2-500 mg</i>	2	ST; GC; QL (5 EA per 1 day)
Glycemic Agents		
BAQSIMI ONE PACK NASAL POWDER 3 MG/DOSE	3	
BAQSIMI TWO PACK NASAL POWDER 3 MG/DOSE	3	
<i>diazoxide oral suspension 50 mg/ml</i>	4	
GLUCAGON EMERGENCY INJECTION KIT 1 MG	3	
GVOKE HYPOOPEN 1-PACK SUBCUTANEOUS SOLUTION AUTO-INJECTOR 0.5 MG/0.1ML, 1 MG/0.2ML	3	
GVOKE HYPOOPEN 2-PACK SUBCUTANEOUS SOLUTION AUTO-INJECTOR 0.5 MG/0.1ML, 1 MG/0.2ML	3	
GVOKE KIT SUBCUTANEOUS SOLUTION 1 MG/0.2ML	3	
GVOKE PFS SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 0.5 MG/0.1ML, 1 MG/0.2ML	3	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
<i>mifepristone oral tablet 300 mg</i>	5	PA; QL (4 EA per 1 day); NDS
Insulins		
<i>assure id insulin safety syr 29g x 1/2" 1 ml</i>	2	
<i>bd insulin syringe 29g x 1/2" 1 ml</i>	2	GC
<i>comfort assist insulin syringe 29g x 1/2" 1 ml</i>	2	
FIASP FLEXTOUCH SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML	3	QL (45 ML per 30 days)
FIASP INJECTION SOLUTION 100 UNIT/ML	3	QL (50 ML per 30 days)
FIASP PENFILL SUBCUTANEOUS SOLUTION CARTRIDGE 100 UNIT/ML	3	QL (45 ML per 30 days)
FIASP PUMPCART SUBCUTANEOUS SOLUTION CARTRIDGE 100 UNIT/ML	3	QL (45 ML per 30 days)
FIASP SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	QL (50 ML per 30 days)
HUMULIN R U-500 (CONCENTRATED) SUBCUTANEOUS SOLUTION 500 UNIT/ML	3	QL (1 ML per 1 day); NDS
HUMULIN R U-500 KWIKPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 500 UNIT/ML	3	QL (18 ML per 30 days)
<i>insulin asp prot & asp flexpen subcutaneous suspension pen-injector (70-30) 100 unit/ml</i>	3	QL (45 ML per 30 days)
<i>insulin aspart flexpen subcutaneous solution pen-injector 100 unit/ml</i>	3	QL (45 ML per 30 days)
<i>insulin aspart injection solution 100 unit/ml</i>	3	QL (50 ML per 30 days)
<i>insulin aspart penfill subcutaneous solution cartridge 100 unit/ml</i>	3	QL (45 ML per 30 days)
<i>insulin aspart prot & aspart subcutaneous suspension (70-30) 100 unit/ml</i>	3	QL (50 ML per 30 days)
<i>insulin glargine-yfgn subcutaneous solution 100 unit/ml</i>	3	QL (50 ML per 30 days)
<i>insulin glargine-yfgn subcutaneous solution pen-injector 100 unit/ml</i>	3	QL (45 ML per 30 days)
<i>insulin syringe-needle u-100 29g x 1/2" 1 ml</i>	2	GC
LEVEMIR FLEXPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML	3	QL (45 ML per 30 days)
LEVEMIR FLEXTOUCH SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML	3	QL (45 ML per 30 days)
LEVEMIR SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	QL (50 ML per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
novofine 30g x 8 mm , 32g x 6 mm	2	GC
novofine pen needle 32g x 6 mm	2	GC
novofine plus 32g x 4 mm	2	GC
novofine plus pen needle 32g x 4 mm	2	GC
NOVOLIN 70/30 FLEXPEN RELION SUBCUTANEOUS SUSPENSION PEN- INJECTOR (70-30) 100 UNIT/ML	3	QL (45 ML per 30 days)
NOVOLIN 70/30 FLEXPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR (70-30) 100 UNIT/ML	3	QL (45 ML per 30 days)
NOVOLIN 70/30 RELION SUBCUTANEOUS SUSPENSION (70-30) 100 UNIT/ML	3	QL (50 ML per 30 days)
NOVOLIN 70/30 SUBCUTANEOUS SUSPENSION (70-30) 100 UNIT/ML	3	QL (50 ML per 30 days)
NOVOLIN N FLEXPEN RELION SUBCUTANEOUS SUSPENSION PEN- INJECTOR 100 UNIT/ML	3	QL (45 ML per 30 days)
NOVOLIN N FLEXPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR 100 UNIT/ML	3	QL (45 ML per 30 days)
NOVOLIN N RELION SUBCUTANEOUS SUSPENSION 100 UNIT/ML	3	QL (50 ML per 30 days)
NOVOLIN N SUBCUTANEOUS SUSPENSION 100 UNIT/ML	3	QL (50 ML per 30 days)
NOVOLIN R FLEXPEN INJECTION SOLUTION PEN-INJECTOR 100 UNIT/ML	3	QL (45 ML per 30 days)
NOVOLIN R FLEXPEN RELION INJECTION SOLUTION PEN-INJECTOR 100 UNIT/ML	3	QL (45 ML per 30 days)
NOVOLIN R INJECTION SOLUTION 100 UNIT/ML	3	QL (50 ML per 30 days)
NOVOLIN R RELION INJECTION SOLUTION 100 UNIT/ML	3	QL (50 ML per 30 days)
NOVOLOG FLEXPEN RELION SUBCUTANEOUS SOLUTION PEN- INJECTOR 100 UNIT/ML	3	QL (45 ML per 30 days)
NOVOLOG MIX 70/30 RELION SUBCUTANEOUS SUSPENSION (70-30) 100 UNIT/ML	3	QL (50 ML per 30 days)
NOVOLOG RELION INJECTION SOLUTION 100 UNIT/ML	3	QL (50 ML per 30 days)
novotwist 32g x 5 mm	2	GC
novotwist pen needle 32g x 5 mm	2	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
<i>rezvoglar kwikpen subcutaneous solution pen-injector 100 unit/ml</i>	3	QL (45 ML per 30 days)
TRESIBA FLEXTOUCH SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML, 200 UNIT/ML	3	QL (45 ML per 30 days)
TRESIBA SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	QL (50 ML per 30 days)
Blood Products And Modifiers		
Blood Products And Modifiers, Other		
RETACRIT INJECTION SOLUTION 10000 UNIT/ML, 10000 UNIT/ML(1ML)	3	PA; QL (12 ML per 28 days)
Blood Products/ Modifiers/ Volume Expanders		
Anticoagulants		
<i>dabigatran etexilate mesylate oral capsule 110 mg, 150 mg, 75 mg</i>	4	QL (2 EA per 1 day)
ELIQUIS DVT/PE STARTER PACK ORAL TABLET THERAPY PACK 5 MG	3	
ELIQUIS ORAL TABLET 2.5 MG, 5 MG	3	QL (2 EA per 1 day)
<i>enoxaparin sodium injection solution prefilled syringe 100 mg/ml, 120 mg/0.8ml, 150 mg/ml, 30 mg/0.3ml, 40 mg/0.4ml, 60 mg/0.6ml, 80 mg/0.8ml</i>	2	GC
<i>enoxaparin sodium subcutaneous solution 100 mg/ml, 150 mg/ml</i>	2	QL (30 ML per 90 days)
<i>enoxaparin sodium subcutaneous solution 120 mg/0.8ml, 80 mg/0.8ml</i>	2	QL (24 ML per 90 days)
<i>enoxaparin sodium subcutaneous solution 30 mg/0.3ml</i>	2	QL (9 ML per 90 days)
<i>enoxaparin sodium subcutaneous solution 40 mg/0.4ml</i>	2	QL (12 ML per 90 days)
<i>enoxaparin sodium subcutaneous solution 60 mg/0.6ml</i>	2	QL (18 ML per 90 days)
<i>fondaparinux sodium subcutaneous solution 10 mg/0.8ml, 5 mg/0.4ml, 7.5 mg/0.6ml</i>	5	NDS
<i>fondaparinux sodium subcutaneous solution 2.5 mg/0.5ml</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
FRAGMIN SUBCUTANEOUS SOLUTION 10000 UNIT/ML, 12500 UNIT/0.5ML, 15000 UNIT/0.6ML, 18000 UNT/0.72ML, 7500 UNIT/0.3ML, 95000 UNIT/3.8ML	5	NDS
FRAGMIN SUBCUTANEOUS SOLUTION 2500 UNIT/0.2ML, 5000 UNIT/0.2ML	4	
FRAGMIN SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 10000 UNIT/ML, 12500 UNIT/0.5ML, 15000 UNIT/0.6ML, 18000 UNIT/0.72ML, 7500 UNIT/0.3ML	5	NDS
FRAGMIN SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 2500 UNIT/0.2ML, 5000 UNIT/0.2ML	4	
<i>heparin sodium (porcine) injection solution 1000 unit/ml, 10000 unit/ml, 20000 unit/ml, 5000 unit/ml</i>	2	GC
<i>heparin sodium (porcine) pf injection solution 1000 unit/ml</i>	2	
JANTOVEN ORAL TABLET 1 MG, 10 MG, 2 MG, 2.5 MG, 3 MG, 4 MG, 5 MG, 6 MG, 7.5 MG	3	
<i>warfarin sodium oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i>	1	GC
XARELTO ORAL SUSPENSION RECONSTITUTED 1 MG/ML	3	
XARELTO ORAL TABLET 10 MG, 15 MG, 20 MG	3	QL (1 EA per 1 day)
XARELTO ORAL TABLET 2.5 MG	3	QL (2 EA per 1 day)
XARELTO STARTER PACK ORAL TABLET THERAPY PACK 15 & 20 MG	3	QL (102 EA per 365 days)
Blood Formation Modifiers		
<i>anagrelide hcl oral capsule 0.5 mg</i>	3	
<i>anagrelide hcl oral capsule 1 mg</i>	3	GC
LEUKINE INJECTION SOLUTION RECONSTITUTED 250 MCG	5	PA; NDS
LEUKINE INTRAVENOUS SOLUTION RECONSTITUTED 250 MCG	5	PA; NDS
PROMACTA ORAL PACKET 12.5 MG	5	PA; QL (6 EA per 1 day); NDS
PROMACTA ORAL PACKET 25 MG	5	PA; QL (3 EA per 1 day); NDS
PROMACTA ORAL TABLET 12.5 MG, 25 MG	5	PA; QL (1 EA per 1 day); NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
PROMACTA ORAL TABLET 50 MG, 75 MG	5	PA; QL (2 EA per 1 day); NDS
RETACRIT INJECTION SOLUTION 2000 UNIT/ML, 3000 UNIT/ML, 4000 UNIT/ML	3	PA; QL (12 ML per 28 days)
RETACRIT INJECTION SOLUTION 40000 UNIT/ML	5	PA; QL (4 ML per 28 days); NDS
UDENYCA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 6 MG/0.6ML	5	PA; NDS
ZARXIO INJECTION SOLUTION PREFILLED SYRINGE 300 MCG/0.5ML, 480 MCG/0.8ML	5	PA; NDS
Hemostasis Agents		
<i>tranexamic acid oral tablet 650 mg</i>	2	GC
Platelet Modifying Agents		
<i>aspirin-dipyridamole er oral capsule extended release 12 hour 25-200 mg</i>	4	QL (2 EA per 1 day)
BRILINTA ORAL TABLET 60 MG, 90 MG	3	QL (2 EA per 1 day)
<i>cilostazol oral tablet 100 mg, 50 mg</i>	2	GC
<i>clopidogrel bisulfate oral tablet 75 mg</i>	2	GC
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	2	GC
<i>prasugrel hcl oral tablet 10 mg, 5 mg</i>	4	QL (1 EA per 1 day)
Cardiovascular Agents		
Alpha-Adrenergic Agonists		
<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>	2	GC
<i>clonidine hcl transdermal patch weekly 0.1 mg/24hr, 0.2 mg/24hr, 0.3 mg/24hr</i>	4	QL (4 EA per 28 days)
<i>clonidine transdermal patch weekly 0.1 mg/24hr, 0.2 mg/24hr, 0.3 mg/24hr</i>	4	QL (4 EA per 28 days)
<i>droxidopa oral capsule 100 mg</i>	4	PA; QL (3 EA per 1 day)
<i>droxidopa oral capsule 200 mg, 300 mg</i>	4	PA; QL (6 EA per 1 day)
<i>guanfacine hcl oral tablet 1 mg, 2 mg</i>	2	GC
<i>midodrine hcl oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	GC
Alpha-Adrenergic Blocking Agents		
<i>doxazosin mesylate oral tablet 1 mg</i>	1	GC
<i>prazosin hcl oral capsule 1 mg, 2 mg, 5 mg</i>	1	GC
Angiotensin II Receptor Antagonists		
<i>candesartan cilexetil oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
ENTRESTO ORAL CAPSULE SPRINKLE 15-16 MG, 6-6 MG	3	
ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG	3	QL (2 EA per 1 day)
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i>	2	GC
<i>losartan potassium oral tablet 100 mg, 25 mg, 50 mg</i>	1	GC
<i>olmesartan medoxomil oral tablet 20 mg, 40 mg, 5 mg</i>	2	GC
<i>olmesartan medoxomil-hctz oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i>	2	GC
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i>	2	GC; GC
Angiotensin-Converting Enzyme (Ace) Inhibitors		
<i>benazepril hcl oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>	1	GC
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	3	
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i>	1	GC
<i>fosinopril sodium oral tablet 10 mg, 20 mg, 40 mg</i>	1	GC
<i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i>	1	GC
<i>moexipril hcl oral tablet 15 mg, 7.5 mg</i>	1	GC
<i>quinapril hcl oral tablet 10 mg, 5 mg</i>	1	GC; GC
<i>quinapril hcl oral tablet 20 mg, 40 mg</i>	1	GC
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i>	1	GC
Antiarrhythmics		
<i>amiodarone hcl oral tablet 100 mg, 200 mg, 400 mg</i>	2	GC
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i>	3	
<i>flecainide acetate oral tablet 100 mg, 150 mg, 50 mg</i>	2	GC
<i>mexiletine hcl oral capsule 150 mg, 200 mg, 250 mg</i>	2	GC
MULTAQ ORAL TABLET 400 MG	4	QL (2 EA per 1 day)

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
PACERONE ORAL TABLET 100 MG, 200 MG, 400 MG	3	
<i>propafenone hcl oral tablet 150 mg, 225 mg, 300 mg</i>	2	GC
<i>quinidine gluconate er oral tablet extended release 324 mg</i>	2	GC
<i>quinidine sulfate oral tablet 200 mg, 300 mg</i>	2	GC
SORINE ORAL TABLET 120 MG, 160 MG, 240 MG, 80 MG	3	
<i>sotalol hcl (af) oral tablet 120 mg, 160 mg, 80 mg</i>	2	GC
<i>sotalol hcl oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i>	2	GC
Beta-Adrenergic Blocking Agents		
<i>acebutolol hcl oral capsule 200 mg, 400 mg</i>	2	GC
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i>	1	GC
<i>betaxolol hcl oral tablet 10 mg, 20 mg</i>	2	GC
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	2	GC
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i>	1	GC
<i>labetalol hcl oral tablet 100 mg, 200 mg, 300 mg</i>	2	GC
<i>metoprolol succinate er oral tablet extended release 24 hour 100 mg, 200 mg, 25 mg, 50 mg</i>	1	GC
<i>metoprolol tartrate oral tablet 100 mg, 25 mg, 50 mg</i>	1	GC
<i>metoprolol tartrate oral tablet 37.5 mg, 75 mg</i>	2	GC
<i>nadolol oral tablet 20 mg, 40 mg, 80 mg</i>	2	GC
<i>nebivolol hcl oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i>	4	
<i>pindolol oral tablet 10 mg, 5 mg</i>	2	GC
<i>propranolol hcl er oral capsule extended release 24 hour 120 mg, 160 mg, 60 mg, 80 mg</i>	2	GC
<i>propranolol hcl oral solution 20 mg/5ml, 40 mg/5ml</i>	3	
<i>propranolol hcl oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	1	GC
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	3	
Calcium Channel Blocking Agents		
<i>amlodipine besylate oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
CARTIA XT ORAL CAPSULE EXTENDED RELEASE 24 HOUR 120 MG, 180 MG, 240 MG, 300 MG	3	
<i>diltiazem cd oral capsule extended release 24 hour 120 mg, 180 mg</i>	2	GC
<i>diltiazem hcl er beads oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg</i>	2	GC
<i>diltiazem hcl er beads oral capsule extended release 24 hour 360 mg, 420 mg</i>	2	GC
<i>diltiazem hcl er coated beads oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg</i>	2	GC
<i>diltiazem hcl er oral capsule extended release 12 hour 120 mg, 60 mg, 90 mg</i>	2	GC
<i>diltiazem hcl er oral capsule extended release 24 hour 180 mg, 240 mg</i>	2	GC
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg, 90 mg</i>	2	GC
<i>dilt-xr oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg</i>	2	GC
<i>felodipine er oral tablet extended release 24 hour 10 mg, 2.5 mg, 5 mg</i>	2	GC
<i>isradipine oral capsule 2.5 mg, 5 mg</i>	2	GC
<i>nicardipine hcl oral capsule 20 mg, 30 mg</i>	2	GC
<i>nifedipine er oral tablet extended release 24 hour 30 mg, 60 mg, 90 mg</i>	2	GC
<i>nifedipine er osmotic release oral tablet extended release 24 hour 30 mg, 60 mg, 90 mg</i>	2	GC
<i>nimodipine oral capsule 30 mg</i>	2	GC
NISOLDIPINE ER ORAL TABLET EXTENDED RELEASE 24 HOUR 20 MG, 30 MG, 40 MG	3	
<i>taztia xt oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i>	2	
<i>tiadylt er oral capsule extended release 24 hour 120 mg, 240 mg, 300 mg, 420 mg</i>	2	GC; GC
<i>tiadylt er oral capsule extended release 24 hour 180 mg, 360 mg</i>	2	GC
<i>verapamil hcl er oral capsule extended release 24 hour 100 mg, 120 mg, 180 mg, 200 mg, 240 mg, 300 mg, 360 mg</i>	2	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
<i>verapamil hcl er oral tablet extended release 120 mg, 180 mg, 240 mg</i>	2	GC
<i>verapamil hcl oral tablet 120 mg, 40 mg, 80 mg</i>	2	GC
Cardiovascular Agents		
<i>ALDACTAZIDE ORAL TABLET 50-50 MG</i>	4	
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	2	GC
<i>amlodipine besy-benazepril hcl oral capsule 10-20 mg, 10-40 mg, 2.5-10 mg, 5-10 mg, 5-20 mg, 5-40 mg</i>	2	GC
<i>atenolol-chlorthalidone oral tablet 100-25 mg, 50-25 mg</i>	2	GC
<i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg, 5-6.25 mg</i>	1	GC; GC
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i>	1	GC
<i>candesartan cilexetil-hctz oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i>	4	
<i>captopril-hydrochlorothiazide oral tablet 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg</i>	1	
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i>	1	GC
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>	1	GC; GC
<i>fosinopril sodium-hctz oral tablet 10-12.5 mg, 20-12.5 mg</i>	1	GC
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>	1	GC
<i>losartan potassium-hctz oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i>	1	GC
<i>metoprolol-hydrochlorothiazide oral tablet 100-25 mg, 100-50 mg, 50-25 mg</i>	2	GC
<i>metyrosine oral capsule 250 mg</i>	5	NDS
<i>moexipril-hydrochlorothiazide oral tablet 15-12.5 mg, 15-25 mg, 7.5-12.5 mg</i>	1	GC
<i>propranolol-hctz oral tablet 40-25 mg, 80-25 mg</i>	3	
<i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>	1	
<i>spironolactone-hctz oral tablet 25-25 mg</i>	2	GC
<i>triamterene-hctz oral capsule 37.5-25 mg</i>	2	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
<i>triamterene-hctz oral capsule 50-25 mg</i>	2	GC
<i>triamterene-hctz oral tablet 37.5-25 mg, 75-50 mg</i>	2	GC
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i>	2	GC; GC
Cardiovascular Agents, Other		
<i>aliskiren fumarate oral tablet 150 mg, 300 mg</i>	4	ST; QL (1 EA per 1 day)
CORLANOR ORAL SOLUTION 5 MG/5ML	4	PA
DIGITEK ORAL TABLET 125 MCG, 250 MCG	3	
<i>digox oral tablet 125 mcg, 250 mcg</i>	1	
DIGOXIN ORAL SOLUTION 0.05 MG/ML	3	
<i>digoxin oral tablet 125 mcg, 250 mcg</i>	1	GC
<i>ivabradine hcl oral tablet 5 mg, 7.5 mg</i>	4	PA; QL (2 EA per 1 day)
<i>pentoxifylline er oral tablet extended release 400 mg</i>	2	GC
<i>ranolazine er oral tablet extended release 12 hour 1000 mg, 500 mg</i>	3	QL (2 EA per 1 day)
REPATHA PUSHTRONEX SYSTEM SUBCUTANEOUS SOLUTION CARTRIDGE 420 MG/3.5ML	4	PA
UPTRAVI ORAL TABLET 1000 MCG, 1200 MCG, 1400 MCG, 1600 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG	5	PA; QL (2 EA per 1 day); NDS
UPTRAVI TITRATION ORAL TABLET THERAPY PACK 200 & 800 MCG	5	PA; QL (400 EA per 365 days); NDS
VERQUVO ORAL TABLET 10 MG, 2.5 MG, 5 MG	4	PA; QL (1 EA per 1 day)
Diuretics, Carbonic Anhydrase Inhibitors		
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	2	GC
<i>methazolamide oral tablet 25 mg, 50 mg</i>	2	GC
Diuretics, Loop		
<i>bumetanide injection solution 0.25 mg/ml</i>	2	GC
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	GC
<i>ethacrynic acid oral tablet 25 mg</i>	4	NDS
<i>furosemide injection solution 10 mg/ml</i>	2	GC
<i>furosemide injection solution 10 mg/ml (4ml syringe)</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
<i>furosemide oral solution 8 mg/ml</i>	3	
<i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i>	1	GC
<i>torsemide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i>	2	GC
Diuretics, Potassium-Sparing		
<i>amiloride hcl oral tablet 5 mg</i>	2	GC
<i>eplerenone oral tablet 25 mg, 50 mg</i>	3	
KERENDIA ORAL TABLET 10 MG, 20 MG	4	PA; QL (30 EA per 30 days)
<i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i>	1	GC
<i>triamterene oral capsule 100 mg, 50 mg</i>	4	
Diuretics, Thiazide		
<i>chlorothiazide oral tablet 250 mg</i>	2	GC
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	2	GC
<i>hydrochlorothiazide oral capsule 12.5 mg</i>	1	GC
<i>hydrochlorothiazide oral tablet 12.5 mg</i>	2	GC
<i>hydrochlorothiazide oral tablet 25 mg, 50 mg</i>	1	GC
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	2	GC
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i>	2	GC
<i>methyclothiazide oral tablet 5 mg</i>	3	
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	GC
Dyslipidemics, Fibric Acid Derivatives		
<i>fenofibrate micronized oral capsule 134 mg</i>	2	GC; GC
<i>fenofibrate micronized oral capsule 200 mg, 67 mg</i>	2	GC
<i>fenofibrate oral capsule 134 mg</i>	2	
<i>fenofibrate oral tablet 145 mg, 160 mg, 48 mg, 54 mg</i>	2	GC
<i>gemfibrozil oral tablet 600 mg</i>	2	GC
Dyslipidemics, Hmg Coa Reductase Inhibitors		
<i>atorvastatin calcium oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i>	1	GC
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>	1	GC
<i>pravastatin sodium oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i>	1	GC
<i>rosuvastatin calcium oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>	2	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg, 50 mg, 80 mg</i>	1	GC
Dyslipidemics, Other		
<i>cholestyramine light oral packet 4 gm</i>	3	GC
<i>cholestyramine light oral powder 4 gm/dose</i>	3	
<i>cholestyramine oral packet 4 gm</i>	3	GC
<i>cholestyramine oral powder 4 gm/dose</i>	2	GC
<i>colesevelam hcl oral packet 3.75 gm</i>	3	
<i>colesevelam hcl oral tablet 625 mg</i>	3	
<i>colestipol hcl oral granules 5 gm</i>	2	GC
<i>colestipol hcl oral packet 5 gm</i>	2	GC
<i>colestipol hcl oral tablet 1 gm</i>	2	GC
<i>ezetimibe oral tablet 10 mg</i>	2	GC
<i>icosapent ethyl oral capsule 1 gm</i>	4	ST; QL (4 EA per 1 day)
<i>JUXTAPID ORAL CAPSULE 10 MG, 20 MG, 30 MG, 40 MG, 5 MG, 60 MG</i>	5	PA; LA; NDS
<i>niacin er (antihyperlipidemic) oral tablet extended release 1000 mg, 500 mg, 750 mg</i>	4	
<i>omega-3-acid ethyl esters oral capsule 1 gm</i>	4	QL (4 EA per 1 day)
<i>PREVALITE ORAL PACKET 4 GM</i>	3	
<i>PREVALITE ORAL POWDER 4 GM/DOSE</i>	3	
<i>REPATHA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 140 MG/ML</i>	4	PA
<i>REPATHA SURECLICK SUBCUTANEOUS SOLUTION AUTO-INJECTOR 140 MG/ML</i>	4	PA
<i>triklo oral capsule 1 gm</i>	4	QL (4 EA per 1 day)
Vasodilators, Direct-Acting Arterial		
<i>hydralazine hcl oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	GC
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	2	GC
Vasodilators, Direct-Acting Arterial/Venous		
<i>isosorbide dinitrate er oral tablet extended release 40 mg</i>	2	GC
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg, 5 mg</i>	2	GC
<i>isosorbide mononitrate er oral tablet extended release 24 hour 120 mg, 30 mg, 60 mg</i>	2	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	2	GC
MINITRAN TRANSDERMAL PATCH 24 HOUR 0.1 MG/HR, 0.2 MG/HR, 0.4 MG/HR, 0.6 MG/HR	3	
NITRO-BID TRANSDERMAL OINTMENT 2 %	3	
<i>nitroglycerin rectal ointment 0.4 %</i>	4	QL (30 GM per 30 days)
<i>nitroglycerin sublingual tablet sublingual 0.3 mg, 0.4 mg, 0.6 mg</i>	1	GC
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i>	2	GC
Central Nervous System Agents		
Attention Deficit Hyperactivity Disorder Agents, Amphetamines		
<i>amphetamine-dextroamphetamine oral capsule extended release 24 hour 10 mg, 15 mg, 5 mg</i>	2	GC; QL (1 EA per 1 day); NDS
<i>amphetamine-dextroamphetamine oral capsule extended release 24 hour 20 mg, 25 mg, 30 mg</i>	2	GC; QL (2 EA per 1 day); NDS
<i>amphetamine-dextroamphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i>	2	GC; QL (3 EA per 1 day); NDS
<i>dexedrine oral tablet 10 mg, 5 mg</i>	2	GC; QL (6 EA per 1 day); NDS
<i>dextroamphetamine sulfate er oral capsule extended release 24 hour 10 mg</i>	4	QL (2 EA per 1 day); NDS
<i>dextroamphetamine sulfate er oral capsule extended release 24 hour 15 mg</i>	4	GC; QL (4 EA per 1 day); NDS
<i>dextroamphetamine sulfate er oral capsule extended release 24 hour 5 mg</i>	4	QL (1 EA per 1 day); NDS
<i>dextroamphetamine sulfate oral tablet 10 mg, 5 mg</i>	2	GC; QL (6 EA per 1 day); NDS
<i>lisdexamfetamine dimesylate oral capsule 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg, 70 mg</i>	4	PA; QL (1 EA per 1 day); NDS
Attention Deficit Hyperactivity Disorder Agents, Non-Amphetamines		
<i>atomoxetine hcl oral capsule 10 mg, 100 mg, 18 mg, 25 mg, 40 mg, 60 mg, 80 mg</i>	4	QL (1 EA per 1 day)
<i>dexmethylphenidate hcl er oral capsule extended release 24 hour 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 35 mg, 40 mg, 5 mg</i>	4	QL (1 EA per 1 day); NDS
<i>dexmethylphenidate hcl oral tablet 10 mg, 2.5 mg, 5 mg</i>	4	QL (2 EA per 1 day); NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
guanfacine hcl er oral tablet extended release 24 hour 1 mg, 2 mg, 3 mg, 4 mg	4	QL (1 EA per 1 day)
methylphenidate hcl er (cd) oral capsule extended release 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg	3	QL (1 EA per 1 day); NDS
methylphenidate hcl er (osm) oral tablet extended release 18 mg, 27 mg, 54 mg	3	QL (1 EA per 1 day); NDS
methylphenidate hcl er (osm) oral tablet extended release 36 mg	3	QL (2 EA per 1 day); NDS
methylphenidate hcl er oral tablet extended release 10 mg, 20 mg	3	QL (3 EA per 1 day); NDS
methylphenidate hcl er oral tablet extended release 24 hour 18 mg, 27 mg, 54 mg	3	QL (1 EA per 1 day); NDS
methylphenidate hcl er oral tablet extended release 24 hour 36 mg	3	QL (2 EA per 1 day); NDS
methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg	2	GC; QL (3 EA per 1 day); NDS
Central Nervous System, Other		
AUSTEDO ORAL TABLET 12 MG, 9 MG	5	PA; QL (4 EA per 1 day); NDS
AUSTEDO ORAL TABLET 6 MG	5	PA; QL (2 EA per 1 day); NDS
AUSTEDO PATIENT TITRATION KIT ORAL TABLET THERAPY PACK 6 & 9 & 12 MG	5	PA; NDS
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 12 MG	5	PA; QL (3 EA per 1 day); NDS
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 18 MG, 24 MG, 6 MG	5	PA; QL (2 EA per 1 day); NDS
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 30 MG, 36 MG, 42 MG, 48 MG	5	PA; QL (1 EA per 1 day); NDS
AUSTEDO XR PATIENT TITRATION ORAL TABLET EXTENDED RELEASE THERAPY PACK 12 & 18 & 24 & 30 MG	5	PA; QL (28 EA per 180 days); NDS
AUSTEDO XR PATIENT TITRATION ORAL TABLET EXTENDED RELEASE THERAPY PACK 6 & 12 & 24 MG	5	PA; NDS
NUEDEXTA ORAL CAPSULE 20-10 MG	5	PA; QL (2 EA per 1 day); NDS
riluzole oral tablet 50 mg	2	GC
TEGLUTIK ORAL SUSPENSION 50 MG/10ML	5	NDS
tetrabenazine oral tablet 12.5 mg	5	PA; QL (3 EA per 1 day); NDS
tetrabenazine oral tablet 25 mg	5	PA; QL (4 EA per 1 day); NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
TIGLUTIK ORAL SUSPENSION 50 MG/10ML	5	NDS
Multiple Sclerosis Agents		
AVONEX INTRAMUSCULAR KIT 30 MCG	5	NDS
AVONEX PEN INTRAMUSCULAR AUTO-INJECTOR KIT 30 MCG/0.5ML	5	QL (4 EA per 28 days); NDS
AVONEX PREFILLED INTRAMUSCULAR PREFILLED SYRINGE KIT 30 MCG/0.5ML	5	QL (4 EA per 28 days); NDS
<i>dalfampridine er oral tablet extended release 12 hour 10 mg</i>	2	QL (2 EA per 1 day); NDS
<i>dimethyl fumarate oral capsule delayed release 120 mg, 240 mg</i>	2	QL (2 EA per 1 day)
EXTAVIA SUBCUTANEOUS KIT 0.3 MG	5	PA; NDS
<i> fingolimod hcl oral capsule 0.5 mg</i>	4	
FIRDAPSE ORAL TABLET 10 MG	5	PA; LA; QL (8 EA per 1 day); NDS
GLATOPA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 20 MG/ML	3	QL (1 ML per 1 day); NDS
GLATOPA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 40 MG/ML	3	QL (12 ML per 28 days); NDS
OCREVUS INTRAVENOUS SOLUTION 300 MG/10ML	5	PA; LA; NDS
REBIF REBIDOSE SUBCUTANEOUS SOLUTION AUTO-INJECTOR 22 MCG/0.5ML, 44 MCG/0.5ML	5	QL (6 ML per 28 days); NDS
REBIF REBIDOSE TITRATION PACK SUBCUTANEOUS SOLUTION AUTO-INJECTOR 6X8.8 & 6X22 MCG	5	QL (4.2 ML per 28 days); NDS
REBIF SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 22 MCG/0.5ML, 44 MCG/0.5ML	5	QL (6 ML per 28 days); NDS
REBIF TITRATION PACK SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 6X8.8 & 6X22 MCG	5	QL (4.2 ML per 28 days); NDS
<i>teriflunomide oral tablet 14 mg, 7 mg</i>	2	QL (1 EA per 1 day); NDS
Dental And Oral Agents		
Dental And Oral Agents		
<i>cevimeline hcl oral capsule 30 mg</i>	4	
<i>chlorhexidine gluconate mouth/throat solution 0.12 %</i>	2	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
<i>oralone mouth/throat paste 0.1 %</i>	2	GC
<i>paroex mouth/throat solution 0.12 %</i>	2	GC
PERIOGARD MOUTH/THROAT SOLUTION 0.12 %	3	
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i>	3	
<i>triamcinolone acetonide mouth/throat paste 0.1 %</i>	2	GC
Dermatological Agents		
Acne And Rosacea Agents		
ACCUTANE ORAL CAPSULE 20 MG, 30 MG, 40 MG	4	
Dermatological Agents		
ACCUTANE ORAL CAPSULE 10 MG	4	
<i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i>	4	
<i>ammonium lactate external lotion 12 %</i>	2	GC
<i>azelaic acid external gel 15 %</i>	4	
AZELEX EXTERNAL CREAM 20 %	3	
<i>benzoyl peroxide-erythromycin external gel 5-3 %</i>	2	GC
<i>calcipotriene external cream 0.005 %</i>	3	
<i>calcipotriene external solution 0.005 %</i>	4	
<i>claravis oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	4	
<i>clindamycin phos-benzoyl perox external gel 1-5 %</i>	2	GC
<i>clobetasol propionate external solution 0.05 %</i>	2	GC
<i>clotrimazole-betamethasone external cream 1-0.05 %</i>	4	
<i>clotrimazole-betamethasone external lotion 1-0.05 %</i>	4	
CORMAX SCALP APPLICATION EXTERNAL SOLUTION 0.05 %	3	
COSENTYX (300 MG DOSE) SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML	5	PA; NDS
COSENTYX SENSOREADY (300 MG) SUBCUTANEOUS SOLUTION AUTO-INJECTOR 150 MG/ML	5	PA; NDS
COSENTYX SENSOREADY PEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR 150 MG/ML	5	PA; NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
COSENTYX SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML, 75 MG/0.5ML	5	PA; NDS
COSENTYX UNOREADY SUBCUTANEOUS SOLUTION AUTO-Injector 300 MG/2ML	5	PA; NDS
<i>diclofenac sodium external gel 1 %</i>	4	
<i>diclofenac sodium external gel 3 %</i>	4	PA
<i>diclofenac sodium transdermal gel 1 %</i>	4	
<i>diclofenac sodium transdermal gel 3 %</i>	4	PA
<i>doxepin hcl external cream 5 %</i>	4	
FINACEA EXTERNAL FOAM 15 %	4	
<i>fluorouracil external cream 0.5 %</i>	5	NDS
<i>fluorouracil external cream 5 %</i>	4	
<i>fluorouracil external solution 2 %, 5 %</i>	2	GC
<i>imiquimod external cream 5 %</i>	4	
<i>isotretinoin oral capsule 10 mg, 20 mg, 30 mg</i>	4	
<i>methoxsalen rapid oral capsule 10 mg</i>	5	NDS
<i>myorisan oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	4	
<i>nystatin-triamcinolone external cream 100000-0.1 unit/gm-%</i>	2	GC
<i>nystatin-triamcinolone external ointment 100000-0.1 unit/gm-%</i>	2	GC
<i>podofilox external solution 0.5 %</i>	2	GC
PRUDOXIN EXTERNAL CREAM 5 %	4	
REGRANEX EXTERNAL GEL 0.01 %	5	PA; NDS
SANTYL EXTERNAL OINTMENT 250 UNIT/GM	4	
<i>selenium sulfide external lotion 2.5 %</i>	2	GC
STELARA INTRAVENOUS SOLUTION 130 MG/26ML	5	PA; NDS
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5ML	5	PA; NDS
STELARA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 45 MG/0.5ML, 90 MG/ML	5	PA; NDS
<i>tacrolimus external ointment 0.03 %</i>	4	QL (100 GM per 60 days)
<i>tacrolimus external ointment 0.1 %</i>	4	QL (120 GM per 60 days)

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
<i>tazarotene external cream 0.1 %</i>	4	
<i>tazarotene external gel 0.05 %, 0.1 %</i>	4	
TAZORAC EXTERNAL CREAM 0.05 %	4	
<i>tretinoin external cream 0.025 %</i>	3	
<i>tretinoin external cream 0.05 %, 0.1 %</i>	4	
UVADEX INJECTION SOLUTION 20 MCG/ML	4	
<i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	4	
Pediculicides/Scabicides		
<i>ivermectin external lotion 0.5 %</i>	4	
Electrolytes/Minerals/Metals/Vitamins		
Electrolyte/Mineral/Metal Modifiers		
<i>deferiprone oral tablet 1000 mg</i>	5	PA; NDS
Enzyme Replacement/ Modifiers		
Enzyme Replacement/ Modifiers		
<i>betaine oral powder</i>	5	NDS
CREON ORAL CAPSULE DELAYED RELEASE PARTICLES 12000-38000 UNIT, 24000-76000 UNIT, 3000-9500 UNIT, 36000-114000 UNIT, 6000-19000 UNIT	3	
CYSTAGON ORAL CAPSULE 150 MG, 50 MG	3	
ENDARI ORAL PACKET 5 GM	5	PA; LA; QL (6 EA per 1 day); NDS
<i>miglustat oral capsule 100 mg</i>	5	NDS
<i>nitisinone oral capsule 10 mg, 2 mg, 20 mg, 5 mg</i>	5	PA; NDS
PANCREAZE ORAL CAPSULE DELAYED RELEASE PARTICLES 10500-35500 UNIT, 16800-56800 UNIT, 4200-14200 UNIT	3	
PANCREAZE ORAL CAPSULE DELAYED RELEASE PARTICLES 21000-54700 UNIT	5	NDS
RAVICTI ORAL LIQUID 1.1 GM/ML	5	NDS
<i>sapropterin dihydrochloride oral packet 100 mg, 500 mg</i>	5	PA; NDS
<i>sapropterin dihydrochloride oral tablet 100 mg</i>	5	PA; NDS
<i>sapropterin dihydrochloride oral tablet soluble 100 mg</i>	5	PA; NDS
<i>sodium phenylbutyrate oral tablet 500 mg</i>	5	PA; NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
STRENSIQ SUBCUTANEOUS SOLUTION 40 MG/ML, 80 MG/0.8ML	5	PA; NDS
Gastrointestinal Agents		
Antispasmodics, Gastrointestinal		
<i>dicyclomine hcl oral capsule 10 mg</i>	2	GC
<i>dicyclomine hcl oral solution 10 mg/5ml</i>	2	GC
<i>dicyclomine hcl oral tablet 20 mg</i>	2	GC
<i>glycopyrrolate oral tablet 1 mg, 2 mg</i>	2	GC
Gastrointestinal Agents, Other		
<i>diphenoxylate-atropine oral liquid 2.5-0.025 mg/5ml</i>	3	
<i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i>	3	
GATTEX SUBCUTANEOUS KIT 5 MG	5	PA; LA; NDS
<i>loperamide hcl oral capsule 2 mg</i>	2	GC
<i>metoclopramide hcl oral solution 5 mg/5ml</i>	2	GC
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i>	2	GC
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	4	PA; QL (1 EA per 1 day)
RELISTOR ORAL TABLET 150 MG	5	PA; QL (3 EA per 1 day); NDS
RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6ML, 12 MG/0.6ML (0.6ML SYRINGE)	5	PA; QL (0.6 ML per 1 day); NDS
RELISTOR SUBCUTANEOUS SOLUTION 8 MG/0.4ML	5	PA; QL (0.8 ML per 1 day); NDS
<i>ursodiol oral capsule 300 mg</i>	3	
<i>ursodiol oral tablet 250 mg, 500 mg</i>	3	
XERMELO ORAL TABLET 250 MG	5	PA; LA; QL (3 EA per 1 day); NDS
Histamine2 (H2) Receptor Antagonists		
<i>cimetidine oral tablet 200 mg, 300 mg, 400 mg, 800 mg</i>	2	GC
<i>famotidine oral tablet 20 mg, 40 mg</i>	2	GC
<i>nizatidine oral capsule 150 mg, 300 mg</i>	2	GC
<i>nizatidine oral solution 15 mg/ml</i>	2	
Irritable Bowel Syndrome Agents		
<i>alosetron hcl oral tablet 0.5 mg, 1 mg</i>	5	PA; QL (2 EA per 1 day); NDS
<i>budesonide er oral tablet extended release 24 hour 9 mg</i>	5	PA; NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
<i>budesonide oral capsule delayed release particles 3 mg</i>	4	PA
<i>LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG</i>	4	QL (1 EA per 1 day)
<i>lubiprostone oral capsule 24 mcg, 8 mcg</i>	3	QL (2 EA per 1 day)
Laxatives		
<i>constulose oral solution 10 gm/15ml</i>	2	GC
<i>enulose oral solution 10 gm/15ml</i>	2	GC
<i>GAVILYTE-C ORAL SOLUTION RECONSTITUTED 240 GM</i>	3	
<i>GAVILYTE-G ORAL SOLUTION RECONSTITUTED 236 GM</i>	3	
<i>GAVILYTE-N WITH FLAVOR PACK ORAL SOLUTION RECONSTITUTED 420 GM</i>	3	
<i>generlac oral solution 10 gm/15ml</i>	2	GC
<i>GOLYTELY ORAL SOLUTION RECONSTITUTED 227.1 GM</i>	3	
<i>kristalose oral packet 20 gm</i>	4	
<i>lactulose encephalopathy oral solution 10 gm/15ml</i>	2	GC
<i>lactulose oral packet 10 gm</i>	4	
<i>lactulose oral solution 10 gm/15ml</i>	2	GC
<i>peg 3350/electrolytes oral solution reconstituted 240 gm</i>	2	GC
<i>peg 3350-kcl-na bicarb-nacl oral solution reconstituted 420 gm</i>	2	GC
<i>peg-3350/electrolytes oral solution reconstituted 236 gm</i>	2	GC
<i>TRILYTE ORAL SOLUTION RECONSTITUTED 420 GM</i>	3	
Protectants		
<i>misoprostol oral tablet 100 mcg, 200 mcg</i>	2	GC
<i>sucralfate oral suspension 1 gm/10ml</i>	4	
<i>sucralfate oral tablet 1 gm</i>	2	GC
Proton Pump Inhibitors		
<i>esomeprazole magnesium oral capsule delayed release 20 mg, 40 mg</i>	2	GC; QL (30 EA per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
<i>lansoprazole oral capsule delayed release 15 mg, 30 mg</i>	4	QL (2 EA per 1 day)
<i>omeprazole oral capsule delayed release 10 mg, 20 mg, 40 mg</i>	2	GC; QL (2 EA per 1 day)
<i>pantoprazole sodium oral tablet delayed release 20 mg, 40 mg</i>	2	GC; QL (2 EA per 1 day)
<i>rabeprazole sodium oral tablet delayed release 20 mg</i>	3	QL (2 EA per 1 day)
Genitourinary Agents		
Antispasmodics, Urinary		
<i>flavoxate hcl oral tablet 100 mg</i>	2	GC
<i>MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HOUR 25 MG, 50 MG</i>	3	QL (1 EA per 1 day)
<i>oxybutynin chloride er oral tablet extended release 24 hour 10 mg, 15 mg, 5 mg</i>	2	GC
<i>oxybutynin chloride oral solution 5 mg/5ml</i>	2	GC
<i>oxybutynin chloride oral syrup 5 mg/5ml</i>	2	
<i>oxybutynin chloride oral tablet 5 mg</i>	2	GC
<i>solifenacin succinate oral tablet 10 mg, 5 mg</i>	2	GC; QL (1 EA per 1 day)
<i>tolterodine tartrate er oral capsule extended release 24 hour 2 mg, 4 mg</i>	4	ST; QL (1 EA per 1 day)
<i>tolterodine tartrate oral tablet 1 mg, 2 mg</i>	2	GC
<i>trospium chloride er oral capsule extended release 24 hour 60 mg</i>	4	ST; QL (1 EA per 1 day)
<i>trospium chloride oral tablet 20 mg</i>	2	GC
Benign Prostatic Hypertrophy Agents		
<i>alfuzosin hcl er oral tablet extended release 24 hour 10 mg</i>	4	
<i>doxazosin mesylate oral tablet 2 mg, 4 mg, 8 mg</i>	1	GC
<i>dutasteride oral capsule 0.5 mg</i>	2	GC
<i>finasteride oral tablet 5 mg</i>	2	GC
<i>tamsulosin hcl oral capsule 0.4 mg</i>	2	GC
<i>terazosin hcl oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	GC
Genitourinary Agents, Other		
<i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>	2	GC
<i>ELMIRON ORAL CAPSULE 100 MG</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
<i>penicillamine oral tablet 250 mg</i>	5	PA; NDS
<i>potassium citrate er oral tablet extended release 10 meq (1080 mg), 5 meq (540 mg)</i>	2	GC
<i>sodium phenylbutyrate oral powder 3 gm/tsp</i>	5	PA; NDS
<i>tiopronin oral tablet 100 mg</i>	5	NDS
Phosphate Binders		
<i>calcium acetate (phos binder) oral capsule 667 mg</i>	2	GC
<i>lanthanum carbonate oral tablet chewable 1000 mg, 500 mg, 750 mg</i>	5	ST; NDS
<i>sevelamer carbonate oral packet 0.8 gm, 2.4 gm</i>	4	NDS
<i>sevelamer carbonate oral tablet 800 mg</i>	3	
Hormonal Agents, Stimulant/ Replacement/ Modifying (Adrenal)		
Estrogens		
SIMLIYA ORAL TABLET 0.15-0.02/0.01 MG (21/5)	3	
Hormonal Agents, Stimulant/ Replacement/ Modifying (Adrenal)		
<i>ala-cort external cream 1 %</i>	2	GC
<i>alclometasone dipropionate external cream 0.05 %</i>	2	GC
<i>alclometasone dipropionate external ointment 0.05 %</i>	2	GC
AMCINONIDE EXTERNAL OINTMENT 0.1 %	4	
<i>betamethasone dipropionate aug external cream 0.05 %</i>	2	GC
<i>betamethasone dipropionate aug external gel 0.05 %</i>	2	GC
<i>betamethasone dipropionate aug external lotion 0.05 %</i>	2	GC
<i>betamethasone dipropionate aug external ointment 0.05 %</i>	2	GC
<i>betamethasone dipropionate aug gel 0.05 % external</i>	2	GC
<i>betamethasone dipropionate external cream 0.05 %</i>	2	GC
<i>betamethasone dipropionate external ointment 0.05 %</i>	2	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
<i>betamethasone valerate external cream 0.1 %</i>	2	GC
<i>betamethasone valerate external lotion 0.1 %</i>	2	GC
<i>betamethasone valerate external ointment 0.1 %</i>	2	GC
<i>clobetasol prop emollient base external cream 0.05 %</i>	2	GC
<i>clobetasol propionate e external cream 0.05 %</i>	2	GC
<i>clobetasol propionate emulsion external foam 0.05 %</i>	4	
<i>clobetasol propionate external gel 0.05 %</i>	2	GC
<i>clobetasol propionate external ointment 0.05 %</i>	2	GC
<i>deltasone oral tablet 20 mg</i>	2	GC
<i>desoximetasone external cream 0.05 %, 0.25 %</i>	4	
<i>desoximetasone external gel 0.05 %</i>	4	
<i>desoximetasone external ointment 0.25 %</i>	4	
DEXAMETHASONE INTENSOL ORAL CONCENTRATE 1 MG/ML	3	
<i>dexamethasone oral elixir 0.5 mg/5ml</i>	2	
<i>dexamethasone oral tablet 0.5 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i>	2	GC
<i>fludrocortisone acetate oral tablet 0.1 mg</i>	2	GC
<i>fluocinolone acetonide body external oil 0.01 %</i>	2	GC
<i>fluocinolone acetonide external cream 0.01 %, 0.025 %</i>	2	GC
<i>fluocinolone acetonide external ointment 0.025 %</i>	2	GC
<i>fluocinolone acetonide external solution 0.01 %</i>	4	
<i>fluocinolone acetonide otic oil 0.01 %</i>	2	GC
<i>fluocinolone acetonide scalp external oil 0.01 %</i>	2	GC
<i>fluocinonide emulsified base external cream 0.05 %</i>	2	GC
<i>fluocinonide external cream 0.05 %</i>	2	GC; GC
<i>fluocinonide external gel 0.05 %</i>	2	GC
<i>fluocinonide external ointment 0.05 %</i>	2	GC
<i>fluocinonide external solution 0.05 %</i>	2	GC
<i>fluocinonide-e external cream 0.05 %</i>	2	GC
<i>fluticasone propionate external cream 0.05 %</i>	2	GC
<i>fluticasone propionate external ointment 0.005 %</i>	2	GC
<i>halobetasol propionate external cream 0.05 %</i>	2	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
hydrocortisone (perianal) external cream 1 %	2	GC
hydrocortisone butyr lipo base external cream 0.1 %	2	GC
hydrocortisone butyrate external cream 0.1 %	2	GC
hydrocortisone butyrate external ointment 0.1 %	2	GC
hydrocortisone butyrate external solution 0.1 %	2	GC
hydrocortisone external cream 1 %	2	GC
hydrocortisone external cream 2.5 %	2	
hydrocortisone external lotion 2.5 %	2	GC
hydrocortisone external ointment 1 %, 2.5 %	2	GC
hydrocortisone max st external cream 1 %	2	
hydrocortisone oral tablet 10 mg, 20 mg, 5 mg	2	GC
hydrocortisone rectal cream 1 %	2	GC
hydrocortisone valerate external cream 0.2 %	2	GC
methylprednisolone oral tablet 16 mg, 32 mg, 4 mg, 8 mg	2	GC
methylprednisolone oral tablet therapy pack 4 mg	2	GC
mometasone furoate external cream 0.1 %	2	GC
mometasone furoate external ointment 0.1 %	2	GC
mometasone furoate external solution 0.1 %	2	GC
prednisolone oral solution 15 mg/5ml	2	GC
prednisolone oral syrup 15 mg/5ml	2	GC
prednisolone sodium phosphate oral solution 15 mg/5ml	2	GC
prednisolone sodium phosphate oral solution 6.7 (5 base) mg/5ml	2	GC
PREDNISONE INTENSOL ORAL CONCENTRATE 5 MG/ML	3	
prednisone oral tablet therapy pack 10 mg (21), 10 mg (48), 5 mg (21), 5 mg (48)	2	GC
PROCTOFOAM HC RECTAL FOAM 1-1 %	3	
PROCTO-PAK RECTAL CREAM 1 %	3	
tovet external foam 0.05 %	4	
triamcinolone acetonide external cream 0.025 %, 0.1 %, 0.5 %	2	GC
triamcinolone acetonide external lotion 0.025 %, 0.1 %	2	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
<i>triamcinolone acetonide external ointment 0.025 %, 0.1 %</i>	2	GC
<i>triamcinolone acetonide external ointment 0.5 %</i>	3	
TRIDERM EXTERNAL CREAM 0.1 %	3	
<i>triderm external cream 0.5 %</i>	2	GC; GC
Hormonal Agents, Stimulant/ Replacement/ Modifying (Pituitary)		
Hormonal Agents, Stimulant/ Replacement/ Modifying (Pituitary)		
<i>desmopressin ace rhinal tube nasal solution 0.01 %</i>	2	GC
<i>desmopressin ace spray refrig nasal solution 0.01 %</i>	2	
<i>desmopressin acetate oral tablet 0.1 mg, 0.2 mg</i>	2	GC
INCRELEX SUBCUTANEOUS SOLUTION 40 MG/4ML	5	PA; LA; NDS
OMNITROPE SUBCUTANEOUS SOLUTION 10 MG/1.5ML, 5 MG/1.5ML	5	PA; LA; NDS
OMNITROPE SUBCUTANEOUS SOLUTION CARTRIDGE 10 MG/1.5ML, 5 MG/1.5ML	5	PA; LA; NDS
OMNITROPE SUBCUTANEOUS SOLUTION RECONSTITUTED 5.8 MG	5	PA; LA; NDS
VYNDAQEL ORAL CAPSULE 20 MG	5	PA; QL (4 EA per 1 day); NDS
Hormonal Agents, Stimulant/ Replacement/ Modifying (Sex Hormones/ Modifiers)		
Anabolic Steroids		
<i>oxandrolone oral tablet 10 mg</i>	4	
<i>oxandrolone oral tablet 2.5 mg</i>	2	
Androgens		
ANDRODERM TRANSDERMAL PATCH 24 HOUR 2 MG/24HR, 4 MG/24HR	4	PA; QL (1 EA per 1 day)
ANDROXY ORAL TABLET 10 MG	4	
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	2	GC
<i>testosterone cypionate intramuscular solution 100 mg/ml, 200 mg/ml (1 ml)</i>	2	PA; GC
<i>testosterone enanthate intramuscular solution 200 mg/ml</i>	2	PA; GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
<i>testosterone transdermal gel 1.62 %, 20.25 mg/act (1.62%), 25 mg/2.5gm (1%), 40.5 mg/2.5gm (1.62%)</i>	3	PA; QL (150 GM per 30 days)
<i>testosterone transdermal gel 10 mg/act (2%)</i>	3	PA; QL (120 GM per 30 days)
<i>testosterone transdermal gel 20.25 mg/1.25gm (1.62%)</i>	3	PA; QL (75 GM per 30 days)
<i>testosterone transdermal gel 50 mg/5gm (1%)</i>	3	PA; QL (300 GM per 30 days)
Estrogens		
AFIRMELLE ORAL TABLET 0.1-20 MG-MCG	3	
ALORA TRANSDERMAL PATCH TWICE WEEKLY 0.025 MG/24HR, 0.05 MG/24HR, 0.075 MG/24HR, 0.1 MG/24HR	4	PA
ALTAVERA ORAL TABLET 0.15-30 MG-MCG	3	
<i>alyacen 1/35 oral tablet 1-35 mg-mcg</i>	3	
<i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	4	PA
AMETHIA LO ORAL TABLET 0.1-0.02 & 0.01 MG	3	
APRI ORAL TABLET 0.15-30 MG-MCG	3	
ARANELLE ORAL TABLET 0.5/1/0.5-35 MG-MCG	3	
AUBRA ORAL TABLET 0.1-20 MG-MCG	3	
AUROVELA 1.5/30 ORAL TABLET 1.5-30 MG-MCG	3	
AUROVELA 1/20 ORAL TABLET 1-20 MG-MCG	3	
AUROVELA FE 1.5/30 ORAL TABLET 1.5-30 MG-MCG	3	
AUROVELA FE 1/20 ORAL TABLET 1-20 MG-MCG	3	
AVIANE ORAL TABLET 0.1-20 MG-MCG	3	
AYUNA ORAL TABLET 0.15-30 MG-MCG	3	
AZURETTE ORAL TABLET 0.15-0.02/0.01 MG (21/5)	3	
BEKYREE ORAL TABLET 0.15-0.02/0.01 MG (21/5)	3	
BLISOVI FE 1.5/30 ORAL TABLET 1.5-30 MG-MCG	3	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
BLISOVI FE 1/20 ORAL TABLET 1-20 MG-MCG	3	
CAMRESE LO ORAL TABLET 0.1-0.02 & 0.01 MG	3	
CAZIANT ORAL TABLET 0.1/0.125/0.15 - 0.025 MG	3	
CHATEAL EQ ORAL TABLET 0.15-30 MG-MCG	3	
CHATEAL ORAL TABLET 0.15-30 MG-MCG	3	
COMBIPATCH TRANSDERMAL PATCH TWICE WEEKLY 0.05-0.14 MG/DAY, 0.05-0.25 MG/DAY	4	PA
CRYSELLE-28 ORAL TABLET 0.3-30 MG-MCG	3	
CYCLAFEM 1/35 ORAL TABLET 1-35 MG-MCG	3	
CYCLAFEM 7/7/7 ORAL TABLET 0.5/0.75/1-35 MG-MCG	3	
CYRED EQ ORAL TABLET 0.15-30 MG-MCG	3	
CYRED ORAL TABLET 0.15-30 MG-MCG	3	
DASETTA 1/35 ORAL TABLET 1-35 MG-MCG	3	
DASETTA 7/7/7 ORAL TABLET 0.5/0.75/1-35 MG-MCG	3	
DELYLA ORAL TABLET 0.1-20 MG-MCG	3	
<i>desogestrel-ethinyl estradiol oral tablet 0.15-0.02/0.01 mg (21/5)</i>	3	
<i>dotti transdermal patch twice weekly 0.025 mg/24hr, 0.0375 mg/24hr, 0.05 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr</i>	4	PA
DROSPIREN-ETH ESTRAD-LEVOMEFOL ORAL TABLET 3-0.02-0.451 MG	4	
<i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg, 3-0.03 mg</i>	3	
ELINEST ORAL TABLET 0.3-30 MG-MCG	3	
<i>eluryng vaginal ring 0.12-0.015 mg/24hr</i>	4	
EMOQUETTE ORAL TABLET 0.15-30 MG-MCG	3	
ENILLORING VAGINAL RING 0.12-0.015 MG/24HR	4	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
ENPRESSE-28 ORAL TABLET 50-30/75-40/125-30 MCG	3	
ENSKYCE ORAL TABLET 0.15-30 MG-MCG	3	
ESTARYLLA ORAL TABLET 0.25-35 MG-MCG	3	
<i>estradiol oral tablet 0.5 mg, 1 mg</i>	4	
<i>estradiol oral tablet 2 mg</i>	4	PA
<i>estradiol transdermal patch twice weekly 0.025 mg/24hr, 0.0375 mg/24hr, 0.05 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr</i>	4	
<i>estradiol transdermal patch weekly 0.025 mg/24hr, 0.0375 mg/24hr, 0.05 mg/24hr, 0.06 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr</i>	4	
<i>estradiol vaginal cream 0.1 mg/gm</i>	3	
<i>estradiol vaginal tablet 10 mcg</i>	3	
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	4	PA
ESTRING VAGINAL RING 2 MG, 7.5 MCG/24HR	4	
<i>estropipate oral tablet 0.75 mg, 1.5 mg, 3 mg</i>	4	PA
<i>etonogestrel-ethynodiol vaginal ring 0.12-0.015 mg/24hr</i>	4	
EVAMIST TRANSDERMAL SOLUTION 1.53 MG/SPRAY	4	PA
FEMRING VAGINAL RING 0.05 MG/24HR, 0.1 MG/24HR	4	
FEMYNOR ORAL TABLET 0.25-35 MG-MCG	3	
<i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	4	PA
GIANVI ORAL TABLET 3-0.02 MG	3	
HAILEY 1.5/30 ORAL TABLET 1.5-30 MG-MCG	3	
HAILEY FE 1.5/30 ORAL TABLET 1.5-30 MG-MCG	3	
HAILEY FE 1/20 ORAL TABLET 1-20 MG-MCG	3	
HALOETTE VAGINAL RING 0.12-0.015 MG/24HR	4	
ICLEVIA ORAL TABLET 0.15-0.03 MG	3	
INTROVALE ORAL TABLET 0.15-0.03 MG	3	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
JASMIEL ORAL TABLET 3-0.02 MG	3	
<i>jевантique lo oral tablet 0.5-2.5 mg-mcg</i>	4	PA
<i>jinteli oral tablet 1-5 mg-mcg</i>	4	PA
JOLESSA ORAL TABLET 0.15-0.03 MG	3	
JOYEUX ORAL TABLET 0.1-20 MG-MCG(21)	3	
JULEBER ORAL TABLET 0.15-30 MG-MCG	3	
JUNEL 1.5/30 ORAL TABLET 1.5-30 MG-MCG	3	
JUNEL 1/20 ORAL TABLET 1-20 MG-MCG	3	
JUNEL FE 1.5/30 ORAL TABLET 1.5-30 MG-MCG	3	
JUNEL FE 1/20 ORAL TABLET 1-20 MG-MCG	3	
KALLIGA ORAL TABLET 0.15-30 MG-MCG	3	
KARIVA ORAL TABLET 0.15-0.02/0.01 MG (21/5)	3	
KELNOR 1/35 ORAL TABLET 1-35 MG-MCG	3	
KIMIDESS ORAL TABLET 0.15-0.02/0.01 MG (21/5)	3	
KURVELO ORAL TABLET 0.15-30 MG-MCG	3	
LARIN 1.5/30 ORAL TABLET 1.5-30 MG-MCG	3	
LARIN 1/20 ORAL TABLET 1-20 MG-MCG	3	
LARIN FE 1.5/30 ORAL TABLET 1.5-30 MG-MCG	3	
LARIN FE 1/20 ORAL TABLET 1-20 MG-MCG	3	
LARISSIA ORAL TABLET 0.1-20 MG-MCG	3	
LEENA ORAL TABLET 0.5/1/0.5-35 MG-MCG	3	
LESSINA ORAL TABLET 0.1-20 MG-MCG	3	
<i>levonorgest-eth estrad 91-day oral tablet 0.1-0.02 & 0.01 mg</i>	3	
<i>levonorgest-eth estrad 91-day oral tablet 0.15-0.03 mg</i>	2	GC
<i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg, 0.15-30 mg-mcg</i>	3	
<i>levonorg-eth estrad triphasic oral tablet , 50-30/75-40/ 125-30 mcg</i>	3	
LEVORA 0.15/30 (28) ORAL TABLET 0.15-30 MG-MCG	3	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
<i>lillow oral tablet 0.15-30 mg-mcg</i>	2	GC
LOJAIMIESS ORAL TABLET 0.1-0.02 & 0.01 MG	3	
LORYNA ORAL TABLET 3-0.02 MG	3	
LOW-OGESTREL ORAL TABLET 0.3-30 MG-MCG	3	
LO-ZUMANDIMINE ORAL TABLET 3-0.02 MG	3	
LUTERA ORAL TABLET 0.1-20 MG-MCG	3	
MARLISSA ORAL TABLET 0.15-30 MG-MCG	3	
MENEST ORAL TABLET 0.3 MG, 0.625 MG, 1.25 MG, 2.5 MG	3	PA
MICROGESTIN 1.5/30 ORAL TABLET 1.5-30 MG-MCG	3	
MICROGESTIN 1/20 ORAL TABLET 1-20 MG-MCG	3	
<i>microgestin 24 fe oral tablet 1-20 mg-mcg</i>	3	
MICROGESTIN FE 1.5/30 ORAL TABLET 1.5-30 MG-MCG	3	
MICROGESTIN FE 1/20 ORAL TABLET 1-20 MG-MCG	3	
MILI ORAL TABLET 0.25-35 MG-MCG	3	
<i>mimvey lo oral tablet 0.5-0.1 mg</i>	4	PA
<i>mimvey oral tablet 1-0.5 mg</i>	4	PA
MONO-LINYAH ORAL TABLET 0.25-35 MG-MCG	3	
NECON 1/50 (28) ORAL TABLET 1-50 MG-MCG	3	
NECON 7/7/7 ORAL TABLET 0.5/0.75/1-35 MG-MCG	3	
NIKKI ORAL TABLET 3-0.02 MG	3	
<i>norethin ace-eth estrad-fe oral tablet 1-20 mg-mcg, 1.5-30 mg-mcg</i>	3	
<i>norethindrone acet-ethynodiol oral tablet 1.5-30 mg-mcg</i>	3	
<i>norethindrone acet-ethynodiol oral tablet 1-20 mg-mcg</i>	2	GC
<i>norethindrone-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	4	PA

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
norgestimate-eth estradiol oral tablet 0.25-35 mg-mcg	3	
norgestim-eth estrad triphasic oral tablet 0.18/0.215/0.25 mg-35 mcg	2	GC
NORTREL 1/35 (21) ORAL TABLET 1-35 MG-MCG	3	
NORTREL 1/35 (28) ORAL TABLET 1-35 MG-MCG	3	
NORTREL 7/7/7 ORAL TABLET 0.5/0.75/1-35 MG-MCG	3	
NYLIA 1/35 ORAL TABLET 1-35 MG-MCG	3	
OCELLA ORAL TABLET 3-0.03 MG	3	
ORSYTHIA ORAL TABLET 0.1-20 MG-MCG	3	
PIMTREA ORAL TABLET 0.15-0.02/0.01 MG (21/5)	3	
PIRMELLA 1/35 ORAL TABLET 1-35 MG-MCG	3	
PIRMELLA 7/7/7 ORAL TABLET 0.5/0.75/1-35 MG-MCG	3	
PORTIA-28 ORAL TABLET 0.15-30 MG-MCG	3	
PREFEST ORAL TABLET 1/1-0.09 MG (15/15)	4	PA
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG	3	PA
PREMARIN VAGINAL CREAM 0.625 MG/GM	3	
PREMPHASE ORAL TABLET 0.625-5 MG	3	PA
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	3	PA
PREVIFEM ORAL TABLET 0.25-35 MG-MCG	3	
RECLIPSEN ORAL TABLET 0.15-30 MG-MCG	3	
SETLAKIN ORAL TABLET 0.15-0.03 MG	3	
SPRINTEC 28 ORAL TABLET 0.25-35 MG-MCG	3	
SRONYX ORAL TABLET 0.1-20 MG-MCG	3	
SYEDA ORAL TABLET 3-0.03 MG	3	
TARINA 24 FE ORAL TABLET 1-20 MG-MCG(24)	3	
TARINA FE 1/20 EQ ORAL TABLET 1-20 MG-MCG	3	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
TARINA FE 1/20 ORAL TABLET 1-20 MG-MCG	3	
TRI-ESTARYLLA ORAL TABLET 0.18/0.215/0.25 MG-35 MCG	3	
TRI-LEGEST FE ORAL TABLET 1-20/1-30/1-35 MG-MCG	3	
TRI-LINYAH ORAL TABLET 0.18/0.215/0.25 MG-35 MCG	3	
TRI-MILI ORAL TABLET 0.18/0.215/0.25 MG-35 MCG	3	
TRI-PREVIFEM ORAL TABLET 0.18/0.215/0.25 MG-35 MCG	3	
TRI-SPRINTEC ORAL TABLET 0.18/0.215/0.25 MG-35 MCG	3	
TRIVORA (28) ORAL TABLET 50-30/75-40/125-30 MCG	3	
TRI-VYLIBRA ORAL TABLET 0.18/0.215/0.25 MG-35 MCG	3	
TURQOZ ORAL TABLET 0.3-30 MG-MCG	3	
TYBLUME ORAL TABLET 0.1-20 MG-MCG	3	
TYBLUME ORAL TABLET CHEWABLE 0.1-20 MG-MCG	3	
VELIVET ORAL TABLET 0.1/0.125/0.15 -0.025 MG	3	
VESTURA ORAL TABLET 3-0.02 MG	3	
VIENVA ORAL TABLET 0.1-20 MG-MCG	3	
VOLNEA ORAL TABLET 0.15-0.02/0.01 MG (21/5)	3	
VYLIBRA ORAL TABLET 0.25-35 MG-MCG	3	
<i>xulane transdermal patch weekly 150-35 mcg/24hr</i>	4	
YUVAFEM VAGINAL TABLET 10 MCG	3	
ZARAH ORAL TABLET 3-0.03 MG	3	
ZOVIA 1/35E (28) ORAL TABLET 1-35 MG-MCG	3	
ZUMANDIMINE ORAL TABLET 3-0.03 MG	3	
Hormonal Agents, Stimulant/Replacement/ Modifying (Sex Hormones/ Modifiers)		

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
<i>desogestrel-ethinyl estradiol oral tablet 0.15-30 mg-mcg</i>	2	GC; GC
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i>	2	GC
<i>isibloom oral tablet 0.15-30 mg-mcg</i>	2	GC
<i>lopreeza oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	4	PA
<i>norelgestromin-eth estradiol transdermal patch weekly 150-35 mcg/24hr</i>	4	
<i>thyroid oral tablet 60 mg</i>	3	
ZAFEMY TRANSDERMAL PATCH WEEKLY 150-35 MCG/24HR	4	
Progesterone Agonists/Antagonists		
ELLA ORAL TABLET 30 MG	3	
Progestins		
BALZIVA ORAL TABLET 0.4-35 MG-MCG	3	
<i>brielllyn oral tablet 0.4-35 mg-mcg</i>	3	
CAMILA ORAL TABLET 0.35 MG	3	
DEBLITANE ORAL TABLET 0.35 MG	3	
DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SUSPENSION PREFILLED SYRINGE 104 MG/0.65ML	3	
ERRIN ORAL TABLET 0.35 MG	3	
HEATHER ORAL TABLET 0.35 MG	3	
<i>incassia oral tablet 0.35 mg</i>	2	GC
JENCYCLLA ORAL TABLET 0.35 MG	3	
JOLIVETTE ORAL TABLET 0.35 MG	3	
LYLEQ ORAL TABLET 0.35 MG	3	
LYZA ORAL TABLET 0.35 MG	3	
<i>medroxyprogesterone acetate intramuscular suspension 150 mg/ml</i>	2	GC
<i>medroxyprogesterone acetate intramuscular suspension prefilled syringe 150 mg/ml</i>	2	GC
<i>medroxyprogesterone acetate oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	GC
<i>megestrol acetate oral suspension 40 mg/ml</i>	2	GC
<i>megestrol acetate oral suspension 625 mg/5ml</i>	4	
<i>megestrol acetate oral tablet 20 mg, 40 mg</i>	2	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
NECON 0.5/35 (28) ORAL TABLET 0.5-35 MG-MCG	3	
NORA-BE ORAL TABLET 0.35 MG	3	
<i>norethindrone acetate oral tablet 5 mg</i>	2	GC
<i>norethindrone oral tablet 0.35 mg</i>	2	GC
NORLYDA ORAL TABLET 0.35 MG	3	
NORLYROC ORAL TABLET 0.35 MG	3	
NORTREL 0.5/35 (28) ORAL TABLET 0.5-35 MG-MCG	3	
PHILITH ORAL TABLET 0.4-35 MG-MCG	3	
<i>progesterone micronized oral capsule 100 mg, 200 mg</i>	2	
<i>progesterone oral capsule 100 mg, 200 mg</i>	2	GC
SHAROBEL ORAL TABLET 0.35 MG	3	
TULANA ORAL TABLET 0.35 MG	3	
VYFEMLA ORAL TABLET 0.4-35 MG-MCG	3	
WERA ORAL TABLET 0.5-35 MG-MCG	3	
ZENCHENT ORAL TABLET 0.4-35 MG-MCG	3	
Selective Estrogen Receptor Modifying Agents		
OSPHENA ORAL TABLET 60 MG	4	QL (90 EA per 90 days)
<i>raloxifene hcl oral tablet 60 mg</i>	2	GC
Hormonal Agents, Stimulant/Replacement/ Modifying (Thyroid)		
Hormonal Agents, Stimulant/Replacement/ Modifying (Thyroid)		
ARMOUR THYROID ORAL TABLET 120 MG, 15 MG, 180 MG, 240 MG, 30 MG, 300 MG, 60 MG, 90 MG	3	
EUTHYROX ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG	3	
LEVO-T ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG	3	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
<i>levothyroxine sodium oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 300 mcg, 50 mcg, 75 mcg, 88 mcg</i>	1	GC
LEVOTHYROXINE-LIOTHYRONINE ORAL TABLET 120 MG, 15 MG, 30 MG, 60 MG, 90 MG	3	
LEVOXYL ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG	3	
<i>liothyronine sodium oral tablet 25 mcg, 5 mcg, 50 mcg</i>	2	GC
NP THYROID ORAL TABLET 120 MG, 15 MG, 30 MG, 60 MG, 90 MG	3	
SYNTHROID ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG	4	
SYNTHROID ORAL TABLET 137 MCG	4	
<i>thyroid oral tablet 120 mg, 15 mg, 30 mg, 90 mg</i>	3	
UNITHROID ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG	3	
Hormonal Agents, Stimulant/Replacement/Modifying (Adrenal)		
Hormonal Agents, Stimulant/Replacement/Modifying (Adrenal)		
<i>dexamethasone oral solution 0.5 mg/5ml</i>	2	GC
Hormonal Agents, Stimulant/Replacement/Modifying (Sex Hormones/Modifiers)		
Androgens		
<i>testosterone cypionate intramuscular solution 200 mg/ml</i>	2	PA; GC
<i>testosterone transdermal gel 12.5 mg/act (1%)</i>	3	PA; QL (300 GM per 30 days)
Estrogens		
AUBRA EQ ORAL TABLET 0.1-20 MG-MCG	3	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
FALMINA ORAL TABLET 0.1-20 MG-MCG	3	
FINZALA ORAL TABLET CHEWABLE 1-20 MG-MCG(24)	3	
LEVONEST ORAL TABLET 50-30/75-40/ 125-30 MCG	3	
LYLLANA TRANSDERMAL PATCH TWICE WEEKLY 0.025 MG/24HR, 0.0375 MG/24HR, 0.05 MG/24HR, 0.075 MG/24HR, 0.1 MG/24HR	4	PA
MIBELAS 24 FE ORAL TABLET CHEWABLE 1-20 MG-MCG(24)	3	
<i>norethin ace-eth estrad-fe oral tablet chewable 1-20 mg-mcg(24)</i>	3	
<i>norethindron-ethinyl estrad-fe oral tablet 1-20/1-30/1-35 mg-mcg</i>	3	
NYLIA 7/7/7 ORAL TABLET 0.5/0.75/1-35 MG-MCG	3	
NYMYO ORAL TABLET 0.25-35 MG-MCG	3	
TILIA FE ORAL TABLET 1-20/1-30/1-35 MG-MCG	3	
TRI-NYMYO ORAL TABLET 0.18/0.215/0.25 MG-35 MCG	3	
ZOVIA 1/35 (28) ORAL TABLET 1-35 MG-MCG	3	
Hormonal Agents, Suppressant (Adrenal)		
Hormonal Agents, Suppressant (Adrenal)		
LYSODREN ORAL TABLET 500 MG	5	NDS
RECORLEV ORAL TABLET 150 MG	5	NDS
Hormonal Agents, Suppressant (Parathyroid)		
Hormonal Agents, Suppressant (Parathyroid)		
<i>cinacalcet hcl oral tablet 30 mg, 60 mg</i>	4	QL (2 EA per 1 day)
<i>cinacalcet hcl oral tablet 90 mg</i>	4	QL (3 EA per 1 day)
<i>doxercalciferol oral capsule 0.5 mcg</i>	4	
Hormonal Agents, Suppressant (Pituitary)		

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
Hormonal Agents, Suppressant (Pituitary)		
<i>cabergoline oral tablet 0.5 mg</i>	2	GC
ELIGARD SUBCUTANEOUS KIT 22.5 MG, 30 MG, 45 MG	4	
ELIGARD SUBCUTANEOUS KIT 7.5 MG	3	
FENSOLVI (6 MONTH) SUBCUTANEOUS KIT 45 MG	5	PA; NDS
FENSOLVI SUBCUTANEOUS KIT 45 MG	5	PA; NDS
FIRMAGON (240 MG DOSE) SUBCUTANEOUS SOLUTION RECONSTITUTED 120 MG/VIAL	5	QL (2 EA per 28 days); NDS
FIRMAGON SUBCUTANEOUS SOLUTION RECONSTITUTED 80 MG	4	QL (1 EA per 28 days)
<i>leuprolide acetate injection kit 1 mg/0.2ml</i>	5	NDS
LUPRON DEPOT (1-MONTH) INTRAMUSCULAR KIT 3.75 MG, 7.5 MG	5	NDS
LUPRON DEPOT (3-MONTH) INTRAMUSCULAR KIT 11.25 MG, 22.5 MG	5	NDS
LUPRON DEPOT (4-MONTH) INTRAMUSCULAR KIT 30 MG	5	NDS
LUPRON DEPOT (6-MONTH) INTRAMUSCULAR KIT 45 MG	5	NDS
LUPRON DEPOT-PED (1-MONTH) INTRAMUSCULAR KIT 7.5 MG	5	NDS
LUPRON DEPOT-PED (3-MONTH) INTRAMUSCULAR KIT 11.25 MG	5	NDS
LUPRON DEPOT-PED (6-MONTH) INTRAMUSCULAR KIT 45 MG	5	NDS
<i>octreotide acetate injection solution 100 mcg/ml, 50 mcg/ml</i>	2	GC
<i>octreotide acetate injection solution 1000 mcg/ml</i>	4	
<i>octreotide acetate injection solution 200 mcg/ml</i>	3	
<i>octreotide acetate injection solution 500 mcg/ml</i>	5	NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML, 0.6 MG/ML, 0.9 MG/ML	5	PA; QL (2 ML per 1 day); NDS
SOMAVERT SUBCUTANEOUS SOLUTION RECONSTITUTED 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; QL (1 EA per 1 day); NDS
SYNAREL NASAL SOLUTION 2 MG/ML	5	PA; NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
Hormonal Agents, Suppressant (Thyroid)		
Antithyroid Agents		
<i>methimazole oral tablet 10 mg, 5 mg</i>	2	GC
<i>propylthiouracil oral tablet 50 mg</i>	2	GC
Immunological Agents		
Angioedema (Hae) Agents		
CINRYZE INTRAVENOUS SOLUTION RECONSTITUTED 500 UNIT	5	PA; NDS
<i>icatibant acetate subcutaneous solution 30 mg/3ml</i>	5	PA; NDS
<i>icatibant acetate subcutaneous solution prefilled syringe 30 mg/3ml</i>	5	PA; NDS
SAJAZIR SUBCUTANEOUS SOLUTION 30 MG/3ML	5	PA; NDS
SAJAZIR SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 30 MG/3ML	5	PA; NDS
TAKHYRO SUBCUTANEOUS SOLUTION 300 MG/2ML	5	PA; LA; NDS
TAKHYRO SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML	5	PA; NDS
TAKHYRO SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 300 MG/2ML	5	PA; LA; NDS
Immune Suppressants		
ACTEMRA ACTPEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR 162 MG/0.9ML	5	PA; QL (3.6 ML per 28 days); NDS
ACTEMRA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 162 MG/0.9ML	5	PA; QL (3.6 ML per 28 days); NDS
<i>azathioprine oral tablet 50 mg</i>	2	PA B/D; GC
BENLYSTA SUBCUTANEOUS SOLUTION AUTO-INJECTOR 200 MG/ML	5	PA; QL (4 ML per 28 days); NDS
BENLYSTA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 200 MG/ML	5	PA; QL (4 ML per 28 days); NDS
<i>cyclosporine modified oral capsule 100 mg, 25 mg, 50 mg</i>	2	PA B/D; GC
<i>cyclosporine modified oral solution 100 mg/ml</i>	2	PA B/D; GC
<i>cyclosporine oral capsule 100 mg, 25 mg</i>	2	PA B/D; GC
ENBREL MINI SUBCUTANEOUS SOLUTION CARTRIDGE 50 MG/ML	5	PA; NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
ENBREL SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 25 MG/0.5ML, 50 MG/ML	5	PA; NDS
ENBREL SUBCUTANEOUS SOLUTION RECONSTITUTED 25 MG	5	PA; NDS
ENBREL SURECLICK SUBCUTANEOUS SOLUTION AUTO-Injector 50 MG/ML	5	PA; NDS
<i>everolimus oral tablet 0.25 mg</i>	4	PA B/D; QL (2 EA per 1 day)
<i>everolimus oral tablet 0.5 mg, 0.75 mg, 1 mg</i>	5	PA B/D; QL (2 EA per 1 day); NDS
<i>everolimus oral tablet soluble 5 mg</i>	5	PA; NDS
GENGRAF ORAL CAPSULE 100 MG, 25 MG	3	PA B/D
GENGRAF ORAL SOLUTION 100 MG/ML	3	PA B/D
<i>mercaptopurine oral tablet 50 mg</i>	2	GC
<i>methotrexate oral tablet 2.5 mg</i>	1	
<i>methotrexate sodium (pf) injection solution 1 gm/40ml, 250 mg/10ml</i>	2	GC
<i>methotrexate sodium (pf) injection solution 50 mg/2ml</i>	2	GC
<i>methotrexate sodium injection solution 250 mg/10ml</i>	2	GC
<i>methotrexate sodium injection solution 50 mg/2ml</i>	2	GC
<i>mycophenolate mofetil oral capsule 250 mg</i>	2	PA B/D; GC
<i>mycophenolate mofetil oral suspension reconstituted 200 mg/ml</i>	5	PA B/D; NDS
<i>mycophenolate mofetil oral tablet 500 mg</i>	2	PA B/D; GC
<i>mycophenolate sodium oral tablet delayed release 180 mg, 360 mg</i>	4	PA B/D
ORENCIA CLICKJECT SUBCUTANEOUS SOLUTION AUTO-Injector 125 MG/ML	5	PA; QL (4 ML per 28 days); NDS
ORENCIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 125 MG/ML, 50 MG/0.4ML, 87.5 MG/0.7ML	5	PA; QL (4 ML per 28 days); NDS
OTEZLA ORAL TABLET 20 MG	5	PA; QL (2 EA per 1 day); NDS
OTEZLA ORAL TABLET 30 MG	5	PA; LA; QL (2 EA per 1 day); NDS
OTEZLA ORAL TABLET THERAPY PACK 10 & 20 & 30 MG	5	PA; LA; QL (2 EA per 1 day); NDS
OTEZLA ORAL TABLET THERAPY PACK 4 X 10 & 51 X20 MG	5	PA; QL (55 EA per 180 days); NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
PROGRAF ORAL PACKET 0.2 MG	4	PA B/D
PROGRAF ORAL PACKET 1 MG	4	PA B/D; NDS
SANDIMMUNE ORAL SOLUTION 100 MG/ML	4	PA B/D
<i>sirolimus oral solution 1 mg/ml</i>	5	PA B/D; NDS
<i>sirolimus oral tablet 0.5 mg, 1 mg</i>	4	PA B/D
<i>sirolimus oral tablet 2 mg</i>	4	PA B/D; NDS
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i>	2	PA B/D; GC
XATMEP ORAL SOLUTION 2.5 MG/ML	4	PA
XELJANZ ORAL SOLUTION 1 MG/ML	5	PA; QL (10 ML per 1 day); NDS
XELJANZ ORAL TABLET 10 MG, 5 MG	5	PA; QL (2 EA per 1 day); NDS
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HOUR 11 MG, 22 MG	5	PA; QL (1 EA per 1 day); NDS
Immunizing Agents, Passive		
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 0.5 GM/10ML, 10 GM/100ML, 10 GM/200ML, 2.5 GM/50ML, 20 GM/200ML, 20 GM/400ML, 5 GM/100ML	5	PA; NDS
GAMUNEX-C INJECTION SOLUTION 10 GM/100ML, 2.5 GM/25ML, 20 GM/200ML, 40 GM/400ML, 5 GM/50ML	5	PA; NDS
Immunoglobulins		
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 5 GM/50ML	5	PA; NDS
GAMUNEX-C INJECTION SOLUTION 1 GM/10ML	5	PA; NDS
Immunological Agents, Other		
DUPIXENT SUBCUTANEOUS SOLUTION AUTO-INJECTOR 200 MG/1.14ML, 300 MG/2ML	5	PA; QL (8 ML per 28 days); NDS
DUPIXENT SUBCUTANEOUS SOLUTION PEN-INJECTOR 200 MG/1.14ML, 300 MG/2ML	5	PA; QL (8 ML per 28 days); NDS
DUPIXENT SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/0.67ML	5	PA; QL (1.34 ML per 28 days); NDS
DUPIXENT SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 200 MG/1.14ML, 300 MG/2ML	5	PA; QL (8 ML per 28 days); NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
RINVOQ LQ ORAL SOLUTION 1 MG/ML	5	PA; QL (360 ML per 30 days); NDS
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HOUR 15 MG, 30 MG	5	PA; QL (1 EA per 1 day); NDS
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HOUR 45 MG	5	PA; QL (180 EA per 365 days); NDS
SKYRIZI (150 MG DOSE) SUBCUTANEOUS PREFILLED SYRINGE KIT 75 MG/0.83ML	5	PA; QL (2 EA per 84 days); NDS
SKYRIZI PEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR 150 MG/ML	5	PA; QL (7 ML per 365 days); NDS
SKYRIZI SUBCUTANEOUS SOLUTION CARTRIDGE 180 MG/1.2ML	5	PA; QL (1.2 ML per 56 days); NDS
SKYRIZI SUBCUTANEOUS SOLUTION CARTRIDGE 360 MG/2.4ML	5	PA; QL (2.4 ML per 56 days); NDS
SKYRIZI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML	5	PA; QL (7 ML per 365 days); NDS
Immunomodulators		
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5ML	5	LA; NDS
ARCALYST SUBCUTANEOUS SOLUTION RECONSTITUTED 220 MG	5	PA; NDS
<i>leflunomide oral tablet 10 mg, 20 mg</i>	2	GC
RIDAURA ORAL CAPSULE 3 MG	5	NDS
Immunostimulants		
BESREMI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 500 MCG/ML	5	PA; QL (2 ML per 28 days); NDS
Immunosuppressants		
AMJEVITA SUBCUTANEOUS SOLUTION AUTO-INJECTOR 40 MG/0.4ML, 40 MG/0.8ML, 80 MG/0.8ML	5	PA; NDS
AMJEVITA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 40 MG/0.4ML	5	PA; NDS
AMJEVITA-PED 10KG TO <15KG SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 10 MG/0.2ML	5	PA; NDS
AMJEVITA-PED 15KG TO <30KG SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 20 MG/0.2ML, 20 MG/0.4ML	5	PA; NDS
ASTAGRAF XL ORAL CAPSULE EXTENDED RELEASE 24 HOUR 0.5 MG, 1 MG, 5 MG	2	PA B/D; GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
<i>azathioprine oral tablet 100 mg, 75 mg</i>	4	PA B/D
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5ML	5	PA; NDS
HADLIMA PUSHTOUCH SUBCUTANEOUS SOLUTION AUTO-INJECTOR 40 MG/0.4ML, 40 MG/0.8ML	5	PA; NDS
HADLIMA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 40 MG/0.4ML, 40 MG/0.8ML	5	PA; NDS
KINERET SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/0.67ML	5	PA; NDS
<i>methotrexate sodium oral tablet 2.5 mg</i>	1	GC
REZUROCK ORAL TABLET 200 MG	5	PA; QL (1 EA per 1 day); NDS
Vaccines		
ABRYSVO INTRAMUSCULAR SOLUTION RECONSTITUTED 120 MCG/0.5ML	3	
ACTHIB INTRAMUSCULAR SOLUTION RECONSTITUTED	3	
ADACEL INTRAMUSCULAR SUSPENSION 5-2-15.5 (PREFILLED SYRINGE), 5-2-15.5 LF-MCG/0.5	3	
AREXVY INTRAMUSCULAR SUSPENSION RECONSTITUTED 120 MCG/0.5ML	3	
BCG VACCINE INJECTION INJECTABLE	3	
BCG VACCINE INJECTION SOLUTION RECONSTITUTED 50 MG	3	
BEXSERO INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE	3	
BOOSTRIX INTRAMUSCULAR SUSPENSION 5-2.5-18.5 , 5-2.5-18.5 (0.5ML SYRINGE), 5-2.5-18.5 LF-MCG/0.5	3	
BOOSTRIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 5-2.5-18.5 LF-MCG/0.5	3	
DAPTACEL INTRAMUSCULAR SUSPENSION 10-15-5 , 23-15-5	3	
DIPHTHERIA-TETANUS TOXOIDS DT INTRAMUSCULAR SUSPENSION 25-5 LFU/0.5ML	3	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
ENGERIX-B INJECTION SUSPENSION 10 MCG/0.5ML, 10 MCG/0.5ML (0.5ML SYRINGE), 20 MCG/ML	3	PA B/D
ENGERIX-B INJECTION SUSPENSION PREFILLED SYRINGE 10 MCG/0.5ML, 20 MCG/ML	3	PA B/D
GARDASIL 9 INTRAMUSCULAR SUSPENSION	3	
GARDASIL 9 INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE	3	
HAVRIX INTRAMUSCULAR SUSPENSION 1440 EL U/ML, 1440 EL U/ML 1 ML, 720 EL U/0.5ML, 720 EL U/0.5ML 0.5 ML	3	
HEPLISAV-B INTRAMUSCULAR SOLUTION PREFILLED SYRINGE 20 MCG/0.5ML	3	PA B/D
HIBERIX INJECTION SOLUTION RECONSTITUTED 10 MCG	3	
IMOVAX RABIES INTRAMUSCULAR INJECTABLE 2.5 UNIT/ML	3	
IMOVAX RABIES INTRAMUSCULAR SUSPENSION RECONSTITUTED 2.5 UNIT/ML	3	
INFANRIX INTRAMUSCULAR SUSPENSION 25-58-10	3	
IPOP INJECTION INJECTABLE	3	
IXCHIQ INTRAMUSCULAR SOLUTION RECONSTITUTED	3	
IXIARO INTRAMUSCULAR SUSPENSION	3	
JYNNEOS SUBCUTANEOUS SUSPENSION 0.5 ML	3	
KINRIX INTRAMUSCULAR SUSPENSION , INJECTION 0.5 ML	3	
KINRIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 0.5 ML	3	
MENACTRA INTRAMUSCULAR INJECTABLE	3	
MENACTRA INTRAMUSCULAR SOLUTION	3	
MENOMUNE SUBCUTANEOUS INJECTABLE	3	
MENQUADFI INTRAMUSCULAR INJECTABLE	3	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
MENQUADFI INTRAMUSCULAR SOLUTION	3	
MENVEO INTRAMUSCULAR SOLUTION RECONSTITUTED	3	
M-M-R II INJECTION SOLUTION RECONSTITUTED	3	
M-M-R II SUBCUTANEOUS INJECTABLE	3	
MRESVIA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 50 MCG/0.5ML	3	
PEDIARIX INTRAMUSCULAR SUSPENSION	3	
PEDIARIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE	3	
PEDVAX HIB INTRAMUSCULAR SUSPENSION 7.5 MCG/0.5ML	3	
PENBRAYA INTRAMUSCULAR SUSPENSION RECONSTITUTED	3	
PENTACEL INTRAMUSCULAR SUSPENSION RECONSTITUTED , (96-30-68-1-80-2-16-3-64-20 VAR UNITS)	3	
PREHEVBRIOS INTRAMUSCULAR SUSPENSION 10 MCG/ML	3	PA B/D
PRIORIX SUBCUTANEOUS SUSPENSION RECONSTITUTED	3	
PROQUAD SUBCUTANEOUS INJECTABLE	3	
PROQUAD SUBCUTANEOUS SUSPENSION RECONSTITUTED	3	
QUADRACEL INTRAMUSCULAR SUSPENSION , (58 UNT/ML)	3	
QUADRACEL INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 0.5 ML	3	
RABAVERT INTRAMUSCULAR SUSPENSION RECONSTITUTED	3	
RECOMBIVAX HB INJECTION SUSPENSION 10 MCG/ML, 10 MCG/ML (1ML SYRINGE), 40 MCG/ML, 5 MCG/0.5ML, 5 MCG/0.5ML (PREFILLED SYRINGE)	3	PA B/D
RECOMBIVAX HB INJECTION SUSPENSION PREFILLED SYRINGE 10 MCG/ML, 5 MCG/0.5ML	3	PA B/D
ROTARIX ORAL SUSPENSION	3	
ROTARIX ORAL SUSPENSION RECONSTITUTED	3	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
ROTATEQ ORAL SOLUTION	3	
SHINGRIX INTRAMUSCULAR SUSPENSION RECONSTITUTED 50 MCG/0.5ML	3	
TDVAX INTRAMUSCULAR SUSPENSION 2-2 LF/0.5ML	3	
TENIVAC INTRAMUSCULAR INJECTABLE 5-2 LFU, 5-2 LFU (INJECTION)	3	
TETANUS-DIPHTHERIA TOXOIDS TD INTRAMUSCULAR SUSPENSION 2-2 LF/0.5ML	3	
TICOVAC INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 1.2 MCG/0.25ML, 2.4 MCG/0.5ML	3	
TRUMENBA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE	3	
TWINRIX INTRAMUSCULAR SUSPENSION 720-20	3	
TWINRIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 720-20 ELU-MCG/ML	3	
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5ML, 25 MCG/0.5ML (0.5ML SYRINGE)	3	
TYPHIM VI INTRAMUSCULAR SOLUTION PREFILLED SYRINGE 25 MCG/0.5ML	3	
VAQTA INTRAMUSCULAR SUSPENSION 25 UNIT/0.5ML, 25 UNIT/0.5ML 0.5 ML, 50 UNIT/ML, 50 UNIT/ML 1 ML	3	
VARIVAX INJECTION SUSPENSION RECONSTITUTED 1350 PFU/0.5ML	3	
VARIVAX SUBCUTANEOUS INJECTABLE 1350 PFU/0.5ML	3	
VAXCHORA ORAL SUSPENSION RECONSTITUTED	3	
YF-VAX SUBCUTANEOUS INJECTABLE , (2.5 ML IN 1 VIAL, MULTI-DOSE)	3	
ZOSTAVAX SUBCUTANEOUS SUSPENSION RECONSTITUTED 19400 UNT/0.65ML	3	
Inflammatory Bowel Disease Agents		
Aminosalicylates		
<i>balsalazide disodium oral capsule 750 mg</i>	2	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
DIPENTUM ORAL CAPSULE 250 MG	5	NDS
<i>mesalamine er oral capsule extended release 24 hour 0.375 gm</i>	3	QL (4 EA per 1 day)
<i>mesalamine er oral capsule extended release 500 mg</i>	5	QL (8 EA per 1 day); NDS
<i>mesalamine oral capsule delayed release 400 mg</i>	4	ST; QL (6 EA per 1 day)
<i>mesalamine oral tablet delayed release 1.2 gm</i>	4	QL (4 EA per 1 day)
<i>mesalamine rectal enema 4 gm</i>	2	GC
<i>mesalamine rectal suppository 1000 mg</i>	4	
PENTASA ORAL CAPSULE EXTENDED RELEASE 250 MG	4	QL (8 EA per 1 day)
<i>sulfasalazine oral tablet 500 mg</i>	2	GC
<i>sulfasalazine oral tablet delayed release 500 mg</i>	2	GC
Glucocorticoids		
<i>hydrocortisone (perianal) external cream 2.5 %</i>	2	
<i>hydrocortisone rectal cream 2.5 %</i>	2	GC
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	2	GC
<i>procto-med hc rectal cream 2.5 %</i>	2	GC
PROCTOSOL HC EXTERNAL CREAM 2.5 %	3	
PROCTOSOL HC RECTAL CREAM 2.5 %	3	
PROCTOZONE-HC EXTERNAL CREAM 2.5 %	3	
PROCTOZONE-HC RECTAL CREAM 2.5 %	3	
Metabolic Bone Disease Agents		
Metabolic Bone Disease Agents		
<i>alendronate sodium oral tablet 10 mg</i>	2	GC
<i>alendronate sodium oral tablet 35 mg, 70 mg</i>	1	GC
<i>alendronate sodium oral tablet 40 mg, 5 mg</i>	2	GC
<i>calcitonin (salmon) nasal solution 200 unit/act</i>	3	
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i>	2	GC
<i>calcitriol oral solution 1 mcg/ml</i>	2	GC
<i>doxercalciferol oral capsule 1 mcg, 2.5 mcg</i>	4	
<i>etidronate disodium oral tablet 200 mg, 400 mg</i>	2	GC
FORTEO SUBCUTANEOUS SOLUTION 600 MCG/2.4ML	5	PA; QL (2.4 ML per 28 days); NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
FORTEO SUBCUTANEOUS SOLUTION PEN-INJECTOR 600 MCG/2.4ML, 620 MCG/2.48ML	5	PA; QL (2.4 ML per 28 days); NDS
<i>ibandronate sodium oral tablet 150 mg</i>	4	QL (1 EA per 28 days)
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG, 25 MCG, 50 MCG, 75 MCG	5	PA; LA; NDS
<i>paricalcitol oral capsule 1 mcg, 2 mcg, 4 mcg</i>	4	
PROLIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 60 MG/ML	4	QL (1 ML per 180 days)
<i>risedronate sodium oral tablet 150 mg, 30 mg, 5 mg</i>	4	
<i>risedronate sodium oral tablet 35 mg, 35 mg (12 pack), 35 mg (4 pack)</i>	3	
<i>risedronate sodium oral tablet delayed release 35 mg</i>	4	
<i>teriparatide subcutaneous solution pen-injector 620 mcg/2.48ml</i>	5	PA; QL (2.48 ML per 28 days); NDS
TYMLOS SUBCUTANEOUS SOLUTION PEN-INJECTOR 3120 MCG/1.56ML	5	PA; QL (1.56 ML per 30 days); NDS
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7ML	5	PA; NDS

Miscellaneous Therapeutic Agents

Miscellaneous Therapeutic Agents

<i>alcohol prep pad 70 %</i>	2	GC
<i>curity gauze pad 2"x2"</i>	2	GC
<i>cvs gauze sterile pad 2"x2"</i>	2	
<i>exel comfort point pen needle 29g x 12mm</i>	2	QL (200 EA per 30 days)
<i>gauze pads pad 2"x2"</i>	2	GC
<i>global alcohol prep ease pad 70 %</i>	2	GC
<i>OMNIPOD 5 DEXG7G6 INTRO GEN 5 KIT</i>	4	QL (1 EA per 365 days)
<i>OMNIPOD 5 DEXG7G6 PODS GEN 5</i>	4	QL (10 EA per 30 days)
<i>OMNIPOD 5 LIBRE2 PLUS G6 KIT</i>	4	QL (1 EA per 365 days)
<i>OMNIPOD 5 LIBRE2 PLUS G6 PODS</i>	4	QL (10 EA per 30 days)
<i>OMNIPOD DASH PODS (GEN 4)</i>	4	QL (10 EA per 30 days)
<i>preferred plus insulin syringe 28g x 1/2" 0.5 ml</i>	2	GC
<i>qc pen needles 29g x 12mm</i>	2	GC; QL (200 EA per 30 days)
<i>reli-on insulin syringe 29g 0.3 ml</i>	2	GC

Ophthalmic Agents

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
Ophthalmic Agents		
bacitra-neomycin-polymyxin-hc ophthalmic ointment 1 %	2	GC
BLEPHAMIDE OPHTHALMIC SUSPENSION 10-0.2 %	3	
BLEPHAMIDE S.O.P. OPHTHALMIC OINTMENT 10-0.2 %	3	
neomycin-bacitracin zn-polymyx ophthalmic ointment 5-400-10000	2	GC
neomycin-polymyxin-dexameth ophthalmic ointment 3.5-10000-0.1	2	GC
neomycin-polymyxin-dexameth ophthalmic suspension 3.5-10000-0.1	2	GC
neomycin-polymyxin-gramicidin ophthalmic solution 1.75-10000-0.025	2	GC
neomycin-polymyxin-hc ophthalmic suspension 3.5-10000-1	3	
neo-polycin hc ophthalmic ointment 1 %	2	GC
neo-polycin ophthalmic ointment 3.5-400-10000	2	GC
polymyxin b-trimethoprim ophthalmic solution 10000-0.1 unit/ml-%	2	GC
tobramycin-dexamethasone ophthalmic suspension 0.3-0.1 %	4	
Ophthalmic Agents, Other		
ATROPINE SULFATE OPHTHALMIC SOLUTION 1 %	3	
bacitracin-polymyxin b ophthalmic ointment 500-10000 unit/gm	2	GC
brimonidine tartrate-timolol ophthalmic solution 0.2-0.5 %	4	
cyclosporine ophthalmic emulsion 0.05 %	3	QL (2 EA per 1 day)
CYSTARAN OPHTHALMIC SOLUTION 0.44 %	5	PA; NDS
LACRISERT OPHTHALMIC INSERT 5 MG	3	
polycin ophthalmic ointment 500-10000 unit/gm	2	GC
RESTASIS MULTIDOSE OPHTHALMIC EMULSION 0.05 %	3	QL (16.5 ML per 90 days)
Ophthalmic Anti-Allergy Agents		
ALOCRIL OPHTHALMIC SOLUTION 2 %	3	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
ALOMIDE OPHTHALMIC SOLUTION 0.1 %	3	
<i>azelastine hcl ophthalmic solution 0.05 %</i>	2	GC
<i>cromolyn sodium ophthalmic solution 4 %</i>	2	GC
<i>epinastine hcl ophthalmic solution 0.05 %</i>	2	GC
<i>olopatadine hcl ophthalmic solution 0.2 %</i>	4	
Ophthalmic Antiglaucoma Agents		
ALPHAGAN P OPHTHALMIC SOLUTION 0.1 %	3	
<i>apraclonidine hcl ophthalmic solution 0.5 %</i>	2	GC
<i>betaxolol hcl ophthalmic solution 0.5 %</i>	2	GC
BETOPTIC-S OPHTHALMIC SUSPENSION 0.25 %	3	
<i>brimonidine tartrate ophthalmic solution 0.15 %, 0.2 %</i>	2	GC
<i>brinzolamide ophthalmic suspension 1 %</i>	2	GC
<i>carteolol hcl ophthalmic solution 1 %</i>	2	GC
<i>dorzolamide hcl ophthalmic solution 2 %</i>	2	GC
<i>dorzolamide hcl-timolol mal ophthalmic solution 2-0.5 %</i>	2	GC
<i>levobunolol hcl ophthalmic solution 0.5 %</i>	2	GC
<i>metipranolol ophthalmic solution 0.3 %</i>	2	GC
PHOSPHOLINE IODIDE OPHTHALMIC SOLUTION RECONSTITUTED 0.125 %	3	
RHOPRESSA OPHTHALMIC SOLUTION 0.02 %	3	ST
SIMBRINZA OPHTHALMIC SUSPENSION 1-0.2 %	4	
<i>timolol maleate (once-daily) ophthalmic solution 0.5 %</i>	4	
<i>timolol maleate ophthalmic solution 0.25 %, 0.5 %</i>	2	GC
Ophthalmic Anti-Inflammatories		
<i>diclofenac sodium ophthalmic solution 0.1 %</i>	2	GC
<i>fluorometholone ophthalmic suspension 0.1 %</i>	2	GC
<i>flurbiprofen sodium ophthalmic solution 0.03 %</i>	2	GC
FML FORTE OPHTHALMIC SUSPENSION 0.25 %	3	
FML OPHTHALMIC OINTMENT 0.1 %	3	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
<i>ketorolac tromethamine ophthalmic solution 0.4 %, 0.5 %</i>	2	GC
<i>loteprednol etabonate ophthalmic gel 0.5 %</i>	3	
<i>loteprednol etabonate ophthalmic suspension 0.5 %</i>	4	
PREDNISOLONE ACETATE OPHTHALMIC SUSPENSION 1 %	3	
<i>prednisolone sodium phosphate ophthalmic solution 1 %</i>	3	
XIIDRA OPHTHALMIC SOLUTION 5 %	4	PA; QL (2 EA per 1 day)
Ophthalmic Intraocular Pressure Lowering Agents, Other		
<i>pilocarpine hcl ophthalmic solution 1 %, 2 %, 4 %</i>	2	GC
Ophthalmic Prostaglandin And Prostamide Analogs		
<i>latanoprost ophthalmic solution 0.005 %</i>	2	GC
LUMIGAN OPHTHALMIC SOLUTION 0.01 %	3	
<i>travoprost (bak free) ophthalmic solution 0.004 %</i>	3	
Otic Agents		
Otic Agents		
COLY-MYCIN S OTIC SUSPENSION 3.3-3-10-0.5 MG/ML	3	
CORTISPORIN-TC OTIC SUSPENSION 3.3-3-10-0.5 MG/ML	3	
<i>flac otic oil 0.01 %</i>	2	GC
<i>hydrocortisone-acetic acid otic solution 1-2 %</i>	2	GC
<i>neomycin-polymyxin-hc otic solution 1 %</i>	2	GC
<i>neomycin-polymyxin-hc otic suspension 3.5-10000-1</i>	2	GC
Respiratory Tract/ Pulmonary Agents		
Antihistamines		
<i>azelastine hcl nasal solution 0.1 %</i>	2	GC
<i>cetirizine hcl oral solution 1 mg/ml</i>	2	
<i>cetirizine hcl oral solution 5 mg/5ml</i>	2	GC
<i>cetirizine hcl oral syrup 1 mg/ml</i>	2	GC
<i>ciproheptadine hcl oral syrup 2 mg/5ml</i>	2	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
<i>cyproheptadine hcl oral tablet 4 mg</i>	2	GC
<i>levocetirizine dihydrochloride oral tablet 5 mg</i>	2	GC
<i>promethazine hcl oral solution 6.25 mg/5ml</i>	2	GC
<i>promethazine hcl oral syrup 6.25 mg/5ml</i>	2	
<i>promethazine hcl oral tablet 12.5 mg, 25 mg, 50 mg</i>	2	GC
Anti-Inflammatories, Inhaled Corticosteroids		
ADVAIR HFA INHALATION AEROSOL 115-21 MCG/ACT, 230-21 MCG/ACT, 45-21 MCG/ACT	4	ST; QL (12 GM per 30 days)
ARNUITY ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100 MCG/ACT, 200 MCG/ACT, 50 MCG/ACT	3	QL (30 EA per 30 days)
ASMANEX (120 METERED DOSES) INHALATION AEROSOL POWDER BREATH ACTIVATED 220 MCG/ACT, 220 MCG/INH	3	
ASMANEX (30 METERED DOSES) INHALATION AEROSOL POWDER BREATH ACTIVATED 110 MCG/ACT, 110 MCG/INH, 220 MCG/ACT, 220 MCG/INH	3	
ASMANEX (60 METERED DOSES) INHALATION AEROSOL POWDER BREATH ACTIVATED 220 MCG/ACT, 220 MCG/INH	3	
ASMANEX HFA INHALATION AEROSOL 100 MCG/ACT, 200 MCG/ACT, 50 MCG/ACT	3	
<i>budesonide inhalation suspension 0.25 mg/2ml, 0.5 mg/2ml</i>	4	PA B/D
FLOVENT DISKUS INHALATION AEROSOL POWDER BREATH ACTIVATED 100 MCG/ACT, 100 MCG/BLIST, 250 MCG/ACT, 250 MCG/BLIST, 50 MCG/ACT, 50 MCG/BLIST	3	
FLOVENT HFA INHALATION AEROSOL 110 MCG/ACT, 220 MCG/ACT, 44 MCG/ACT	3	
<i>flunisolide nasal solution 25 mcg/act (0.025%)</i>	2	GC
<i>fluticasone propionate diskus inhalation aerosol powder breath activated 100 mcg/act, 250 mcg/act, 50 mcg/act</i>	3	
<i>fluticasone propionate hfa inhalation aerosol 110 mcg/act, 220 mcg/act, 44 mcg/act</i>	3	

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
<i>fluticasone propionate nasal suspension 50 mcg/act</i>	2	GC
FLUTICASONE-SALMETEROL INHALATION AEROSOL POWDER BREATH ACTIVATED 100-50 MCG/ACT, 100-50 MCG/DOSE, 250-50 MCG/ACT, 250-50 MCG/DOSE, 500-50 MCG/ACT, 500-50 MCG/DOSE	4	ST
FLUTICASONE-SALMETEROL INHALATION AEROSOL POWDER BREATH ACTIVATED 113-14 MCG/ACT, 232-14 MCG/ACT, 55-14 MCG/ACT	3	
<i>mometasone furoate nasal suspension 50 mcg/act</i>	4	
PULMICORT FLEXHALER INHALATION AEROSOL POWDER BREATH ACTIVATED 180 MCG/ACT, 90 MCG/ACT	4	
QVAR INHALATION AEROSOL SOLUTION 40 MCG/ACT, 80 MCG/ACT	4	
QVAR REDIHALER INHALATION AEROSOL BREATH ACTIVATED 40 MCG/ACT, 80 MCG/ACT	4	
<i>wixela inhale inhalation aerosol powder breath activated 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i>	4	ST
Antileukotrienes		
<i>montelukast sodium oral tablet 10 mg</i>	2	GC; QL (1 EA per 1 day)
<i>montelukast sodium oral tablet chewable 4 mg, 5 mg</i>	2	GC; QL (1 EA per 1 day)
<i>zafirlukast oral tablet 10 mg, 20 mg</i>	3	
Bronchodilators, Anticholinergic		
ATROVENT HFA INHALATION AEROSOL SOLUTION 17 MCG/ACT	3	
<i>ipratropium bromide inhalation solution 0.02 %</i>	2	PA B/D; GC
<i>ipratropium bromide nasal solution 0.03 %, 0.06 %</i>	2	GC
SPIRIVA HANDIHALER INHALATION CAPSULE 18 MCG	3	QL (30 EA per 30 days)
SPIRIVA RESPIMAT INHALATION AEROSOL SOLUTION 1.25 MCG/ACT, 2.5 MCG/ACT	3	QL (4 GM per 30 days)
Bronchodilators, Sympathomimetic		

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
<i>albuterol sulfate er oral tablet extended release 12 hour 4 mg, 8 mg</i>	2	
<i>albuterol sulfate hfa inhalation aerosol solution 108 (90 base) mcg/act (nda020503), 108 (90 base) mcg/act (nda020983)</i>	2	GC
<i>albuterol sulfate inhalation nebulization solution (2.5 mg/3ml) 0.083%, 0.63 mg/3ml, 1.25 mg/3ml, 2.5 mg/0.5ml</i>	2	PA B/D; GC
<i>albuterol sulfate inhalation nebulization solution (5 mg/ml) 0.5%</i>	2	PA B/D; GC
<i>albuterol sulfate oral syrup 2 mg/5ml</i>	2	GC
<i>albuterol sulfate oral tablet 2 mg, 4 mg</i>	2	GC
<i>epinephrine injection solution auto-injector 0.15 mg/0.3ml, 0.3 mg/0.3ml</i>	2	GC; QL (4 EA per 30 days)
LEVALBUTEROL TARTRATE INHALATION AEROSOL 45 MCG/ACT	4	ST
<i>metaproterenol sulfate oral tablet 20 mg</i>	2	GC
PROAIR RESPICLICK INHALATION AEROSOL POWDER BREATH ACTIVATED 108 (90 BASE) MCG/ACT	4	
SEREVENT DISKUS INHALATION AEROSOL POWDER BREATH ACTIVATED 50 MCG/ACT, 50 MCG/DOSE	3	QL (60 EA per 30 days)
<i>terbutaline sulfate oral tablet 2.5 mg, 5 mg</i>	2	GC
VENTOLIN HFA INHALATION AEROSOL SOLUTION 108 (90 BASE) MCG/ACT	3	
Cystic Fibrosis Agents		
BRONCHITOL INHALATION CAPSULE 40 MG	5	PA; NDS
CAYSTON INHALATION SOLUTION RECONSTITUTED 75 MG	5	PA; NDS
KALYDECO ORAL PACKET 25 MG, 50 MG, 75 MG	5	PA; QL (2 EA per 1 day); NDS
KALYDECO ORAL TABLET 150 MG	5	PA; QL (2 EA per 1 day); NDS
ORKAMBI ORAL TABLET 100-125 MG, 200- 125 MG	5	PA; LA; QL (4 EA per 1 day); NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	5	PA B/D; NDS
SYMDEKO ORAL TABLET THERAPY PACK 100-150 & 150 MG, 50-75 & 75 MG	5	PA; LA; QL (2 EA per 1 day); NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
Mast Cell Stabilizers		
cromolyn sodium inhalation nebulization solution 20 mg/2ml	2	PA B/D; GC
cromolyn sodium oral concentrate 100 mg/5ml	2	GC
Phosphodiesterase Inhibitors, Airways Disease		
roflumilast oral tablet 250 mcg	4	PA; QL (1 EA per 1 day); NDS
roflumilast oral tablet 500 mcg	4	PA; QL (1 EA per 1 day)
theophylline er oral tablet extended release 12 hour 100 mg	4	GC
theophylline er oral tablet extended release 12 hour 300 mg	3	
theophylline er oral tablet extended release 12 hour 450 mg	3	GC
Pulmonary Antihypertensives		
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	5	PA; LA; QL (3 EA per 1 day); NDS
alyq oral tablet 20 mg	5	PA; QL (2 EA per 1 day); NDS
ambrisentan oral tablet 10 mg, 5 mg	5	PA; LA; QL (1 EA per 1 day); NDS
bosentan oral tablet 125 mg, 62.5 mg	5	PA; LA; QL (2 EA per 1 day); NDS
OPSUMIT ORAL TABLET 10 MG	5	PA; LA; QL (1 EA per 1 day); NDS
sildenafil citrate oral tablet 20 mg	2	PA; GC; QL (3 EA per 1 day)
tadalafil (pah) oral tablet 20 mg	5	PA; QL (2 EA per 1 day); NDS
VENTAVIS INHALATION SOLUTION 10 MCG/ML, 20 MCG/ML	5	PA B/D; QL (3 ML per 1 day); NDS
Respiratory Tract Agents, Other		
acetylcysteine inhalation solution 10 %, 20 %	2	PA B/D; GC
ANORO ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 62.5-25 MCG/ACT	3	QL (60 EA per 30 days)
FASENRA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 10 MG/0.5ML, 30 MG/ML	5	PA; LA; NDS
PROLASTIN-C INTRAVENOUS SOLUTION 1000 MG/20ML	5	PA; LA; NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
PROLASTIN-C INTRAVENOUS SOLUTION RECONSTITUTED 1000 MG	5	PA; LA; NDS
<i>ribavirin inhalation solution reconstituted 6 gm</i>	5	NDS
STIOLTO RESPIMAT INHALATION AEROSOL SOLUTION 2.5-2.5 MCG/ACT	3	QL (4 GM per 30 days)
TRELEGY ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100-62.5-25 MCG/ACT, 100-62.5-25 MCG/INH, 200-62.5-25 MCG/ACT	3	QL (60 EA per 30 days)
Respiratory Tract/ Pulmonary Agents		
COMBIVENT RESPIMAT INHALATION AEROSOL SOLUTION 20-100 MCG/ACT	4	QL (8 GM per 30 days)
<i>ipratropium-albuterol inhalation solution 0.5-2.5 (3) mg/3ml</i>	2	PA B/D; GC
OFEV ORAL CAPSULE 100 MG, 150 MG	5	PA; LA; QL (2 EA per 1 day); NDS
SYMBICORT INHALATION AEROSOL 160-4.5 MCG/ACT, 80-4.5 MCG/ACT	3	QL (10.2 GM per 30 days)
XOLAIR SUBCUTANEOUS SOLUTION AUTO-INJECTOR 150 MG/ML, 300 MG/2ML, 75 MG/0.5ML	5	PA; LA; NDS
XOLAIR SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML, 300 MG/2ML, 75 MG/0.5ML	5	PA; LA; NDS
XOLAIR SUBCUTANEOUS SOLUTION RECONSTITUTED 150 MG	5	PA; LA; NDS
Respiratory Tract/Pulmonary Agents		
Bronchodilators, Sympathomimetic		
<i>albuterol sulfate hfa inhalation aerosol solution 108 (90 base) mcg/act</i>	2	GC
<i>epinephrine injection solution 0.3 mg/0.3ml</i>	2	GC; QL (4 EA per 30 days)
Cystic Fibrosis Agents		
PULMOZYME INHALATION SOLUTION 2.5 MG/2.5ML	5	PA B/D; NDS
Pulmonary Fibrosis Agents		
<i>pirfenidone oral capsule 267 mg</i>	5	PA; NDS
<i>pirfenidone oral tablet 267 mg</i>	5	PA; QL (6 EA per 1 day); NDS
<i>pirfenidone oral tablet 801 mg</i>	5	PA; QL (3 EA per 1 day); NDS
Respiratory Tract Agents, Other		

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
FASENRA PEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR 30 MG/ML	5	PA; LA; NDS
wixela inhale inhalation aerosol powder breath activated 100-50 mcg/act, 250-50 mcg/act, 500-50 mcg/act	4	ST
Skeletal Muscle Relaxants		
Skeletal Muscle Relaxants		
cyclobenzaprine hcl oral tablet 10 mg, 5 mg, 7.5 mg	2	PA; GC; QL (3 EA per 1 day)
orphenadrine citrate er oral tablet extended release 12 hour 100 mg	2	GC
Sleep Disorder Agents		
Gaba Receptor Modulators		
eszopiclone oral tablet 1 mg, 2 mg, 3 mg	4	QL (90 EA per 365 days); NDS
flurazepam hcl oral capsule 15 mg, 30 mg	2	QL (1 EA per 1 day); NDS
temazepam oral capsule 15 mg	2	GC; QL (2 EA per 1 day); NDS
temazepam oral capsule 30 mg	2	GC; QL (1 EA per 1 day); NDS
zaleplon oral capsule 10 mg, 5 mg	2	GC; QL (90 EA per 365 days); NDS
zolpidem tartrate er oral tablet extended release 12.5 mg, 6.25 mg	2	GC; QL (90 EA per 365 days); NDS
zolpidem tartrate oral tablet 10 mg, 5 mg	2	GC; QL (90 EA per 365 days); NDS
Sleep Disorders, Other		
armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg	3	PA; QL (1 EA per 1 day)
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG	4	ST; QL (1 EA per 1 day)
DAYVIGO ORAL TABLET 10 MG, 5 MG	4	ST; QL (1 EA per 1 day)
ramelteon oral tablet 8 mg	4	QL (1 EA per 1 day)
tasimelteon oral capsule 20 mg	5	PA; QL (1 EA per 1 day); NDS
XYREM ORAL SOLUTION 500 MG/ML	5	PA; QL (540 ML per 30 days); NDS
Therapeutic Nutrients/ Minerals/ Electrolytes		
Electrolyte/ Mineral Modifiers		
deferasirox oral tablet soluble 125 mg	4	PA; NDS
deferasirox oral tablet soluble 250 mg, 500 mg	5	PA; NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
<i>deferiprone oral tablet 500 mg</i>	5	PA; NDS
<i>klor-con oral packet 20 meq</i>	4	
<i>potassium chloride oral packet 20 meq</i>	4	
<i>sodium polystyrene sulfonate oral powder</i>	2	GC
<i>sodium polystyrene sulfonate oral suspension 15 gm/60ml</i>	2	
<i>sodium polystyrene sulfonate rectal suspension 30 gm/120ml, 50 gm/200ml</i>	2	GC
SPS (SODIUM POLYSTYRENE SULF) COMBINATION SUSPENSION 15 GM/60ML	3	
SPS (SODIUM POLYSTYRENE SULF) RECTAL SUSPENSION 30 GM/120ML	3	
SPS ORAL SUSPENSION 15 GM/60ML	3	
Electrolyte/ Mineral Replacement		
<i>carglumic acid oral tablet 200 mg</i>	5	PA; LA; NDS
<i>carglumic acid oral tablet soluble 200 mg</i>	5	PA; NDS
CLINISOL SF INTRAVENOUS SOLUTION 15 %	3	PA B/D
<i>kcl in d5w lactated ringers intravenous solution 40 meq/l</i>	2	GC
KLOR-CON 10 ORAL TABLET EXTENDED RELEASE 10 MEQ	3	
KLOR-CON M10 ORAL TABLET EXTENDED RELEASE 10 MEQ	3	
KLOR-CON M20 ORAL TABLET EXTENDED RELEASE 20 MEQ	3	
KLOR-CON ORAL TABLET EXTENDED RELEASE 8 MEQ	3	
KLOR-CON SPRINKLE ORAL CAPSULE EXTENDED RELEASE 10 MEQ, 8 MEQ	3	
K-TAB ORAL TABLET EXTENDED RELEASE 8 MEQ	3	
<i>magnesium sulfate injection solution 50 %, 50 % (10ml syringe)</i>	2	GC
PLENAMINE INTRAVENOUS SOLUTION 15 %	3	PA B/D
<i>potassium chloride crys er oral tablet extended release 10 meq, 20 meq</i>	2	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
<i>potassium chloride er oral capsule extended release 10 meq, 8 meq</i>	2	GC
<i>potassium chloride er oral tablet extended release 10 meq, 20 meq, 8 meq</i>	2	GC
<i>potassium chloride er tablet extended release 10 meq oral</i>	2	GC
<i>potassium chloride intravenous solution 0.4 meq/ml</i>	2	GC
<i>potassium chloride intravenous solution 10 meq/100ml</i>	2	GC
<i>potassium chloride oral solution 20 meq/15ml (10%), 40 meq/15ml (20%)</i>	4	
<i>sodium chloride injection solution 2.5 meq/ml</i>	2	GC
<i>sodium chloride intravenous solution 0.45 %, 0.9 %, 3 %, 5 %</i>	2	GC
<i>sodium chloride irrigation solution 0.9 %</i>	2	GC
Therapeutic Nutrients/ Minerals/ Electrolytes		
<i>AMINOSYN II INTRAVENOUS SOLUTION 15 %, 7 %</i>	3	PA B/D
<i>AMINOSYN-HBC INTRAVENOUS SOLUTION 7 %</i>	3	PA B/D
<i>AMINOSYN-PF INTRAVENOUS SOLUTION 7 %</i>	3	PA B/D
<i>CLINIMIX E/DEXTROSE (4.25/25) INTRAVENOUS SOLUTION 4.25 %</i>	4	PA B/D
<i>deferasirox oral tablet 180 mg, 360 mg</i>	5	PA; NDS
<i>deferasirox oral tablet 90 mg</i>	4	PA; NDS
<i>dextrose intravenous solution 10 %, 5 %</i>	2	GC
<i>DEXTROSE-NACL INTRAVENOUS SOLUTION 10-0.2 %, 2.5-0.45 %</i>	3	
<i>dextrose-nacl intravenous solution 5-0.2 %, 5-0.45 %, 5-0.9 %</i>	2	
<i>dextrose-nacl intravenous solution 5-0.33 %</i>	2	GC
<i>DEXTROSE-SODIUM CHLORIDE INTRAVENOUS SOLUTION 10-0.2 %, 2.5-0.45 %</i>	3	
<i>dextrose-sodium chloride intravenous solution 5-0.2 %, 5-0.45 %, 5-0.9 %</i>	2	GC

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Drug Name	Drug Tier	Requirements/Limits
<i>dextrose-sodium chloride intravenous solution 5-0.33 %</i>	2	GC
<i>glucose intravenous solution 5 %</i>	2	GC
INTRALIPID INTRAVENOUS EMULSION 20 %	3	PA B/D
<i>kcl in dextrose-nacl intravenous solution 20-5-0.45 meq/l-%-%</i>	2	GC
<i>nutrilipid intravenous emulsion 20 %</i>	2	PA B/D; GC
PRENATAL ORAL TABLET 27-1 MG	3	
TPN ELECTROLYTES INTRAVENOUS CONCENTRATE	3	
TPN ELECTROLYTES INTRAVENOUS SOLUTION	3	
<i>trientine hcl oral capsule 250 mg</i>	5	PA; QL (8 EA per 1 day); NDS
<i>trientine hcl oral capsule 500 mg</i>	5	PA; QL (4 EA per 1 day); NDS

You can find information on what the symbols and abbreviations on this table mean by going to page 7.
Last Updated:11/19/2024

Index

A

abacavir sulfate 48
abacavir sulfate-lamivudine ... 48
abacavir-lamivudine-zidovudine 48
ABILIFY MYCITE 43
ABILIFY MYCITE MAINTENANCE KIT 43
ABILIFY MYCITE STARTER KIT 43
abiraterone acetate 31
ABRYSVO 96
acamprosate calcium 10
acarbose 52
ACCUTANE 70
acebutolol hcl 61
acetaminophen-codeine 8
acetaminophen-codeine #2 8
acetaminophen-codeine #3 8
acetaminophen-codeine #4 8
acetazolamide 64
acetylcysteine 108
acitretin 70
ACTEMRA 92
ACTEMRA ACTPEN 92
ACTHIB 96
ACTIMMUNE 95
acyclovir 46, 47
acyclovir sodium 47
ADACEL 96
adefovir dipivoxil 46
ADEMPAS 108
ADVAIR HFA 105
AFIRMELLE 80
AIMOVIG 29
AKEEGA 35
ala-cort 76
albendazole 40
albuterol sulfate 107
albuterol sulfate er 107
albuterol sulfate hfa 107, 109
alclometasone dipropionate ... 76
alcohol prep 101
ALDACTAZIDE 63
ALECensa 35
alendronate sodium 100
alfuzosin hcl er 75
ALINIA 40

aliskiren fumarate 64
allopurinol 28
almotriptan malate 29
ALOCRIL 102
ALOGLIPTIN BENZOATE .. 52
ALOGLIPTIN-METFORMIN HCL 52
ALOGLIPTIN-PIOGLITAZONE 52
ALOMIDE 103
ALORA 80
alosetron hcl 73
ALPHAGAN P 103
alprazolam 51
ALTAVERA 80
ALUNBRIG 35
alyacen 1/35 80
alyq 108
amabelz 80
amantadine hcl 50
AMBISOME 26
ambrisentan 108
AMCINONIDE 76
AMETHIA LO 80
amikacin sulfate 12
amiloride hcl 65
amiloride-hydrochlorothiazide 63
AMINOSYN II 112
AMINOSYN-HBC 112
AMINOSYN-PF 112
amiodarone hcl 60
amitriptyline hcl 25
AMJEVITA 95
AMJEVITA-PED 10KG TO <15KG 95
AMJEVITA-PED 15KG TO <30KG 95
amlodipine besy-benazepril hcl 63
amlodipine besylate 61
ammonium lactate 70
amoxapine 25
amoxicillin 15, 16
amoxicillin-pot clavulanate ... 16
amphetamine-dextroamphetamine 67
amphetamine 114

dextroamphetamine 67
amphotericin b 27
amphotericin b liposome 27
ampicillin 16
ampicillin sodium 16
ampicillin-sulbactam sodium .. 16
anagrelide hcl 58
anastrozole 34
ANDRODERM 79
ANDROXY 79
ANORO ELLIPTA 108
APOKYN 41
apomorphine hcl 41
apraclonidine hcl 103
aprepitant 26
APRI 80
APTIOM 22
APTIVUS 50
ARANELLE 80
ARCALYST 95
AREXVY 96
ariPIPrazole 43
ARISTADA 43
ARISTADA INITIO 43
armodafinil 110
ARMOUR THYROID 88
ARNUITY ELLIPTA 105
asenapine maleate 43
ASMANEX (120 METERED DOSES) 105
ASMANEX (30 METERED DOSES) 105
ASMANEX (60 METERED DOSES) 105
ASMANEX HFA 105
aspirin-dipyridamole er 59
assure id insulin safety syr 55
ASTAGRAF XL 95
atazanavir sulfate 50
atenolol 61
atenolol-chlorthalidone 63
atomoxetine hcl 67
atorvastatin calcium 65
atovaquone 40
atovaquone-proguanil hcl 40
ATROPINE SULFATE 102
ATROVENT HFA 106
AUBRA 80

AUBRA EQ.....	89
AUGTYRO	35
AUROVELA 1.5/30.....	80
AUROVELA 1/20.....	80
AUROVELA FE 1.5/30	80
AUROVELA FE 1/20	80
AUSTEDO	68
AUSTEDO PATIENT TITRATION KIT	68
AUSTEDO XR.....	68
AUSTEDO XR PATIENT TITRATION.....	68
AUVELITY.....	23
AVANDIA	52
AVIANE.....	80
AVONEX	69
AVONEX PEN	69
AVONEX PREFILLED	69
AYUNA	80
AYVAKIT	35
azathioprine.....	92, 96
azelaic acid.....	70
azelastine hcl	103, 104
AZELEX	70
azithromycin	17
aztreonam	15
AZURETTE	80
B	
BACITRACIN	12
bacitracin-polymyxin b.....	102
bacitra-neomycin-polymyxin-hc	102
baclofen	46
balsalazide disodium	99
BALVERSA.....	35, 36
BALZIVA	87
BAQSIMI ONE PACK	54
BAQSIMI TWO PACK	54
BCG VACCINE.....	96
bd insulin syringe	55
BEKYREE	80
BELSOMRA	110
benazepril hcl	60
benazepril-hydrochlorothiazide	63
BENLYSTA	92
benzoyl peroxide-erythromycin	70
benztropine mesylate	41
BESREMI.....	95

<i>betaine</i>	72
<i>betamethasone dipropionate</i> .28, 76	
<i>betamethasone dipropionate aug</i>	76
<i>betamethasone valerate</i>	77
<i>betaxolol hcl</i>	61, 103
<i>bethanechol chloride</i>	75
BETOPTIC-S	103
<i>bexarotene</i>	40
BEXZERO	96
<i>bicalutamide</i>	31
<i>bicillin c-r</i>	16
BICILLIN C-R 900/300	16
BIKTARVY	47
<i>bisoprolol fumarate</i>	61
<i>bisoprolol-hydrochlorothiazide</i>	63
BLEPHAMIDE	102
BLEPHAMIDE S.O.P.	102
BLISOVI FE 1.5/30	80
BLISOVI FE 1/20	81
BOOSTRIX	96
<i>bosentan</i>	108
BOSULIF	36
BRAFTOVI	36
<i>briellyn</i>	87
BRILINTA	59
<i>brimonidine tartrate</i>	103
<i>brimonidine tartrate-timolol</i> 102	
<i>brinzolamide</i>	103
BRIVIACT	19
<i>bromocriptine mesylate</i>	41
BRONCHITOL	107
BRUKINSA	36
<i>budesonide</i>	74, 105
<i>budesonide er</i>	73
<i>bumetanide</i>	64
<i>buprenorphine hcl</i>	11
<i>buprenorphine hcl-naloxone hcl</i>	11
<i>bupropion hcl</i>	23
<i>bupropion hcl er (smoking det)</i>	11
<i>bupropion hcl er (sr)</i>	23
<i>bupropion hcl er (xl)</i>	23
<i>buspirone hcl</i>	51
<i>butalbital-apap-caffeine</i>	8
<i>butalbital-aspirin-caffeine</i>	8

C	
<i>cabergoline</i>	91
CABOMETYX	36
<i>calcipotriene</i>	70
<i>calcitonin (salmon)</i>	100
<i>calcitriol</i>	100
<i>calcium acetate (phos binder)</i> 76	
CALQUENCE	36
CAMILA	87
CAMRESE LO	81
<i>candesartan cilexetil</i>	59
<i>candesartan cilexetil-hctz</i>	63
<i>capacet</i>	8
CAPLYTA	43
CAPRELSA	36
<i>captopril</i>	60
<i>captopril-hydrochlorothiazide</i> 63	
<i>carbamazepine</i>	22
<i>carbamazepine er</i>	22, 52
<i>carbidopa-levodopa</i>	41
<i>carbidopa-levodopa er</i>	41
CARBIDOPA-LEVODOPA-	
<i>ENTACAPONE</i>	42
<i>carglumic acid</i>	111
<i>carteolol hcl</i>	103
CARTIA XT	62
<i>carvedilol</i>	61
<i>caspofungin acetate</i>	27
CAYSTON	107
CAZIANT	81
<i>cefaclor</i>	14
<i>cefadroxil</i>	14
<i>cefazolin sodium</i>	14
<i>cefdinir</i>	14
<i>cefepime hcl</i>	14
<i>cefepime-dextrose</i>	14
<i>cefixime</i>	14
<i>cefotaxime sodium</i>	14
<i>cefoxitin sodium</i>	14
<i>cefpodoxime proxetil</i>	14
<i>cefprozil</i>	14
<i>ceftazidime</i>	14
CEFTIN	14
<i>ceftriaxone sodium</i>	15
<i>cefuroxime axetil</i>	15
<i>cefuroxime sodium</i>	15
<i>celecoxib</i>	8
<i>cephalexin</i>	15
<i>cetirizine hcl</i>	104
<i>cevimeline hcl</i>	69

CHANTIX	11
CHANTIX CONTINUING	
MONTH PAK	11
CHATEAL	81
CHATEAL EQ	81
chlordiazepoxide hcl	51
chlorhexidine gluconate	69
chloroquine phosphate	40
chlorothiazide	65
chlorpromazine hcl	42, 43
chlorthalidone	65
cholestyramine	66
cholestyramine light	66
cyclodan	27
ciclopirox	27
ciclopirox olamine	27
cilostazol	59
CILOXAN	18
CIMDUO	48
cimetidine	73
cinacalcet hcl	90
CINRYZE	92
ciprofloxacin	18
ciprofloxacin hcl	18
ciprofloxacin in d5w	18
citalopram hydrobromide	24
claravis	70
clarithromycin	17
clarithromycin er	17
clindamycin hcl	12
clindamycin phos-benzoyl perox	70
clindamycin phosphate	12
clindamycin phosphate in d5w	12
CLINIMIX E/DEXTROSE (4.25/25)	112
CLINISOL SF	111
clobazam	20
clobetasol prop emollient base	77
clobetasol propionate	70, 77
clobetasol propionate e	77
clobetasol propionate emulsion	77
clomipramine hcl	25
clonazepam	20
clonidine	59
clonidine hcl	59
clopidogrel bisulfate	59
clorazepate dipotassium	51

clotrimazole	27
clotrimazole-betamethasone	70
clozapine	45
CLOZAPINE	45
COARTEM	40
COLCHICINE	28
colchicine-probenecid	28
colesevelam hcl	66
colestipol hcl	66
COLISTIMETHATE SODIUM (CBA)	12
COLY-MYCIN S	104
COMBIPATCH	81
COMBIVENT RESPIMAT	109
COMETRIQ (100 MG DAILY DOSE)	36
COMETRIQ (140 MG DAILY DOSE)	36
COMETRIQ (60 MG DAILY DOSE)	36
comfort assist insulin syringe	55
COMPLERA	47
COMPROM	26
constulose	74
COPIKTRA	34
CORLANOR	64
CORMAX SCALP APPLICATION	70
CORTISPORIN-TC	104
COSENTYX	71
COSENTYX (300 MG DOSE)	70
COSENTYX SENSOREADY (300 MG)	70
COSENTYX SENSOREADY PEN	70
COSENTYX UNOREADY	71
COTELLIC	36
CREON	72
CRIXIVAN	50
cromolyn sodium	103, 108
CRYSELLE-28	81
curity gauze	101
cvs gauze sterile	101
CYCLAFEM 1/35	81
CYCLAFEM 7/7/7	81
cyclobenzaprine hcl	110
cyclophosphamide	30
CYCLOSET	52
cyclosporine	92, 102
cyclosporine modified	92
cyproheptadine hcl	104, 105
CYRED	81
CYRED EQ	81
CYSTAGON	72
CYSTARAN	102
D	
dabigatran etexilate mesylate	57
dalfampridine er	69
danazol	79
dapsone	30
DAPTACEL	96
daptomycin	12
darunavir	50
dasatinib	36
DASETTA 1/35	81
DASETTA 7/7/7	81
DAURISMO	36
DAYVIGO	110
DEBLITANE	87
deferasirox	110, 112
deferiprone	72, 111
DELSTRIGO	48
deltasone	77
DELYLA	81
DENAVIR	47
DEPO-SUBQ PROVERA 104	87
DESCOVY	48
desipramine hcl	25
desmopressin ace rhinal tube	79
desmopressin ace spray refrigerated	79
desmopressin acetate	79
desogestrel-ethinyl estradiol	81, 87
desoximetasone	77
DESVENLAFAXINE ER	24
desvenlafaxine succinate er	24
dexamethasone	28, 77, 89
DEXAMETHASONE	
INTENSOL	77
dexedrine	67
dexamphetamine hcl	67
dexamphetamine hcl er	67
dextroamphetamine sulfate	67
dextroamphetamine sulfate er	67
dextrose	112
dextrose-nacl	112
DEXTROSE-NACL	112
dextrose-sodium chloride	112,

DEXTROSE-SODIUM

CHLORIDE.....	112
DIACOMIT	19
DIASTAT ACUDIAL.....	19
<i>diazepam</i>	19, 20, 51
<i>diazepam intensol</i>	51
<i>diazoxide</i>	54
<i>diclofenac potassium</i>	29
<i>diclofenac sodium</i>	8, 71, 103
<i>diclofenac sodium er</i>	8
<i>dicloxacillin sodium</i>	16
<i>dicyclomine hcl</i>	73
<i>didanosine</i>	48
DIFICID	17
DIGITEK.....	64
<i>digox</i>	64
<i>digoxin</i>	64
DIGOXIN.....	64
DIHYDROERGOTAMINE MESYLATE.....	29
DILANTIN.....	22
<i>diltiazem cd</i>	62
<i>diltiazem hcl</i>	62
<i>diltiazem hcl er</i>	62
<i>diltiazem hcl er beads</i>	62
<i>diltiazem hcl er coated beads</i>	62
<i>dilt-xr</i>	62
<i>dimethyl fumarate</i>	69
DIPENTUM	100
<i>diphenoxylate-atropine</i>	73
DIPHTHERIA-TETANUS TOXOIDS DT	96
<i>dipyridamole</i>	59
<i>disulfiram</i>	10
<i>divalproex sodium</i>	20, 21
<i>divalproex sodium er</i>	20
<i>dofetilide</i>	60
<i>donepezil hcl</i>	23
<i>dorzolamide hcl</i>	103
<i>dorzolamide hcl-timolol mal</i> 103	
<i>dotti</i>	81
DOVATO	48
<i>doxazosin mesylate</i>	59, 75
<i>doxepin hcl</i>	25, 71
<i>doxercalciferol</i>	90, 100
<i>doxy 100</i>	18
<i>doxycycline hyclate</i>	18, 19
<i>doxycycline monohydrate</i>	19
DRIZALMA SPRINKLE.....	24

dronabinol

<i>DROSPIREN-ETH ESTRAD-</i>	
<i>LEVOMEFOL</i>	81
<i>drospirenone-ethynodiol estradiol</i> 81	
<i>droxidopa</i>	59
<i>duloxetine hcl</i>	24, 51
DUPIXENT	94
DURAMORPH	10
<i>dutasteride</i>	75
E	
<i>ec-naproxen</i>	8
<i>econazole nitrate</i>	27
EDURANT	47
<i>efavirenz</i>	47
<i>efavirenz-emtricitab-tenofo df</i> 48	
<i>efavirenz-emtricitab-tenofovir</i> 48	
<i>efavirenz-lamivudine-tenofovir</i>	48
ELIGARD	91
ELINEST	81
ELIQUIS	57
ELIQUIS DVT/PE STARTER PACK	57
ELLA	87
ELMIRON	75
<i>eluryng</i>	81
EMCYT	31
EMEND	26
EMGALITY	29
EMOQUETTE	81
EMSAM	24
<i>emtricitabine</i>	48
<i>emtricitabine-tenofovir df</i>	48
EMTRIVA	48
<i>enalapril maleate</i>	60
<i>enalapril-hydrochlorothiazide</i> 63	
ENBREL	93, 96
ENBREL MINI	92
ENBREL SURECLICK	93
ENDARI	72
<i>endocet</i>	10
ENDOCET	8
ENGERIX-B	97
ENILLORING	81
<i>enoxaparin sodium</i>	57
ENPRESSE-28	82
ENSKYCE	82
<i>entacapone</i>	41
<i>entecavir</i>	46
ENTRESTO	60
<i>enulose</i>	74
EPIDIOLEX	21
<i>epinastine hcl</i>	103
<i>epinephrine</i>	107, 109
EPITOL	22
EPIVIR HBV	46
<i>eplerenone</i>	65
EPRONIA	19
ERAXIS	27
<i>ergoloid mesylates</i>	23
<i>ergotamine-caffeine</i>	29
ERIVEDGE	36
ERLEADA	31
<i>erlotinib hcl</i>	36
ERRIN	87
<i>ertapenem sodium</i>	15
ERY-TAB	17
ERYTHROCIN	
<i>LACTOBIONATE</i>	17
<i>erythromycin</i>	17
<i>erythromycin base</i>	17
ERYTHROMYCIN	
<i>ETHYLSUCCINATE</i>	17
<i>erythromycin lactobionate</i>	17
<i>escitalopram oxalate</i>	24
<i>esgc</i>	8
<i>esomeprazole magnesium</i>	74
ESTARYLLA	82
<i>estradiol</i>	82
<i>estradiol-norethindrone acet</i>	82
ESTRING	82
<i>estropipate</i>	82
<i>eszopiclone</i>	110
<i>ethacrynic acid</i>	64
<i>ethambutol hcl</i>	30
<i>ethosuximide</i>	20
<i>ethynodiol diac-eth estradiol</i>	87
<i>etidronate disodium</i>	100
<i>etodolac</i>	9
<i>etonogestrel-ethynodiol estradiol</i>	82
<i>etravirine</i>	48
EUTHYROX	88
EVAMIST	82
<i>everolimus</i>	36, 93
EVOTAZ	50
<i>exel comfort point pen needle</i>	101
<i>exemestane</i>	34
EXKIVITY	36
EXTAVIA	69

<i>ezetimibe</i>	66	<i>fluocinolone acetonide</i>	77	PACK	74
F		<i>fluocinolone acetonide body</i>	77	GAVRETO	32
FALMINA	90	<i>fluocinolone acetonide scalp</i>	77	<i>gefitinib</i>	36
<i>famciclovir</i>	47	<i>fluocinonide</i>	77	<i>gemfibrozil</i>	65
<i>famotidine</i>	73	<i>fluocinonide emulsified base</i>	77	<i>generlac</i>	74
FANAPT	43	<i>fluocinonide-e</i>	77	GENGRAF	93
FARXIGA	52	<i>fluorometholone</i>	103	GENTAK	12
FARYDAK	34	<i>fluorouracil</i>	71	<i>gentamicin sulfate</i>	12
FASENRA	108	<i>fluoxetine hcl</i>	24, 25	GENVOYA	47
FASENRA PEN	110	<i>fluphenazine decanoate</i>	42	GIANVI	82
<i>febuxostat</i>	28	<i>fluphenazine hcl</i>	42	GILOTRIF	37
<i>felbamate</i>	22	<i>flurazepam hcl</i>	110	GLATOPA	69
<i>felodipine er</i>	62	<i>flurbiprofen</i>	9	GLEOSTINE	32
FEMRING	82	<i>flurbiprofen sodium</i>	103	<i>glimepiride</i>	52
FEMYNOR	82	<i>flutamide</i>	31	<i>glipizide</i>	52
<i>fenofibrate</i>	65	<i>fluticasone propionate</i>	77, 106	<i>glipizide er</i>	52
<i>fenofibrate micronized</i>	65	<i>fluticasone propionate diskus</i>		<i>glipizide-metformin hcl</i>	54
<i>fenoprofen calcium</i>	9		105	<i>global alcohol prep ease</i>	101
FENSOLVI	91	<i>fluticasone propionate hfa</i>	105	GLUCAGON EMERGENCY	54
FENSOLVI (6 MONTH)	91	FLUTICASONE-		<i>glucose</i>	113
<i>fentanyl</i>	9	SALMETEROL	106	<i>glycopyrrolate</i>	73
<i>fentanyl citrate</i>	10	<i>fluvoxamine maleate</i>	25	<i>glydo</i>	10
FETZIMA	24	FML	103	GOLYTELY	74
FIASP	55	FML FORTE	103	<i>granisetron hcl</i>	26
FIASP FLEXTOUCH	55	<i>fondaparinux sodium</i>	57	<i>griseofulvin microsize</i>	27
FIASP PENFILL	55	<i>FORTEO</i>	100, 101	<i>guanfacine hcl</i>	59
FIASP PUMPCART	55	<i>fosamprenavir calcium</i>	50	<i>guanfacine hcl er</i>	68
FINACEA	71	<i>fosfomycin tromethamine</i>	13	<i>guanidine hcl</i>	30
<i>finasteride</i>	75	<i>fosinopril sodium</i>	60	GVOKE HYPOPEN 1-PACK	54
<i> fingolimod hcl</i>	69	<i>fosinopril sodium-hctz</i>	63	GVOKE HYPOPEN 2-PACK	54
FINTEPLA	19	<i>FOTIVDA</i>	36	GVOKE KIT	54
FINZALA	90	<i>FRAGMIN</i>	58	GVOKE PFS	54
FIRDAPSE	69	<i>frovatriptan succinate</i>	29	H	
FIRMAGON	91	FRUZAQLA	34	HADLIMA	96
FIRMAGON (240 MG DOSE)		<i>furosemide</i>	64, 65	HADLIMA PUSHTOUCH	96
	91	FUZEON	49	HAILEY 1.5/30	82
FIRVANQ	12	<i>fyavolv</i>	82	HAILEY FE 1.5/30	82
<i>flac</i>	104	FYCOMPA	22	HAILEY FE 1/20	82
<i>flavoxate hcl</i>	75	G		<i>halobetasol propionate</i>	77
FLEBOGAMMA DIF	94	<i>gabapentin</i>	21	HALOETTE	82
<i>flecainide acetate</i>	60	<i>galantamine hydrobromide</i>	23	<i>haloperidol</i>	42
FLOVENT DISKUS	105	<i>galantamine hydrobromide er</i>	23	<i>haloperidol decanoate</i>	42, 43
FLOVENT HFA	105	GAMUNEX-C	94	<i>haloperidol lactate</i>	42
<i>fluconazole</i>	27	GARDASIL 9	97	HAVRIX	97
<i>fluconazole in dextrose</i>	27	<i>gatifloxacin</i>	18	HEATHER	87
<i>fluconazole in sodium chloride</i>		GATTEX	73	<i>heparin sodium (porcine)</i>	58
	27	<i>gauze pads</i>	101	<i>heparin sodium (porcine) pf</i>	58
<i>flucytosine</i>	27	GAVILYTE-C	74	HEPLISAV-B	97
<i>fludrocortisone acetate</i>	77	GAVILYTE-G	74	HEXALEN	30
<i>flunisolide</i>		GAVILYTE-N WITH FLAVOR		HIBERIX	97
	105				

HUMULIN R U-500	
(CONCENTRATED)	55
HUMULIN R U-500	
KWIKPEN	55
hydralazine hcl	66
hydrochlorothiazide	65
hydrocodone-acetaminophen ..8,	
10	
hydrocodone-ibuprofen	8
hydrocortisone	78, 100
hydrocortisone (perianal)	78,
100	
hydrocortisone ace-pramoxine	
.....28, 29	
hydrocortisone butyr lipo base	
.....78	
hydrocortisone butyrate	78
hydrocortisone max st	78
hydrocortisone valerate	78
hydrocortisone-acetic acid...104	
hydromorphone hcl	10
hydroxychloroquine sulfate40	
hydroxyurea.....31	
hydroxyzine hcl.....51	
hydroxyzine pamoate.....51	
I	
ibandronate sodium.....101	
IBRANCE	34
ibu.....29	
ibuprofen	29
icatibant acetate	92
ICLEVIA.....82	
ICLUSIG	37
icosapent ethyl.....66	
IDHIFA	34
imatinib mesylate.....37	
IMBRUVICA	37
imipenem-cilastatin	15
imipramine hcl.....26	
imiQuimod	71
IMOVA X RABIES	97
incassia.....87	
INCRELEX	79
indapamide	65
INFANRIX.....97	
INLYTA	37
INQOVI.....32	
INREBIC	37
insulin asp prot & asp flexpen	55
insulin aspart	55
insulin aspart flexpen	55
insulin aspart penfill.....55	
insulin aspart prot & aspart ..55	
insulin glargine-yfgn	55
insulin syringe-needle u-100 ..55	
INTELENCE	48
INTRALIPID.....113	
INTRON A.....46	
INTROVALE	82
INVEGA HAFYERA.....45	
INVEGA SUSTENNA....43, 44	
INVEGA TRINZA	44
INVIRASE	50
INVOKAMET	52
INVOKAMET XR	52
INVOKANA	52
IPOL	97
ipratropium bromide	106
ipratropium-albuterol.....109	
irbesartan	60
irbesartan-hydrochlorothiazide	
.....65	
ISENTRESS	47
ISENTRESS HD	47
isibloom	87
isoniazid.....30	
isosorbide dinitrate.....66	
isosorbide dinitrate er	66
isosorbide mononitrate	67
isosorbide mononitrate er	66
isotretinoin.....71	
isradipine	62
itraconazole	27
ivabradine hcl	64
ivermectin	40, 72
IWLIFIN	32
IXCHIQ	97
IXIARO	97
J	
JAKAFI	37
JANTOVEN	58
JANUMET	54
JANUMET XR	54
JANUVIA.....52	
JASMIEL.....83	
JAYPIRCA	37
JENCYCLA.....87	
jevantique lo	83
jinteli.....83	
JOLESSA	83
J	
JOLIVETTE	87
JOYEAUX.....83	
JULEBER	83
JULUCA	48
JUNEL 1.5/30.....83	
JUNEL 1/20.....83	
JUNEL FE 1.5/30	83
JUNEL FE 1/20	83
JUXTAPID	66
JYLAMVO	32
JYNNEOS	97
K	
KALLIGA	83
KALYDECO	107
KARIVA.....83	
kcl in d5w lactated ringers ..111	
kcl in dextrose-nacl.....113	
KELNOR 1/35.....83	
KERENDIA.....65	
ketoconazole	27
ketoprofen	9
ketorolac tromethamine ..104	
KIMIDESS	83
KINERET	96
KINRIX	97
KISQALI (200 MG DOSE)....34	
KISQALI (400 MG DOSE)....34	
KISQALI (600 MG DOSE)....34	
KISQALI 200 DOSE.....34	
KISQALI 400 DOSE.....34	
KISQALI 600 DOSE.....34	
KISQALI FEMARA (200 MG	
DOSE)	34
KISQALI FEMARA (400 MG	
DOSE)	35
KISQALI FEMARA (600 MG	
DOSE)	35
KLARITY-A	17
klor-con.....111	
KLOR-CON	111
KLOR-CON 10	111
KLOR-CON M10	111
KLOR-CON M20	111
KLOR-CON SPRINKLE ..111	
KOSELUGO.....37	
KRAZATI.....33	
kristalose.....74	
K-TAB	111
KURVELO	83

L	
<i>labetalol hcl</i>	61
<i>lacosamide</i>	22
LACRISERT	102
<i>lactulose</i>	74
<i>lactulose encephalopathy</i>	74
LAGEVARIO	51
<i>lamivudine</i>	49
<i>lamivudine-zidovudine</i>	49
<i>lamotrigine</i>	22
<i>lansoprazole</i>	75
<i>lanthanum carbonate</i>	76
<i>lapatinib ditosylate</i>	37
LARIN 1.5/30	83
LARIN 1/20	83
LARIN FE 1.5/30	83
LARIN FE 1/20	83
LARISSIA	83
<i>latanoprost</i>	104
LAZCLUZE	37
LEENA	83
<i>leflunomide</i>	95
<i>lenalidomide</i>	31, 33
LENVIMA (10 MG DAILY DOSE)	37
LENVIMA (12 MG DAILY DOSE)	37
LENVIMA (14 MG DAILY DOSE)	37
LENVIMA (18 MG DAILY DOSE)	37
LENVIMA (20 MG DAILY DOSE)	37
LENVIMA (24 MG DAILY DOSE)	38
LENVIMA (4 MG DAILY DOSE)	38
LENVIMA (8 MG DAILY DOSE)	38
LESSINA	83
<i>letrozole</i>	34
<i>leucovorin calcium</i>	33
LEUKERAN	31
LEUKINE	58
<i>leuprolide acetate</i>	91
LEVALBUTEROL TARTRATE	107
LEVEMIR	55
LEVEMIR FLEXPEN	55
LEVEMIR FLEXTOUCH	55
<i>levetiracetam</i>	19
<i>levobunolol hcl</i>	103
<i>levocetirizine dihydrochloride</i>	105
<i>levofloxacin</i>	18
<i>levofloxacin in d5w</i>	18
LEVONEST	90
<i>levonorgest-eth estrad 91-day</i>	83
<i>levonorgestrel-ethinyl estrad..</i>	83
<i>levonorg-eth estrad triphasic .</i>	83
LEVORA 0.15/30 (28)	83
LEVO-T	88
<i>levothyroxine sodium</i>	89
LEVOHYROXINE-LIOTHYRONINE	89
LEVOXYL	89
LEXIVA	50
LIBERVANT	21
<i>lidocaine</i>	10
<i>lidocaine hcl</i>	10
<i>lidocaine viscous hcl</i>	10
<i>lidocaine-prilocaine</i>	10
<i>lillow</i>	84
<i>lindane</i>	41
<i>linezolid</i>	13
LINZESS	74
<i>liothyronine sodium</i>	89
<i>lisdexamfetamine dimesylate</i>	67
<i>lisinopril</i>	60
<i>lisinopril-hydrochlorothiazide</i>	63
LITHIUM	52
<i>lithium carbonate</i>	52
<i>lithium carbonate er</i>	52
LOJAIMIESS	84
LONSURF	32
<i>loperamide hcl</i>	73
<i>lopinavir-ritonavir</i>	50
<i>lopreeza</i>	87
<i>lorazepam</i>	51
LORBRENA	38
LORCET	8
LORCET HD	10
LORCET PLUS	8
LORTAB	8, 10
LORYNA	84
<i>losartan potassium</i>	60
<i>losartan potassium-hctz</i>	63
<i>loteprednol etabonate</i>	104
<i>lovastatin</i>	65
LOW-OGESTREL	84
<i>loxapine succinate</i>	42
LO-ZUMANDIMINE	84
<i>lubiprostone</i>	74
LUMAKRAS	33
LUMIGAN	104
LUPRON DEPOT (1-MONTH)	91
LUPRON DEPOT (3-MONTH)	91
LUPRON DEPOT (4-MONTH)	91
LUPRON DEPOT (6-MONTH)	91
LUPRON DEPOT-PED (1-MONTH)	91
LUPRON DEPOT-PED (3-MONTH)	91
LUPRON DEPOT-PED (6-MONTH)	91
<i>lurasidone hcl</i>	44
LUTERA	84
LYBALVI	51
LYLEQ	87
LYLLANA	90
LYNPARZA	32
LYSODREN	90
LYTGOBI (12 MG DAILY DOSE)	38
LYTGOBI (16 MG DAILY DOSE)	38
LYTGOBI (20 MG DAILY DOSE)	38
LYZA	87
M	
<i>magnesium sulfate</i>	111
<i>malathion</i>	41
<i>maprotiline hcl</i>	23
<i>maraviroc</i>	49
MARLISSA	84
MARPLAN	24
MATULANE	31
Mavyret	46
<i>meclizine hcl</i>	26
<i>medroxyprogesterone acetate</i>	87
<i>mefloquine hcl</i>	40
<i>megestrol acetate</i>	87
MEKINIST	38
MEKTOVI	38
<i>meloxicam</i>	9
<i>memantine hcl</i>	23

MENACTRA	97
MENEST	84
MENOMUNE	97
MENQUADFI	97, 98
MENVEO	98
<i>mercaptopurine</i>	93
<i>meropenem</i>	15
<i>mesalamine</i>	100
<i>mesalamine er</i>	100
MESNEX	32
<i>metaproterenol sulfate</i>	107
<i>metformin hcl</i>	53
<i>metformin hcl er</i>	52, 53
<i>methadone hcl</i>	9
<i>methazolamide</i>	64
<i>methimazole</i>	92
<i>methotrexate</i>	93
<i>methotrexate sodium</i>	93, 96
<i>methotrexate sodium (pf)</i>	93
<i>methoxsalen rapid</i>	71
<i>methylsuximide</i>	20
<i>methyclothiazide</i>	65
<i>methylphenidate hcl</i>	68
<i>methylphenidate hcl er</i>	68
<i>methylphenidate hcl er (cd)</i>	68
<i>methylphenidate hcl er (osm)</i>	68
<i>methylprednisolone</i>	78
<i>metipranolol</i>	103
<i>metoclopramide hcl</i>	73
<i>metolazone</i>	65
<i>metoprolol succinate er</i>	61
<i>metoprolol tartrate</i>	61
<i>metoprolol-hydrochlorothiazide</i>	63
<i>metronidazole</i>	13
<i>metronidazole in nacl</i>	13
<i>methyrosine</i>	63
<i>mexiletine hcl</i>	60
MIBELAS 24 FE	90
MICROGESTIN 1.5/30	84
MICROGESTIN 1/20	84
<i>microgestin 24 fe</i>	84
MICROGESTIN FE 1.5/30	84
MICROGESTIN FE 1/20	84
<i>midodrine hcl</i>	59
<i>mifepristone</i>	55
<i> miglustat</i>	72
MILI	84
<i>mimvey</i>	84
<i>mimvey lo</i>	84
MINITRAN	67
<i>minocycline hcl</i>	19
<i>minoxidil</i>	66
<i>mirtazapine</i>	24
<i>misoprostol</i>	74
M-M-R II	98
MODERIBA	46
<i>moexipril hcl</i>	60
<i>moexipril-hydrochlorothiazide</i>	63
<i>molindone hcl</i>	42
<i>molnupiravir</i>	51
<i>mometasone furoate</i>	78, 106
<i>mondoxyne nl</i>	19
MONO-LINYAH	84
<i>montelukast sodium</i>	106
<i>morgidox</i>	19
MORPHINE SULFATE	9, 10
<i>morphine sulfate (pf)</i>	10
<i>morphine sulfate er</i>	9
MOUNJARO	53
MOVANTIK	73
<i>moxifloxacin hcl</i>	18
<i>moxifloxacin hcl in nacl</i>	18
MRESVIA	98
MULTAQ	60
<i>mupirocin</i>	13
<i>mycophenolate mofetil</i>	93
<i>mycophenolate sodium</i>	93
<i>myorisan</i>	71
MYRBETRIQ	75
N	
<i>nabumetone</i>	9
<i>nadolol</i>	61
<i>nafcillin sodium</i>	16
<i>naloxone hcl</i>	11
<i>naltrexone hcl</i>	11
<i>naproxen</i>	9
<i>naproxen dr</i>	9
<i>naproxen sodium</i>	9
<i>naratriptan hcl</i>	29
NATACYN	28
<i>nateglinide</i>	53
NATPARA	101
NAYZILAM	21
<i>nebivolol hcl</i>	61
NECON 0.5/35 (28)	88
NECON 1/50 (28)	84
NECON 7/7/7	84
<i> nefazodone hcl</i>	24
neomycin sulfate	12
<i>neomycin-bacitracin zn-polymyx</i>	102
neomycin-polymyxin-dexameth	102
neomycin-polymyxin-gramicidin	102
neomycin-polymyxin-hc	102, 104
<i>neo-polycin</i>	102
<i>neo-polycin hc</i>	102
NERLYNX	38
NEUPRO	41
<i> nevirapine</i>	48
<i> nevirapine er</i>	48
<i> niacin er (antihyperlipidemic)</i>	66
<i> nicardipine hcl</i>	62
NICOTROL	11
NICOTROL NS	11
<i> nifedipine er</i>	62
<i> nifedipine er osmotic release</i>	62
NIKKI	84
<i> nilutamide</i>	31
<i> nimodipine</i>	62
NINLARO	32
NISOLDIPINE ER	62
<i> nitazoxanide</i>	40
<i> nitisinone</i>	72
NITRO-BID	67
<i> nitrofurantoin</i>	13
<i> nitrofurantoin macrocrystal</i>	13
<i> nitrofurantoin monohyd macro</i>	13
<i> nitroglycerin</i>	67
<i> nizatidine</i>	73
NORA-BE	88
<i>norelgestromin-eth estradiol</i>	87
<i> norethin ace-eth estrad-fe</i>	84, 90
<i> norethindrone</i>	88
<i> norethindrone acetate</i>	88
<i> norethindrone acet-ethinyl est</i>	84
<i> norethindrone-eth estradiol</i>	84
<i> norethindron-ethinyl estrad-fe</i>	90
<i> norgestimate-eth estradiol</i>	85
<i> norgestim-eth estrad triphasic</i>	85
NORLYDA	88
NORLYROC	88
NORTREL 0.5/35 (28)	88
NORTREL 1/35 (21)	85
NORTREL 1/35 (28)	85
NORTREL 7/7/7	85

<i>nortriptyline hcl</i>	26	OGSIVEO	35	PANCREAZE	72
NORTRIPTYLINE HCL	26	OJEMDA	38	PANRETIN	40
NORVIR	50	OJJAARA	38	pantoprazole sodium	75
<i>novofine</i>	56	okebo	19	paricalcitol	101
<i>novofine pen needle</i>	56	olanzapine	44	paroex	70
<i>novofine plus</i>	56	olmesartan medoxomil	60	paromomycin sulfate	12
<i>novofine plus pen needle</i>	56	olmesartan medoxomil-hctz	60	paroxetine hcl	25, 51
NOVOLIN 70/30	56	olopatadine hcl	103	paroxetine hcl er	25
NOVOLIN 70/30 FLEXPEN	56	omega-3-acid ethyl esters	66	PASER	30
NOVOLIN 70/30 FLEXPEN RELION	56	omeprazole	75	PAXIL	25
NOVOLIN 70/30 RELION	56	OMNIPOD 5 DEXG7G6		PAXLOVID (150/100)	51
NOVOLIN N	56	INTRO GEN 5	101	PAXLOVID (300/100)	51
NOVOLIN N FLEXPEN	56	OMNIPOD 5 DEXG7G6 PODS		<i>pazopanib hcl</i>	38
NOVOLIN N FLEXPEN RELION	56	GEN 5	101	PEDIARIX	98
NOVOLIN N RELION	56	OMNIPOD 5 LIBRE2 PLUS		PEDVAX HIB	98
NOVOLIN R	56	G6	101	peg 3350/electrolytes	74
NOVOLIN R FLEXPEN	56	OMNIPOD 5 LIBRE2 PLUS		peg 3350-kcl-na bicarb-nacl	74
NOVOLIN R FLEXPEN RELION	56	G6 PODS	101	peg-3350/electrolytes	74
NOVOLOG FLEXPEN RELION	56	OMNIPOD DASH PODS (GEN		PEGANONE	22
NOVOLOG MIX 70/30 RELION	56	4)	101	PEGASYS	46
NOVOLOG RELION	56	OMNITROPE	79	PEGASYS PROCLICK	46
<i>novotwist</i>	56	ondansetron	26	PEMAZYRE	38
<i>novotwist pen needle</i>	56	ondansetron hcl	26	PENBRAYA	98
NP THYROID	89	ONUREG	32	<i>penciclovir</i>	47
NUBEQA	31	OPSUMIT	108	<i>penicillamine</i>	76
NUEDEXTA	68	oralone	70	<i>penicillin g potassium</i>	17
NUPLAZID	44	ORENCIA	93	<i>penicillin v potassium</i>	17
<i>nutrilipid</i>	113	ORENCIA CLICKJECT	93	PENTACEL	98
NYAMYC	28	ORGOVYX	33	<i>pentamidine isethionate</i>	40
NYATA	28	ORKAMBI	107	PENTASA	100
NYLIA 1/35	85	orphenadrine citrate er	110	<i>pentoxifylline er</i>	64
NYLIA 7/7/7	90	ORSERDU	31	PERIOGARD	70
NYMYO	90	ORSYTHIA	85	<i>permethrin</i>	41
<i>nystatin</i>	28	oseltamivir phosphate	50	<i>perphenazine</i>	42
<i>nystatin-triamcinolone</i>	71	OSPHENA	88	PERSERIS	44
NYSTOP	28	OTEZLA	93	PHENADOZ	26
O		oxandrolone	79	<i>phenelzine sulfate</i>	24
OCELLA	85	oxaprozin	9	PHENERGAN	26
OCREVUS	69	oxcarbazepine	22	<i>phenobarbital</i>	21
<i>octreotide acetate</i>	91	oxybutynin chloride	75	<i>phenytoin</i>	22
ODEFSEY	49	oxybutynin chloride er	75	<i>phenytoin sodium extended</i>	22
ODOMZO	38	oxycodone hcl	10	PHILITH	88
OFEV	109	oxycodone-acetaminophen	8, 10	PHOSPHOLINE IODIDE	103
<i>ofloxacin</i>	18	OZEMPIC (0.25 OR 0.5 MG/DOSE)	53	PIFELTRO	48
		OZEMPIC (1 MG/DOSE)	53	<i>pilocarpine hcl</i>	70, 104
		OZEMPIC (2 MG/DOSE)	53	<i>pimozide</i>	42
		P		PIMTREA	85
		PACERONE	61	<i>pindolol</i>	61
		<i>paliperidone er</i>	44	<i>pioglitazone hcl</i>	53
				<i>pioglitazone hcl-glimepiride</i>	54

<i>pioglitazone hcl-metformin hcl</i>	46
.....	54
<i>piperacillin sod-tazobactam so</i>	
.....	17
PIQRAY (200 MG DAILY DOSE)	35
PIQRAY (250 MG DAILY DOSE)	35
PIQRAY (300 MG DAILY DOSE)	35
<i>pirfenidone</i>	109
PIRMELLA 1/35	85
PIRMELLA 7/7/7	85
<i>piroxicam</i>	9
PLENAMINE	111
<i>podofilox</i>	71
<i>polycin</i>	102
<i>polymyxin b sulfate</i>	13
<i>polymyxin b-trimethoprim</i>	102
POMALYST	31
PORTIA-28	85
<i>posaconazole</i>	28
<i>potassium chloride</i>	111, 112
<i>potassium chloride crys er</i>	111
<i>potassium chloride er</i>	112
<i>potassium citrate er</i>	76
<i>pramipexole dihydrochloride</i>	41
<i>prasugrel hcl</i>	59
<i>pravastatin sodium</i>	65
<i>praziquantel</i>	40
<i>prazosin hcl</i>	59
<i>prednisolone</i>	78
PREDNISOLONE ACETATE	104
<i>prednisolone sodium phosphate</i>	78, 104
<i>prednisone</i>	78, 100
PREDNISONE INTENSOL ..	78
<i>preferred plus insulin syringe</i>	101
PREFEST	85
<i>pregabalin</i>	20
<i>pregabalin er</i>	20
PREHEVBARIO	98
PREMARIN	85
PREMPHASE	85
PREMPRO	85
PRENATAL	113
PREVALITE	66
PREVIFEM	85
PREVYMIS	46
PREZCOBIX	50
PREZISTA	50
PRIFTIN	30
PRIMAQUINE PHOSPHATE	40
<i>primidone</i>	21
PRIORIX	98
PROAIR RESPICLICK	107
<i>probenecid</i>	28
<i>prochlorperazine</i>	26
<i>prochlorperazine maleate</i>	42
PROCTOFOAM HC	78
<i>procto-med hc</i>	29, 100
PROCTO-PAK	29, 78
PROCTOSOL HC	100
PROCTOZONE-HC	100
PROFENO	9
<i>progesterone</i>	88
<i>progesterone micronized</i>	88
PROGRAF	94
PROLASTIN-C	108, 109
PROLIA	101
PROMACTA	58, 59
<i>promethazine hcl</i>	26, 105
PROMETHEGAN	26
<i>propafenone hcl</i>	61
<i>propranolol hcl</i>	61
<i>propranolol hcl er</i>	61
<i>propranolol-hctz</i>	63
<i>propylthiouracil</i>	92
PROQUAD	98
<i>protriptyline hcl</i>	26
PRUDOXIN	71
PULMICORT FLEXHALER	106
PULMOZYME	107, 109
PURIXAN	32
<i>pyrazinamide</i>	30
<i>pyridostigmine bromide</i>	30
<i>pyrimethamine</i>	40
Q	
<i>qc pen needles</i>	101
QINLOCK	38
QUADRACEL	98
<i>quetiapine fumarate</i>	44
<i>quinapril hcl</i>	60
<i>quinapril-hydrochlorothiazide</i>	63
<i>quinidine gluconate er</i>	61
<i>quinidine sulfate</i>	61
quinine sulfate	41
QVAR	106
QVAR REDIHALER	106
R	
RABAVERT	98
<i>rabeprazole sodium</i>	75
<i>raloxifene hcl</i>	88
<i>ramelteon</i>	110
<i>ramipril</i>	60
<i>ranolazine er</i>	64
<i>rasagiline mesylate</i>	42
RAVICTI	72
REBIF	69
REBIF REBIDOSE	69
REBIF REBIDOSE TITRATION PACK	69
REBIF TITRATION PACK	69
RECLIPSEN	85
RECOMBIVAX HB	98
RECORLEV	90
REGRANEX	71
RELENZA DISKHALER	50
<i>reli-on insulin syringe</i>	101
RELISTOR	73
<i>repaglinide</i>	53
<i>repaglinide-metformin hcl</i>	54
REPATHA	66
REPATHA PUSHTRONEX SYSTEM	64
REPATHA SURECLICK	66
SCRIPTOR	48
RESTASIS MULTIDOSE	102
RETACRIT	57, 59
RETEVMO	33
REXULTI	44
REYATAZ	50
REYVOW	30
REZLIDHIA	35
REZUROCK	96
<i>rezvoglar kwikpen</i>	57
RHOPRESSA	103
RIBASPHERE	46
<i>ribavirin</i>	46, 109
RIDAURA	95
<i>rifabutin</i>	30
<i>rifampin</i>	30
RIFATER	30
<i>riluzole</i>	68
<i>rimantadine hcl</i>	50
RINVOQ	95

RINVOQ LQ	95
risedronate sodium	101
risperidone	45
risperidone microspheres er...	44
risperidone m-tab	45
ritonavir.....	50
rivastigmine	23
rivastigmine tartrate.....	23
rizatriptan benzoate.....	29
roflumilast	108
ropinirole hcl.....	41
rosadan.....	13
rosuvastatin calcium	65
ROTARIX	98
ROTATEQ	99
ROWEEPRA	19
ROZLYTREK	38
RUBRACA.....	33
rufinamide	22, 23
RUKOBIA.....	49
RYBELSUS	53
RYDAPT	38
S	
SAJAZIR.....	92
SANDIMMUNE	94
SANTYL	71
sapropterin dihydrochloride ..	72
SCEMBLIX.....	39
scopolamine.....	26
SECUADO	45
selegiline hcl.....	42
selenium sulfide	71
SELZENTRY	49
SEREVENT DISKUS	107
sertraline hcl	25
SETLAKIN	85
sevelamer carbonate	76
SHAROBEL.....	88
SHINGRIX.....	99
SIGNIFOR	91
SIKLOS	32
sildenafil citrate.....	108
silver sulfadiazine.....	18
SIMBRINZA	103
SIMLIYA	76
simvastatin.....	66
sirolimus	94
SIRTURO.....	30
SKLICE	41
SKYRIZI	95
SKYRIZI (150 MG DOSE)....	95
SKYRIZI PEN.....	95
sodium chloride	112
sodium phenylbutyrate	72, 76
sodium polystyrene sulfonate	111
sofosbuvir-velpatasvir	46
solifenacin succinate	75
SOLTAMOX.....	31
SOMAVERT	91
sorafenib tosylate	39
SORINE.....	61
sotalol hcl	61
sotalol hcl (af)	61
SPIRIVA HANDHALER ...	106
SPIRIVA RESPIMAT.....	106
spironolactone	65
spironolactone-hctz	63
SPRINTEC 28	85
SPRITAM.....	19
SPS	111
SPS (SODIUM POLYSTYRENE SULF)	111
SRONYX.....	85
SSD.....	18
STELARA	71
STIOLTO RESPIMAT.....	109
STIVARGA.....	39
STRENSIQ.....	73
streptomycin sulfate.....	12
STRIBILD	47
sucralfate	74
sulfacetamide sodium	18
sulfadiazine.....	18
sulfamethoxazole-trimethoprim	18
sulfasalazine	100
sulfatrim pediatric	18
sulindac	9
sumatriptan.....	29
sumatriptan succinate.....	29, 30
sumatriptan succinate refill	29
sunitinib malate	39
SUNLENCA.....	49
SYEDA.....	85
SYLATRON.....	33
SYMBICORT	109
SYMDEKO	107
SYMLINPEN 120	53
SYMLINPEN 60	53
SYMPAZAN	21
SYMTUZA.....	47
SYNAREL.....	91
SYNTROID	89
T	
TABLOID.....	32
TABRECTA	39
tacrolimus	71, 94
tadalafil (pah).....	108
TAFINLAR	39
TAGRISSO.....	39
TAKHZYRO	92
TALZENNA	32
tamoxifen citrate	31
tamsulosin hcl	75
TARINA 24 FE	85
TARINA FE 1/20	86
TARINA FE 1/20 EQ	85
TASIGNA.....	39
tasimelteon	110
tazarotene	72
TAZICEF.....	15
TAZORAC	72
taztia xt	62
TAZVERIK	39
TDVAX	99
TEFLARO	15
TEGLUTIK	68
temazepam	110
TEMIXYS	49
TENIVAC	99
tenofovir disoproxil fumarate	49
TEPMETKO	39
terazosin hcl	75
terbinafine hcl	28
terbutaline sulfate	107
terconazole	28
teriflunomide	69
teriparatide	101
testosterone	80, 89
testosterone cypionate	79, 89
testosterone enanthate	79
TETANUS-DIPHTHERIA TOXOIDS TD	99
tetrabenazine	68
tetracycline hcl	19
THALOMID	31
theophylline er	108
thioridazine hcl	42
thiothixene	42
thyroid.....	87, 89

<i>tiadylt er</i>	62
<i>tiagabine hcl</i>	21
TIBSOVO	35
TICOVAC	99
<i>tigecycline</i>	13
TIGLUTIK	69
TILIA FE	90
<i>timolol maleate</i>	61, 103
<i>timolol maleate (once-daily)</i>	103
<i>tiopronin</i>	76
TIVICAY	47
TIVICAY PD	47
<i>tizanidine hcl</i>	46
TOBRADEX	12
<i>tobramycin</i>	12
<i>tobramycin sulfate</i>	12
<i>tobramycin-dexamethasone</i>	102
<i>tolbutamide</i>	53
<i>tolcapone</i>	41
<i>tolterodine tartrate</i>	75
<i>tolterodine tartrate er</i>	75
<i>topiramate</i>	22
<i>toremifene citrate</i>	31
<i>torsemide</i>	65
<i>tovet</i>	78
TPN ELECTROLYTES	113
TRADJENTA	53
<i>tramadol hcl</i>	10
<i>tramadol hcl er</i>	9
<i>tranexamic acid</i>	59
<i>tranylcypromine sulfate</i>	24
<i>travoprost (bak free)</i>	104
<i>trazodone hcl</i>	24
TRECATOR	30
TRELEGY ELLIPTA	109
TRESIBA	57
TRESIBA FLEXTOUCH	57
<i>tretinoi</i> n	40, 72
<i>triamcinolone acetonide</i>	70, 78, 79
<i>triamterene</i>	65
<i>triamterene-hctz</i>	63, 64
<i>triazolam</i>	51
<i>triderm</i>	79
TRIDERM	79
<i>trientine hcl</i>	113
TRI-ESTARYLLA	86
<i>trifluoperazine hcl</i>	43
<i>trifluridine</i>	47
<i>trihexyphenidyl hcl</i>	41
<i>triklo</i>	66
TRI-LEGEST FE	86
TRI-LINYAH	86
TRILYTE	74
<i>trimethoprim</i>	13
TRI-MILI	86
<i>trimipramine maleate</i>	26
TRINTELLIX	25
TRI-NYMYO	90
TRI-PREVIFEM	86
TRI-SPRINTEC	86
TRIUMEQ	49
<i>trumeq pd</i>	49
TRIVORA (28)	86
TRI-VYLIBRA	86
TRIZIVIR	49
<i>trospium chloride</i>	75
<i>trospium chloride er</i>	75
TRULICITY	53
TRUMENBA	99
TRUQAP	39
TRUSELTIQ (100MG DAILY DOSE)	39
TRUSELTIQ (125MG DAILY DOSE)	39
TRUSELTIQ (50MG DAILY DOSE)	39
TRUSELTIQ (75MG DAILY DOSE)	39
TUKYSA	33
TULANA	88
TURALIO	39
TURQOZ	86
TWINRIX	99
TYBLUME	86
TYBOST	49
TYMLOS	101
TYPHIM VI	99
U	
UDENYCA	59
UKONIQ	39
UNITHROID	89
UPTRAVI	64
UPTRAVI TITRATION	64
<i>ursodiol</i>	73
UVADEX	72
V	
<i>valacyclovir hcl</i>	47
VALCHLOR	31
<i>valganciclovir hcl</i>	46
<i>valproate sodium</i>	21
<i>valproic acid</i>	21
<i>valsartan</i>	60
<i>valsartan-hydrochlorothiazide</i>	64
VALTOCO 10 MG DOSE	21
VALTOCO 15 MG DOSE	21
VALTOCO 20 MG DOSE	21
VALTOCO 5 MG DOSE	21
<i>vancomycin hcl</i>	13
VANDAZOLE	13
VANFLYTA	39
VAQTA	99
<i>varenicline tartrate</i>	11
<i>varenicline tartrate (starter)</i>	11
VARIVAX	99
VAXCHORA	99
VELIVET	86
VENCLEXTA	32
VENCLEXTA STARTING PACK	32
<i>venlafaxine hcl</i>	25
<i>venlafaxine hcl er</i>	25
VENTAVIS	108
VENTOLIN HFA	107
<i>verapamil hcl</i>	63
<i>verapamil hcl er</i>	62, 63
VERQUVO	64
VERSACLOZ	45
VERZENIO	35
VESTURA	86
VICTOZA	54
VIDEX	49
VIDEX EC	49
VIENVA	86
<i>vigabatrin</i>	21
<i>vigadron</i> e	21
VIGADRONE	21
VIGAFYDE	21
VIGPODER	21
<i>vilazodone hcl</i>	25
VIRACEPT	50
VIREAD	49
VITRAKVI	35
VIZIMPRO	39
VOLNEA	86
VONJO	39
VORANIGO	33
<i>voriconazole</i>	28
VRAYLAR	45

VYFEMLA.....	88	XOSPATA.....	35	ZARXIO	59
VYLIBRA	86	XPOVIO (100 MG ONCE WEEKLY).....	33	zebutal.....	8
VYNDAQEL.....	79	XPOVIO (40 MG ONCE WEEKLY).....	33	ZEJULA	32
W		XPOVIO (40 MG TWICE WEEKLY).....	33	ZELBORAF	40
<i>warfarin sodium</i>	58	XPOVIO (60 MG ONCE WEEKLY).....	34	zenatane	72
WELIREG	33	XPOVIO (60 MG TWICE WEEKLY).....	34	ZENCHENT	88
WERA	88	XPOVIO (80 MG ONCE WEEKLY).....	34	ZERIT	49
wixela inhub	106, 110	XPOVIO (80 MG TWICE WEEKLY).....	34	zidovudine	49
X		XTANDI.....	31	ziprasidone hcl.....	45
XALKORI.....	40	xulane	86	ziprasidone mesylate	45
XARELTO	58	XYREM.....	110	ZIRGAN	46
XARELTO STARTER PACK	58	Y		ZOLINZA	35
XATMEP	94	YF-VAX.....	99	zolmitriptan.....	30
XCOPRI	20	YONSA	31	zolpidem tartrate	110
XCOPRI (250 MG DAILY DOSE).....	19	YUVAFEM	86	zolpidem tartrate er	110
XCOPRI (350 MG DAILY DOSE).....	20	Z		ZONISADE	20
XELJANZ	94	ZAFEMY.....	87	zonisamide	20
XELJANZ XR.....	94	zafirlukast	106	ZOSTAVAX.....	99
XERMELO.....	73	zaleplon	110	ZOVIA 1/35 (28).....	90
XGEVA.....	101	ZARAH	86	ZOVIA 1/35E (28)	86
XIFAXAN.....	14			ZTALMY	21
XIGDUO XR.....	54			ZUMANDIMINE	86
XiIDRA.....	104			ZURZUVAE.....	24
XOLAIR.....	109			ZYDELIG	35

Notice of Nondiscrimination and Accessibility

Discrimination is Against the Law

Presbyterian Healthcare Services is committed to equitable healthcare and exists to improve the health of patients, members and the communities we serve. We value diversity and inclusion and strive to treat all individuals with respect. We do not discriminate on the basis of race; color; ancestry; national origin (including limited English proficiency); citizenship; religion; sex (including pregnancy, childbirth or related medical conditions); marital status; sexual orientation; gender identity or expression; veteran status; military status; family care or medical leave status; age; physical or mental disability; medical condition; genetic information; ability to pay; or any other protected status. Presbyterian will provide reasonable accommodations and language access services for our patients, members, and workforce.

Presbyterian Healthcare Services:

- Provides free aids and services to people with disabilities to communicate effectively with use, such as:
 - Qualified sign language interpreters
 - Written information in other formats (large print, audio, accessible electronic formats, other formats)
- Provides free language services to people whose primary language is not English, such as:
 - Qualified interpreters
 - Information written in other languages

If you need these services, contact the Presbyterian Customer Service Center at (505) 923-5420, 1-855-592-7737, TTY 711.

If you believe that Presbyterian Healthcare Services has failed to provide these services or discriminated against you in another way, you can file a grievance with Presbyterian by calling 1-866-977-3021, TTY 711, fax (505) 923-5124, or
<https://ds.phs.org/ewcm/frmExample.do?m=complaintentry&complainttype=customer>.

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights, electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, or by mail or phone at:

Address: U.S. Department of Health and Human Services
200 Independence Avenue SW, Room 509F, HHH Building
Washington, D.C. 20201

Phone: 1-800-368-1019, 1-800-537-7697 (TDD)

Complaint forms are available at <http://www.hhs.gov/ocr/office/file/index.html>.

Aviso de no discriminación y accesibilidad

La ley prohíbe la discriminación

Presbyterian Healthcare Services se compromete a prestar servicios de atención médica equitativos y existe con el fin de mejorar la salud de los pacientes, de los asegurados y de las comunidades que servimos. Valoramos la diversidad y la inclusión y nos esforzamos por tratar a todos con respeto. No discriminamos por motivos de raza; color; linaje; origen nacional (incluso por dominio limitado del inglés); ciudadanía; religión; sexo (incluso por embarazos, partos o problemas médicos conexos); estado civil; orientación sexual; expresión o identidad de género; estado de veterano; estado militar; estado de ausencia familiar o médica; edad; discapacidad física o mental; estado médico; datos genéticos; capacidad de pago; o cualquier otro estado protegido. Presbyterian proporcionará adaptaciones razonables y servicios de acceso al idioma a nuestros pacientes, asegurados y fuerza laboral.

Presbyterian Healthcare Services:

- Presta servicios y ayuda a las personas con discapacidades para que se puedan comunicar efectivamente, por ejemplo:
 - Intérpretes calificados de lengua de señas
 - Información escrita en otros formatos (letra grande, grabaciones de audio, formatos electrónicos accesibles y otros formatos)
- Proporciona servicios gratuitos de acceso al idioma a las personas cuyo idioma principal no es inglés, por ejemplo:
 - Intérpretes calificados
 - Información escrita en otros idiomas

Si necesita alguno de esos servicios, llame al Centro de Servicio al Cliente de Presbyterian al (505) 923-5420, 1-855-592-7737, TTY 711.

Si cree que Presbyterian Healthcare Services no le ha proporcionado dichos servicios o si cree que le han discriminado de alguna otra manera, puede presentar una reclamación a Presbyterian si llama al 1-866-977-3021, TTY 711, fax (505) 923-5124, o <https://ds.phs.org/ewcm/frmExample.do?m=complaintentry&complainttype=customer>.

Además puede presentar una queja formal referente a los derechos civiles a la Oficina de Derechos Civiles del Departamento de Salud y Servicios Humanos de los EE. UU. electrónicamente en el portal de quejas de la Oficina de Derechos Civiles, que está a su disposición en <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, o por correo o por teléfono al:

Dirección: U.S. Department of Health and Human Services
200 Independence Avenue SW, Room 509F, HHH Building
Washington, D.C. 20201

Número de teléfono (gratuito): 1-800-368-1019, 800-537-7697 (TDD)

Los formularios de quejas están a su disposición en <http://www.hhs.gov/ocr/office/file/index.html>.

Multi-Language Insert

Multi-language Interpreter Services

English: We have free interpreter services to answer any questions you may have about our health or drug plan. To get an interpreter, just call us at 1-855-592-7737 (TTY: 711). Someone who speaks English/Language can help you. This is a free service.

Spanish: Tenemos servicios de intérprete sin costo alguno para responder cualquier pregunta que pueda tener sobre nuestro plan de salud o medicamentos. Para hablar con un intérprete, por favor llame al 1-855-592-7737 (TTY: 711). Alguien que hable español le podrá ayudar. Este es un servicio gratuito.

Navajo/Diné: Díí ats’íís dóó azee’ bínda’í dílkidgo, Dinék’ehjí yadałti’iigi ḥa’ bich’í hadíidzih. Béésh bee hane’é t’áá jíik’e be’ hódíílnih 1-855-592-7737 (TTY: 711).

Chinese Mandarin: 我们提供免费的翻译服务，帮助您解答关于健康或药物保险的任何疑问。如果您需要此翻译服务，请致电 1-855-592-7737 (TTY: 711)。我们的中文工作人员很乐意帮助您。这是一项免费服务。

Chinese Cantonese: 您對我們的健康或藥物保險可能存有疑問，為此我們提供免費的翻譯服務。如需翻譯服務，請致電 1-855-592-7737 (TTY: 711)。我們講中文的人員將樂意為您提供幫助。這是一項免費服務。

Tagalog: Mayroon kaming libreng serbisyo sa pagsasaling-wika upang masagot ang anumang mga katanungan ninyo hinggil sa aming planong pangkalusugan o panggamot. Upang makakuha ng tagasaling-wika, tawagan lamang kami sa 1-855-592-7737 (TTY: 711). Maaari kayong tulungan ng isang nakakapagsalita ng Tagalog. Ito ay libreng serbisyo.

French: Nous proposons des services gratuits d'interprétation pour répondre à toutes vos questions relatives à notre régime de santé ou d'assurance-médicaments. Pour accéder au service d'interprétation, il vous suffit de nous appeler au 1-855-592-7737 (TTY: 711). Un interlocuteur parlant Français pourra vous aider. Ce service est gratuit.

Vietnamese: Chúng tôi có dịch vụ thông dịch miễn phí để trả lời các câu hỏi về chương sức khỏe và chương trình thuốc men. Nếu quý vị cần thông dịch viên xin gọi 1-855-592-7737 (TTY: 711) sẽ có nhân viên nói tiếng Việt giúp đỡ quý vị. Đây là dịch vụ miễn phí.

German: Unser kostenloser Dolmetscherservice beantwortet Ihren Fragen zu unserem Gesundheits- und Arzneimittelplan. Unsere Dolmetscher erreichen Sie unter 1-855-592-7737 (TTY: 711). Man wird Ihnen dort auf Deutsch weiterhelfen. Dieser Service ist kostenlos.

Korean: 당사는 의료 보험 또는 약품 보험에 관한 질문에 답해 드리고자 무료 통역 서비스를 제공하고 있습니다. 통역 서비스를 이용하려면 전화 1-855-592-7737 (TTY: 711) 번으로 문의해 주십시오. 한국어를 하는 담당자가 도와 드릴 것입니다. 이 서비스는 무료로 운영됩니다.

Russian: Если у вас возникнут вопросы относительно страхового или медикаментного плана, вы можете воспользоваться нашими бесплатными услугами переводчиков. Чтобы воспользоваться услугами переводчика, позвоните нам по телефону 1-855-592-7737 (TTY: 711). Вам окажет помощь сотрудник, который говорит по-русски. Данная услуга бесплатная.

Arabic: إننا نقدم خدمات المترجم الفوري المجانية للإجابة عن أي أسئلة تتعلق بالصحة أو جدول الأدوية لدينا. للحصول على مترجم فوري، ليس عليك سوى الاتصال بنا على (11) 1-855-592-7737 (TTY: 711). سيقوم شخص ما يتحدث العربية بمساعدتك. هذه خدمة مجانية.

Hindi: हमारे स्वास्थ्य या दवा की योजना के बारे में आपके किसी भी प्रश्न के जवाब देने के लिए हमारे पास मुफ्त दुभाषिया सेवाएँ उपलब्ध हैं। एक दुभाषिया प्राप्त करने के लिए, बस हमें 1-855-592-7737 (TTY: 711) पर फोन करें। कोई व्यक्ति जो हिन्दी बोलता है आपकी मदद कर सकता है। यह एक मुफ्त सेवा है।

Italian: È disponibile un servizio di interpretariato gratuito per rispondere a eventuali domande sul nostro piano sanitario e farmaceutico. Per un interprete, contattare il numero 1-855-592-7737 (TTY: 711). Un nostro incaricato che parla Italiano fornirà l'assistenza necessaria. È un servizio gratuito.

Portuguese: Dispomos de serviços de interpretação gratuitos para responder a qualquer questão que tenha acerca do nosso plano de saúde ou de medicação. Para obter um intérprete, contacte-nos através do número 1-855-592-7737 (TTY: 711). Irá encontrar alguém que fale o idioma Português para o ajudar. Este serviço é gratuito.

French Creole: Nou genyen sèvis entèprèt gratis pou reponn tout kesyon ou ta genyen konsènan plan medikal oswa dwòg nou an. Pou jwenn yon entèprèt, jis rele nou nan 1-855-592-7737 (TTY: 711). Yon moun ki pale Kreyòl kapab ede w. Sa a se yon sèvis ki gratis.

Polish: Umożliwiamy bezpłatne skorzystanie z usług tłumacza ustnego, który pomoże w uzyskaniu odpowiedzi na temat planu zdrowotnego lub dawkowania leków. Aby skorzystać z pomocy tłumacza znającego język polski, należy zadzwonić pod numer 1-855-592-7737 (TTY: 711). Ta usługa jest bezpłatna.

Japanese: 当社の健康 健康保険と薬品 処方薬プランに関するご質問にお答えするため に、無料の通訳サービスがありますございます。通訳をご用命になるには、1-855-592-7737 (TTY: 711) にお電話ください。日本語を話す人者が支援いたします。これは無料の サービスです。



Presbyterian Dual Plus (HMO D-SNP)

This formulary was updated on November 19, 2024. For more recent information or other questions, please call our Presbyterian Customer Service Center at (505) 923-7675 or 1-855-465-7737 (TTY: 711).

October 1 to March 31, we are available from 8 a.m. to 8 p.m., seven days a week. April 1 to September 30, we are available from 8 a.m. to 8 p.m., Monday to Friday. We are closed on holidays.

You may also visit our website at www.phs.org/Medicare.

Presbyterian exists to ensure all of the patients, members and communities we serve can achieve their best health.